

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/010913

International filing date: 31 March 2005 (31.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/559,042
Filing date: 01 April 2004 (01.04.2004)

Date of receipt at the International Bureau: 12 August 2005 (12.08.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

1352383

UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

August 02, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM
THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK
OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT
APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A
FILING DATE.

APPLICATION NUMBER: 60/559,042

FILING DATE: *April 01, 2004*

RELATED PCT APPLICATION NUMBER: PCT/US05/10913



Certified by

Under Secretary of Commerce
for Intellectual Property
and Director of the United States
Patent and Trademark Office

040104

01919 U.S. PTO

PTO/SB/16 (08-03)

Approved for use through 7/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
A collection of information unless it displays a valid OMB control number.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No. EL 961008104 US

222857 - U. S. PTO
60/559042

INVENTOR(S)																			
Given Name (first and middle [if any])		Family Name or Surname	Residence (City and either State or Foreign Country)																
Steven Andreas Stefan M.		MAH BRAUN KAMMERER	San Diego, California San Diego, California San Diego, California																
<p>Additional inventors are being named on the <u>1</u> separately numbered sheets attached hereto</p> <p style="text-align: center;">TITLE OF THE INVENTION (500 characters max)</p> <p style="text-align: center;">METHODS FOR IDENTIFYING RISK OF OSTEOARTHRITIS AND TREATMENTS THEREOF</p>																			
<p><i>Direct all correspondence to:</i> CORRESPONDENCE ADDRESS</p> <p><input checked="" type="checkbox"/> Customer Number: <u>25225</u></p> <p>OR</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"><input type="checkbox"/> Firm or Individual Name</td> <td colspan="3"></td> </tr> <tr> <td>Address</td> <td colspan="3"></td> </tr> <tr> <td>City</td> <td>State</td> <td>Zip</td> <td></td> </tr> <tr> <td>Country</td> <td>Telephone</td> <td>Fax</td> <td></td> </tr> </table>				<input type="checkbox"/> Firm or Individual Name				Address				City	State	Zip		Country	Telephone	Fax	
<input type="checkbox"/> Firm or Individual Name																			
Address																			
City	State	Zip																	
Country	Telephone	Fax																	
ENCLOSED APPLICATION PARTS (check all that apply)																			
<p><input checked="" type="checkbox"/> Specification Number of Pages <u>162</u> <input type="checkbox"/> CD(s), Number <u> </u></p> <p><input checked="" type="checkbox"/> Drawing(s) Number of Sheets <u>1</u> <input checked="" type="checkbox"/> Other <u> </u></p> <p><input checked="" type="checkbox"/> Application Data Sheet. See 37 CFR 1.76 (4 pages) (specify): <u>Return Receipt Postcard</u></p>																			
<p>METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT</p> <p><input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27.</p> <p><input type="checkbox"/> A check or money order is enclosed to cover the filing fees.</p> <p><input checked="" type="checkbox"/> The Director is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number: <u>03-1952</u></p> <p><input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.</p>																			
			FILING FEE AMOUNT (\$) <u>80.00</u>																
<p>The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.</p> <p><input checked="" type="checkbox"/> No <input type="checkbox"/> Yes, the name of the U.S. Government agency and the Government contract number are: _____</p>																			

Respectfully submitted,

[Page 1 of 2]

Data

April 1, 2004

SIGNATURE
TYPED OR
PRINTED NAME

Bruce D. Grant

**REGISTRATION NO.
(if appropriate)**

TELEPHONE

(858) 720-7962

Docket Number: 524593008900

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as Express Mail, Airbill No. EL 961008104 US, in an envelope addressed to: Mail Stop Provisional Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: 4/1/04 Signature: D. Wykes (Deborah Wykes)

PROVISIONAL APPLICATION COVER SHEET
Additional Page

PTO/SB/16 (08-03)

Approved for use through 07/31/06. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Docket Number 524593008900

INVENTOR(S)/APPLICANT(S)		
Given Name (first and middle if any)	Family or Surname	Residence (City and either State or Foreign Country)
Matthew Roberts Rikard Henry Maria L.	NELSON RENELAND LANGDOWN	San Marcos, California San Diego, California San Diego, California

[Page 2 of 2]

**METHODS FOR IDENTIFYING RISK OF OSTEOARTHRITIS AND
TREATMENTS THEREOF**

Field of the Invention

[0001] The invention relates to genetic methods for identifying risk of osteoarthritis and treatments that specifically target such diseases.

Background

[0002] Osteoarthritis (OA) is a chronic disease usually affecting weight-bearing synovial joints. There are approximately 20 million Americans affected by OA and it is the leading cause of disability in the United States. In addition to extensive human suffering, OA also accounts for nearly all knee replacements and more than half of all hip replacements in the United States. Despite its prevalence, OA is poorly understood and there are few treatments available besides anti-inflammatory drugs and joint replacement.

[0003] Most commonly affecting middle-aged and older people, OA can range from very mild to very severe. It affects hands and weight-bearing joints such as knees, hips, feet and the back. Knee OA can be as disabling as any cardiovascular disease except stroke.

[0004] OA is characterized by the breakdown of cartilage in joints. Cartilage in joints cushions the ends of bones, and cartilage breakdown causes bones to rub against each other, causing pain and loss of movement. Type II collagen is the main component of cartilage, comprising 15-25% of the wet weight, approximately half the dry weight, and representing 90-95% of the total collagen content in the tissue. It forms fibrils that endow cartilage with tensile strength (Mayne, R. Arthritis Rhuem. 32:241-246 (1989)).

Summary

[0005] It has been discovered that certain polymorphic variations in human genomic DNA are associated with osteoarthritis. In particular, polymorphic variants in a locus containing a *ADAMTS2* region in human genomic DNA have been associated with risk of osteoarthritis.

[0006] Thus, featured herein are methods for identifying a subject at risk of osteoarthritis and/or a risk of osteoarthritis in a subject, which comprise detecting the presence or absence of one or more polymorphic variations associated with osteoarthritis in or around the loci described herein in a human nucleic acid sample. In an embodiment, two or more polymorphic variations are detected in two or more regions of which one is the *ADAMTS2* region. In certain embodiments, 3 or more, or 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20 or more polymorphic variants are detected.

[0007] Also featured are nucleic acids that include one or more polymorphic variations associated with occurrence of osteoarthritis, as well as polypeptides encoded by these nucleic acids. In addition, provided are methods for identifying candidate therapeutic molecules for treating osteoarthritis, as well as methods for treating osteoarthritis in a subject by identifying a subject at risk of osteoarthritis and treating the subject with a suitable prophylactic, treatment or therapeutic molecule.

[0008] Also provided are compositions comprising a cell from a subject having osteoarthritis or at risk of osteoarthritis and/or a *ADAMTS2* nucleic acid, with a RNAi, siRNA, antisense DNA or RNA, or ribozyme nucleic acid designed from a *ADAMTS2* nucleotide sequence. In an embodiment, the RNAi, siRNA, antisense DNA or RNA, or ribozyme nucleic acid is designed from a *ADAMTS2* nucleotide sequence that includes one or more polymorphic variations associated with osteoarthritis, and in some instances, specifically interacts with such a nucleotide sequence. Further, provided are arrays of nucleic acids bound to a solid surface, in which one or more nucleic acid molecules of the array have a *ADAMTS2* nucleotide sequence, or a fragment or substantially identical nucleic acid thereof, or a complementary nucleic acid of the foregoing. Featured also are compositions comprising a cell from a subject having osteoarthritis or at risk of osteoarthritis and/or a *ADAMTS2* polypeptide, with an antibody that specifically binds to the polypeptide. Thus, featured is an antibody that specifically binds to an epitope in the polypeptide that includes an amino acid encoded by a polymorphic site associated with osteoarthritis. In certain embodiments, the antibody specifically binds to an epitope comprising a valine or isoleucine encoded by rs398829 (e.g., an antibody that binds to an epitope comprising a valine at position 245 in an *ADAMTS2* polypeptide) A valine at position 245 is associated with increased risk of osteoarthritis.

Brief Description of the Drawings

[0009] Figure 1 shows proximal SNPs in a *ADAMTS2* region in genomic DNA. The position of each SNP in the chromosome is shown on the x-axis and the y-axis provides the negative logarithm of the p-value comparing the estimated allele to that of the control group. Also shown in the figure are exons and introns of the region in the approximate chromosomal positions.

Detailed Description

[0010] It has been discovered that a polymorphic variant in a locus containing a *ADAMTS2* region is associated with occurrence of osteoarthritis in subjects. Thus, detecting genetic determinants associated with an increased risk of osteoarthritis occurrence can lead to early identification of a predisposition to osteoarthritis and early prescription of preventative measures. Also, associating a *ADAMTS2* polymorphic variant with osteoarthritis has provided new targets for screening molecules useful in treatments of osteoarthritis.

Osteoarthritis and Sample Selection

[0011] Osteoarthritis (OA), or degenerative joint disease, is one of the oldest and most common types of arthritis. It is characterized by the breakdown of the joint's cartilage. Cartilage is the part of the joint that cushions the ends of bones, and its breakdown causes bones to rub against each other, causing pain and loss of movement. Type II collagen is the main component of cartilage, comprising 15-25% of the wet weight, approximately half the dry weight, and representing 90-95% of the total collagen content in the tissue. It forms fibrils that endow cartilage with tensile strength (Mayne, R. *Arthritis Rhuem.* 32:241-246 (1989)).

[0012] Most commonly affecting middle-aged and older people, OA can range from very mild to very severe. It affects hands and weight-bearing joints such as knees, hips, feet and the back. Knee OA can be as disabling as any cardiovascular disease except stroke. Whereas Ehlers-Danlos syndrome type VIIC is characterized by the retention of the N-terminal propeptide of type I collagen, osteoarthritis has been characterized by increased levels of type II collagen in osteoarthritic cartilage as measured by elevated C-propeptide concentrations (Nelson et al. (1998) *J. Clin. Invest.* 102(12):2115-2125).

[0013] Osteoarthritis affects an estimated 20.7 million Americans, mostly after age 45, with women more commonly affected than men. Physicians make a diagnosis of OA based on a physical exam and history of symptoms. X-rays are used to confirm diagnosis. Most people over 60 reflect the disease on X-ray, and about one-third have actual symptoms.

[0014] There are many factors that can cause OA. Obesity may lead to osteoarthritis of the knees. In addition, people with joint injuries due to sports, work-related activity or accidents may be at increased risk of developing OA.

[0015] Genetics has a role in the development of OA. Some people may be born with defective cartilage or with slight defects in the way that joints fit together. As a person ages, these defects may cause early cartilage breakdown in the joint or the inability to repair damaged or deteriorated cartilage in the joint.

[0016] Inclusion or exclusion of samples for an osteoarthritis pool may be based upon the following criteria: ethnicity (e.g., samples derived from an individual characterized as Caucasian); parental ethnicity (e.g., samples derived from an individual of British paternal and maternal descent); relevant phenotype information for the individual (e.g., case samples derived from individuals diagnosed with specific knee osteoarthritis (OA) and were recruited from an OA knee replacement clinic). Control samples may be selected based on relevant phenotype information for the individual (e.g., derived from individuals free of OA at several sites (knee, hand, hip etc)); and no family history of OA and/or rheumatoid arthritis. Additional phenotype information collected for both cases and controls may include age of the individual, gender, family history of OA, diagnosis with osteoarthritis (joint location of OA, date of primary diagnosis, age of individual as of primary diagnosis), knee history (current symptoms,

any major knee injury, meniscectomy, knee replacement surgery, age of surgery), HRT history, osteoporosis diagnosis.

[0017] Based in part upon selection criteria set forth above, individuals having osteoarthritis can be selected for genetic studies. Also, individuals having no history of osteoarthritis often are selected for genetic studies, as described hereafter.

Polymorphic Variants Associated with Osteoarthritis

[0018] A genetic analysis provided herein linked osteoarthritis with polymorphic variant nucleic acid sequences in the human genome. As used herein, the term “polymorphic site” refers to a region in a nucleic acid at which two or more alternative nucleotide sequences are observed in a significant number of nucleic acid samples from a population of individuals. A polymorphic site may be a nucleotide sequence of two or more nucleotides, an inserted nucleotide or nucleotide sequence, a deleted nucleotide or nucleotide sequence, or a microsatellite, for example. A polymorphic site that is two or more nucleotides in length may be 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 or more, 20 or more, 30 or more, 50 or more, 75 or more, 100 or more, 500 or more, or about 1000 nucleotides in length, where all or some of the nucleotide sequences differ within the region. A polymorphic site is often one nucleotide in length, which is referred to herein as a “single nucleotide polymorphism” or a “SNP.”

[0019] Where there are two, three, or four alternative nucleotide sequences at a polymorphic site, each nucleotide sequence is referred to as a “polymorphic variant” or “nucleic acid variant.” Where two polymorphic variants exist, for example, the polymorphic variant represented in a minority of samples from a population is sometimes referred to as a “minor allele” and the polymorphic variant that is more prevalently represented is sometimes referred to as a “major allele.” Many organisms possess a copy of each chromosome (e.g., humans), and those individuals who possess two major alleles or two minor alleles are often referred to as being “homozygous” with respect to the polymorphism, and those individuals who possess one major allele and one minor allele are normally referred to as being “heterozygous” with respect to the polymorphism. Individuals who are homozygous with respect to one allele are sometimes predisposed to a different phenotype as compared to individuals who are heterozygous or homozygous with respect to another allele.

[0020] In genetic analysis that associate polymorphic variants with osteoarthritis, samples from individuals having osteoarthritis and individuals not having osteoarthritis often are allelotyped and/or genotyped. The term “allelotype” as used herein refers to a process for determining the allele frequency for a polymorphic variant in pooled DNA samples from cases and controls. By pooling DNA from each group, an allele frequency for each SNP in each group is calculated. These allele frequencies are then compared to one another. The term “genotyped” as used herein refers to a process for determining a

genotype of one or more individuals, where a “genotype” is a representation of one or more polymorphic variants in a population.

[0021] A genotype or polymorphic variant may be expressed in terms of a “haplotype,” which as used herein refers to two or more polymorphic variants occurring within genomic DNA in a group of individuals within a population. For example, two SNPs may exist within a gene where each SNP position includes a cytosine variation and an adenine variation. Certain individuals in a population may carry one allele (heterozygous) or two alleles (homozygous) having the gene with a cytosine at each SNP position. As the two cytosines corresponding to each SNP in the gene travel together on one or both alleles in these individuals, the individuals can be characterized as having a cytosine/cytosine haplotype with respect to the two SNPs in the gene.

[0022] As used herein, the term “phenotype” refers to a trait which can be compared between individuals, such as presence or absence of a condition, a visually observable difference in appearance between individuals, metabolic variations, physiological variations, variations in the function of biological molecules, and the like. An example of a phenotype is occurrence of osteoarthritis.

[0023] Researchers sometimes report a polymorphic variant in a database without determining whether the variant is represented in a significant fraction of a population. Because a subset of these reported polymorphic variants are not represented in a statistically significant portion of the population, some of them are sequencing errors and/or not biologically relevant. Thus, it is often not known whether a reported polymorphic variant is statistically significant or biologically relevant until the presence of the variant is detected in a population of individuals and the frequency of the variant is determined. Methods for detecting a polymorphic variant in a population are described herein, specifically in Example 2. A polymorphic variant is statistically significant and often biologically relevant if it is represented in 5% or more of a population, sometimes 10% or more, 15% or more, or 20% or more of a population, and often 25% or more, 30% or more, 35% or more, 40% or more, 45% or more, or 50% or more of a population.

[0024] A polymorphic variant may be detected on either or both strands of a double-stranded nucleic acid. Also, a polymorphic variant may be located within an intron or exon of a gene or within a portion of a regulatory region such as a promoter, a 5' untranslated region (UTR), a 3' UTR, and in DNA (e.g., genomic DNA (gDNA) and complementary DNA (cDNA)), RNA (e.g., mRNA, tRNA, and rRNA), or a polypeptide. Polymorphic variations may or may not result in detectable differences in gene expression, polypeptide structure, or polypeptide function.

[0025] It was determined that polymorphic variations associated with an increased risk of osteoarthritis existed in a *ADAMTS2* region in SEQ ID NO: 1. In certain embodiments, a polymorphic variant at position rs398829 in the human genome was associated with an increased risk of osteoarthritis, and in a specific embodiment, a guanine at position rs398829 was associated with an increased risk of osteoarthritis.

[0026] Polymorphic variants in and around the *ADAMTS2* locus were tested for association with osteoarthritis. These include polymorphic variants at positions in SEQ ID NO: 1 selected from the group consisting of 210, 3608, 3609, 4318, 5593, 5629, 5639, 5640, 8943, 17968, 19887, 21034, 21085, , 21596, 23379, 23432, 24007, 26121, 26273, 26755, 27411, 27710, 27842, 28379, 29603, 31232, 31504, 32583, 32794, 32840, 33044, 33150, 33218, 33513, 33959, 34486, 36289, 36570, 38247, 38477, 38518, 38529, 38667, 39781, 39856, 39927, 40506, 41869, 42452, 44788, 46059, 46846, 47712, 48796, 49441, 49602, 49723, 50050, 50171, 50477, 50818, 50833, 50881, 50882, 51386, 51534, 52317, 52368, 52970, 53023, 53356, 53882, 54553, 55475, 55530, 55691, 55848, 55879, 56316, 56911, 57320, 57391, 57437, 57478, 57500, 59111, 59333, 59715, 59804, 59851, 59929, 60052, 60240, 60359, 60381, 60456, 60724, 60875, 60968, 60978, 60998, 61557, 62091, 62645, 62943, 63131, 63145, 63406, 63427, 63554, 63661, 64093, 64153, 64409, 64544, 65257, 65626, 65739 , 66392, 66720, 69177, 69336, 69636, 69823, 69928, 70547, 70633, 71805, 72181, 72200, 72474, 72567, 72973, 73468, 73889, 75730, 75970, 76114, 76342, 76449, 76465, 76791, 78042, 80758, 80778, 81356, 81576, 81689, 81759, 81950, 82562, 83591, 83700, 83821, 83842, 83923, 83929, 84021, 84175, 84417, 84747, 85746, 86129, 86335, 87315, 87648, 87764, 87770, 88221, 90474, 91148, 91150, 91160, 91733, 91772, 91785, 93140, 93148, 96080, 96157, 96313, 96759, 97026, 97320, 97732, 98713, 99707, 99959, 100009, 100020, 100065, 100086, 101270, 101276, 101371, 101376, 101439, 101820, 102392, 102602, 102604, 102896, 189104, 189134 and 189205.

Polymorphic variants at the following positions in SEQ ID NO: 1 in particular were associated with an increased risk of osteoarthritis: 5640, 33150, 38247, 38529, 46846, 49723, 50050, 63427, 73889, 189104 and rs428901, where specific embodiments are directed to positions 46846, 73889, 189104 and/or rs428901. In particular, the following polymorphic variants in SEQ ID NO: 1 were associated with risk of osteoarthritis: a cytosine at position 5640, a cytosine at position 33150, an adenine at position 38247, a thymine at position 38529, an adenine at position 46846, a cytosine at position 49723, a cytosine at position 50050, a cytosine a position 63427, a guanine at position 73889, a thymine at position 189104, and an adenine at position rs428901.

[0027] Based in part upon analyses summarized in Figure 1, a region with significant association has been identified in a locus associated with osteoarthritis. Any polymorphic variants associated with osteoarthritis in a region of significant association can be utilized for embodiments described herein. For example, polymorphic variants in a region spanning chromosome positions 178746000 to 178751000 (approximately 5,000 nucleotides in length) in a *ADAMTS2* locus have significant association (chromosome positions are within NCBI's Genome build 34).

Additional Polymorphic Variants Associated with Osteoarthritis

[0028] Also provided is a method for identifying polymorphic variants proximal to an incident, founder polymorphic variant associated with osteoarthritis. Thus, featured herein are methods for

identifying a polymorphic variation associated with osteoarthritis that is proximal to an incident polymorphic variation associated with osteoarthritis, which comprises identifying a polymorphic variant proximal to the incident polymorphic variant associated with osteoarthritis, where the incident polymorphic variant is in a *ADAMTS2* nucleotide sequence. The nucleotide sequence often comprises a polynucleotide sequence selected from the group consisting of (a) a polynucleotide sequence of SEQ ID NO: 1-3; (b) a polynucleotide sequence that encodes a polypeptide having an amino acid sequence encoded by a polynucleotide sequence of SEQ ID NO: 1-3; and (c) a polynucleotide sequence that encodes a polypeptide having an amino acid sequence that is 90% or more identical to an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3 or a polynucleotide sequence 90% or more identical to the polynucleotide sequence of SEQ ID NO: 1-3. The presence or absence of an association of the proximal polymorphic variant with osteoarthritis then is determined using a known association method, such as a method described in the Examples hereafter. In an embodiment, the incident polymorphic variant is a polymorphic variant associated with osteoarthritis described herein. In another embodiment, the proximal polymorphic variant identified sometimes is a publicly disclosed polymorphic variant, which for example, sometimes is published in a publicly available database. In other embodiments, the polymorphic variant identified is not publicly disclosed and is discovered using a known method, including, but not limited to, sequencing a region surrounding the incident polymorphic variant in a group of nucleic samples. Thus, multiple polymorphic variants proximal to an incident polymorphic variant are associated with osteoarthritis using this method.

[0029] The proximal polymorphic variant often is identified in a region surrounding the incident polymorphic variant. In certain embodiments, this surrounding region is about 50 kb flanking the first polymorphic variant (e.g. about 50 kb 5' of the first polymorphic variant and about 50 kb 3' of the first polymorphic variant), and the region sometimes is composed of shorter flanking sequences, such as flanking sequences of about 40 kb, about 30 kb, about 25 kb, about 20 kb, about 15 kb, about 10 kb, about 7 kb, about 5 kb, or about 2 kb 5' and 3' of the incident polymorphic variant. In other embodiments, the region is composed of longer flanking sequences, such as flanking sequences of about 55 kb, about 60 kb, about 65 kb, about 70 kb, about 75 kb, about 80 kb, about 85 kb, about 90 kb, about 95 kb, or about 100 kb 5' and 3' of the incident polymorphic variant.

[0030] In certain embodiments, polymorphic variants associated with osteoarthritis are identified iteratively. For example, a first proximal polymorphic variant is associated with osteoarthritis using the methods described above and then another polymorphic variant proximal to the first proximal polymorphic variant is identified (e.g., publicly disclosed or discovered) and the presence or absence of an association of one or more other polymorphic variants proximal to the first proximal polymorphic variant with osteoarthritis is determined.

[0031] The methods described herein are useful for identifying or discovering additional polymorphic variants that may be used to further characterize a gene, region or loci associated with a condition, a disease (e.g., osteoarthritis), or a disorder. For example, allelotyping or genotyping data from the additional polymorphic variants may be used to identify a functional mutation or a region of linkage disequilibrium. In certain embodiments, polymorphic variants identified or discovered within a region comprising the first polymorphic variant associated with osteoarthritis are genotyped using the genetic methods and sample selection techniques described herein, and it can be determined whether those polymorphic variants are in linkage disequilibrium with the first polymorphic variant. The size of the region in linkage disequilibrium with the first polymorphic variant also can be assessed using these genotyping methods. Thus, provided herein are methods for determining whether a polymorphic variant is in linkage disequilibrium with a first polymorphic variant associated with osteoarthritis, and such information can be used in prognosis/diagnosis methods described herein.

Isolated Nucleic Acids

[0032] Featured herein are isolated *ADAMTS2* nucleic acid variants depicted in SEQ ID NO: 1-3, and substantially identical nucleic acids thereof. A nucleic acid variant may be represented on one or both strands in a double-stranded nucleic acid or on one chromosomal complement (heterozygous) or both chromosomal complements (homozygous). *ADAMTS2* exists in two forms, a "long" form comprising a molecule approximately 130 kDa in length (e.g., SEQ ID NO: 2 for cDNA sequence and SEQ ID NO: 4 for amino acid sequence), and a "short" form comprising a molecule approximately 70 kDa in length (e.g., SEQ ID NO: 3 for cDNA sequence and SEQ ID NO: 5 for amino acid sequence). Provided herein are polynucleotide sequences encoding both the short and long forms of *ADAMTS2*.

[0033] As used herein, the term "nucleic acid" includes DNA molecules (e.g., a complementary DNA (cDNA) and genomic DNA (gDNA)) and RNA molecules (e.g., mRNA, rRNA, siRNA and tRNA) and analogs of DNA or RNA, for example, by use of nucleotide analogs. The nucleic acid molecule can be single-stranded and it is often double-stranded. The term "isolated or purified nucleic acid" refers to nucleic acids that are separated from other nucleic acids present in the natural source of the nucleic acid. For example, with regard to genomic DNA, the term "isolated" includes nucleic acids which are separated from the chromosome with which the genomic DNA is naturally associated. An "isolated" nucleic acid is often free of sequences which naturally flank the nucleic acid (i.e., sequences located at the 5' and/or 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated nucleic acid molecule can contain less than about 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of 5' and/or 3' nucleotide sequences which flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived. Moreover, an "isolated" nucleic acid molecule, such as a cDNA molecule, can be substantially free of other cellular

material, or culture medium when produced by recombinant techniques, or substantially free of chemical precursors or other chemicals when chemically synthesized. As used herein, the term “gene” refers to a nucleotide sequence that encodes a polypeptide.

[0034] Also included herein are nucleic acid fragments. These fragments often have a nucleotide sequence identical to a nucleotide sequence of SEQ ID NO: 1-3, a nucleotide sequence substantially identical to a nucleotide sequence of SEQ ID NO: 1-3, or a nucleotide sequence that is complementary to the foregoing. The nucleic acid fragment may be identical, substantially identical or homologous to a nucleotide sequence in an exon or an intron in a nucleotide sequence of SEQ ID NO: 1-3, and may encode a domain or part of a domain of a polypeptide. Sometimes, the fragment will comprises one or more of the polymorphic variations described herein as being associated with osteoarthritis. The nucleic acid fragment is often 50, 100, or 200 or fewer base pairs in length, and is sometimes about 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 2000, 3000, 4000, 5000, 10000, 15000, or 20000 base pairs in length. A nucleic acid fragment that is complementary to a nucleotide sequence identical or substantially identical to a nucleotide sequence in SEQ ID NO: 1-3 and hybridizes to such a nucleotide sequence under stringent conditions is often referred to as a “probe.” Nucleic acid fragments often include one or more polymorphic sites, or sometimes have an end that is adjacent to a polymorphic site as described hereafter.

[0035] An example of a nucleic acid fragment is an oligonucleotide. As used herein, the term “oligonucleotide” refers to a nucleic acid comprising about 8 to about 50 covalently linked nucleotides, often comprising from about 8 to about 35 nucleotides, and more often from about 10 to about 25 nucleotides. The backbone and nucleotides within an oligonucleotide may be the same as those of naturally occurring nucleic acids, or analogs or derivatives of naturally occurring nucleic acids, provided that oligonucleotides having such analogs or derivatives retain the ability to hybridize specifically to a nucleic acid comprising a targeted polymorphism. Oligonucleotides described herein may be used as hybridization probes or as components of prognostic or diagnostic assays, for example, as described herein.

[0036] Oligonucleotides are typically synthesized using standard methods and equipment, such as the ABI™3900 High Throughput DNA Synthesizer and the EXPEDITE™ 8909 Nucleic Acid Synthesizer, both of which are available from Applied Biosystems (Foster City, CA). Analogs and derivatives are exemplified in U.S. Pat. Nos. 4,469,863; 5,536,821; 5,541,306; 5,637,683; 5,637,684; 5,700,922; 5,717,083; 5,719,262; 5,739,308; 5,773,601; 5,886,165; 5,929,226; 5,977,296; 6,140,482; WO 00/56746; WO 01/14398, and related publications. Methods for synthesizing oligonucleotides comprising such analogs or derivatives are disclosed, for example, in the patent publications cited above

and in U.S. Pat. Nos. 5,614,622; 5,739,314; 5,955,599; 5,962,674; 6,117,992; in WO 00/75372; and in related publications.

[0037] Oligonucleotides may also be linked to a second moiety. The second moiety may be an additional nucleotide sequence such as a tail sequence (e.g., a polyadenosine tail), an adapter sequence (e.g., phage M13 universal tail sequence), and others. Alternatively, the second moiety may be a non-nucleotide moiety such as a moiety which facilitates linkage to a solid support or a label to facilitate detection of the oligonucleotide. Such labels include, without limitation, a radioactive label, a fluorescent label, a chemiluminescent label, a paramagnetic label, and the like. The second moiety may be attached to any position of the oligonucleotide, provided the oligonucleotide can hybridize to the nucleic acid comprising the polymorphism.

Uses for Nucleic Acid Sequence

[0038] Nucleic acid coding sequences may be used for diagnostic purposes for detection and control of polypeptide expression. Also, included herein are oligonucleotide sequences such as antisense RNA, small-interfering RNA (siRNA) and DNA molecules and ribozymes that function to inhibit translation of a polypeptide. Antisense techniques and RNA interference techniques are known in the art and are described herein.

[0039] Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA. The mechanism of ribozyme action involves sequence specific hybridization of the ribozyme molecule to complementary target RNA, followed by endonucleolytic cleavage. For example, hammerhead motif ribozyme molecules may be engineered that specifically and efficiently catalyze endonucleolytic cleavage of RNA sequences corresponding to or complementary to *ADAMTS2* nucleotide sequences. Specific ribozyme cleavage sites within any potential RNA target are initially identified by scanning the target molecule for ribozyme cleavage sites which include the following sequences, GUA, GUU and GUC. Once identified, short RNA sequences of between fifteen (15) and twenty (20) ribonucleotides corresponding to the region of the target gene containing the cleavage site may be evaluated for predicted structural features such as secondary structure that may render the oligonucleotide sequence unsuitable. The suitability of candidate targets may also be evaluated by testing their accessibility to hybridization with complementary oligonucleotides, using ribonuclease protection assays.

[0040] Antisense RNA and DNA molecules, siRNA and ribozymes may be prepared by any method known in the art for the synthesis of RNA molecules. These include techniques for chemically synthesizing oligodeoxyribonucleotides well known in the art such as solid phase phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by *in vitro* and *in vivo* transcription of DNA sequences encoding the antisense RNA molecule. Such DNA sequences may be incorporated

into a wide variety of vectors which incorporate suitable RNA polymerase promoters such as the T7 or SP6 polymerase promoters. Alternatively, antisense cDNA constructs that synthesize antisense RNA constitutively or inducibly, depending on the promoter used, can be introduced stably into cell lines.

[0041] DNA encoding a polypeptide also may have a number of uses for the diagnosis of diseases, including osteoarthritis, resulting from aberrant expression of a target gene described herein. For example, the nucleic acid sequence may be used in hybridization assays of biopsies or autopsies to diagnose abnormalities of expression or function (e.g., Southern or Northern blot analysis, *in situ* hybridization assays).

[0042] In addition, the expression of a polypeptide during embryonic development may also be determined using nucleic acid encoding the polypeptide. As addressed, *infra*, production of functionally impaired polypeptide is the cause of various disease states, such as osteoarthritis. *In situ* hybridizations using polypeptide as a probe may be employed to predict problems related to osteoarthritis. Further, as indicated, *infra*, administration of human active polypeptide, recombinantly produced as described herein, may be used to treat disease states related to functionally impaired polypeptide. Alternatively, gene therapy approaches may be employed to remedy deficiencies of functional polypeptide or to replace or compete with dysfunctional polypeptide.

Expression Vectors, Host Cells, and Genetically Engineered Cells

[0043] Provided herein are nucleic acid vectors, often expression vectors, which contain a *ADAMTS2* nucleotide sequence, or a substantially identical sequence thereof. As used herein, the term “vector” refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked and can include a plasmid, cosmid, or viral vector. The vector can be capable of autonomous replication or it can integrate into a host DNA. Viral vectors may include replication defective retroviruses, adenoviruses and adeno-associated viruses for example.

[0044] A vector can include a *ADAMTS2* nucleotide sequence in a form suitable for expression of an encoded target polypeptide or target nucleic acid in a host cell. A “target polypeptide” is a polypeptide encoded by a *ADAMTS2* nucleotide sequence, or a substantially identical nucleotide sequence thereof. The recombinant expression vector typically includes one or more regulatory sequences operatively linked to the nucleic acid sequence to be expressed. The term “regulatory sequence” includes promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Regulatory sequences include those that direct constitutive expression of a nucleotide sequence, as well as tissue-specific regulatory and/or inducible sequences. The design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of polypeptide desired, and the like. Expression vectors can be introduced into host cells to produce target polypeptides, including fusion polypeptides.

[0045] Recombinant expression vectors can be designed for expression of target polypeptides in prokaryotic or eukaryotic cells. For example, target polypeptides can be expressed in *E. coli*, insect cells (e.g., using baculovirus expression vectors), yeast cells, or mammalian cells. Suitable host cells are discussed further in Goeddel, *Gene Expression Technology: Methods in Enzymology 185*, Academic Press, San Diego, CA (1990). Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example using T7 promoter regulatory sequences and T7 polymerase.

[0046] Expression of polypeptides in prokaryotes is most often carried out in *E. coli* with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion polypeptides. Fusion vectors add a number of amino acids to a polypeptide encoded therein, usually to the amino terminus of the recombinant polypeptide. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant polypeptide; 2) to increase the solubility of the recombinant polypeptide; and 3) to aid in the purification of the recombinant polypeptide by acting as a ligand in affinity purification. Often, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant polypeptide to enable separation of the recombinant polypeptide from the fusion moiety subsequent to purification of the fusion polypeptide. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase. Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith & Johnson, *Gene 67*: 31-40 (1988)), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding polypeptide, or polypeptide A, respectively, to the target recombinant polypeptide.

[0047] Purified fusion polypeptides can be used in screening assays and to generate antibodies specific for target polypeptides. In a therapeutic embodiment, fusion polypeptide expressed in a retroviral expression vector is used to infect bone marrow cells that are subsequently transplanted into irradiated recipients. The pathology of the subject recipient is then examined after sufficient time has passed (e.g., six (6) weeks).

[0048] Expressing the polypeptide in host bacteria with an impaired capacity to proteolytically cleave the recombinant polypeptide is often used to maximize recombinant polypeptide expression (Gottesman, S., *Gene Expression Technology: Methods in Enzymology, Academic Press, San Diego, California 185*: 119-128 (1990)). Another strategy is to alter the nucleotide sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in *E. coli* (Wada *et al.*, *Nucleic Acids Res. 20*: 2111-2118 (1992)). Such alteration of nucleotide sequences can be carried out by standard DNA synthesis techniques.

[0049] When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. Recombinant mammalian expression vectors are

often capable of directing expression of the nucleic acid in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Non-limiting examples of suitable tissue-specific promoters include an albumin promoter (liver-specific; Pinkert *et al.*, *Genes Dev.* 1: 268-277 (1987)), lymphoid-specific promoters (Calame & Eaton, *Adv. Immunol.* 43: 235-275 (1988)), promoters of T cell receptors (Winoto & Baltimore, *EMBO J.* 8: 729-733 (1989)) promoters of immunoglobulins (Banerji *et al.*, *Cell* 33: 729-740 (1983); Queen & Baltimore, *Cell* 33: 741-748 (1983)), neuron-specific promoters (e.g., the neurofilament promoter; Byrne & Ruddle, *Proc. Natl. Acad. Sci. USA* 86: 5473-5477 (1989)), pancreas-specific promoters (Edlund *et al.*, *Science* 230: 912-916 (1985)), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Patent No. 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are sometimes utilized, for example, the murine hox promoters (Kessel & Gruss, *Science* 249: 374-379 (1990)) and the α -fetopolypeptide promoter (Campes & Tilghman, *Genes Dev.* 3: 537-546 (1989)).

[0050] A *ADAMTS2* nucleic acid also may be cloned into an expression vector in an antisense orientation. Regulatory sequences (e.g., viral promoters and/or enhancers) operatively linked to a *ADAMTS2* nucleic acid cloned in the antisense orientation can be chosen for directing constitutive, tissue specific or cell type specific expression of antisense RNA in a variety of cell types. Antisense expression vectors can be in the form of a recombinant plasmid, phagemid or attenuated virus. For a discussion of the regulation of gene expression using antisense genes see, e.g., Weintraub *et al.*, Antisense RNA as a molecular tool for genetic analysis, *Reviews - Trends in Genetics*, Vol. 1(1) (1986).

[0051] Also provided herein are host cells that include a *ADAMTS2* nucleotide sequence within a recombinant expression vector or a fragment of such a nucleotide sequence which facilitate homologous recombination into a specific site of the host cell genome. The terms "host cell" and "recombinant host cell" are used interchangeably herein. Such terms refer not only to the particular subject cell but rather also to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein. A host cell can be any prokaryotic or eukaryotic cell. For example, a target polypeptide can be expressed in bacterial cells such as *E. coli*, insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other suitable host cells are known to those skilled in the art.

[0052] Vectors can be introduced into host cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, transduction/infection, DEAE-dextran-mediated transfection, lipofection, or electroporation.

[0053] A host cell provided herein can be used to produce (*i.e.*, express) a target polypeptide or a substantially identical polypeptide thereof. Accordingly, further provided are methods for producing a target polypeptide using host cells described herein. In one embodiment, the method includes culturing host cells into which a recombinant expression vector encoding a target polypeptide has been introduced in a suitable medium such that a target polypeptide is produced. In another embodiment, the method further includes isolating a target polypeptide from the medium or the host cell.

[0054] Also provided are cells or purified preparations of cells which include a *ADAMTS2* transgene, or which otherwise misexpress target polypeptide. Cell preparations can consist of human or non-human cells, *e.g.*, rodent cells, *e.g.*, mouse or rat cells, rabbit cells, or pig cells. In preferred embodiments, the cell or cells include a *ADAMTS2* transgene (*e.g.*, a heterologous form of a *ADAMTS2* gene, such as a human gene expressed in non-human cells). The transgene can be misexpressed, *e.g.*, overexpressed or underexpressed. In other preferred embodiments, the cell or cells include a gene which misexpress an endogenous target polypeptide (*e.g.*, expression of a gene is disrupted, also known as a knockout). Such cells can serve as a model for studying disorders which are related to mutated or misexpressed alleles or for use in drug screening. Also provided are human cells (*e.g.*, a hematopoietic stem cells) transfected with a *ADAMTS2* nucleic acid.

[0055] Also provided are cells or a purified preparation thereof (*e.g.*, human cells) in which an endogenous *ADAMTS2* nucleic acid is under the control of a regulatory sequence that does not normally control the expression of the endogenous gene. The expression characteristics of an endogenous gene within a cell (*e.g.*, a cell line or microorganism) can be modified by inserting a heterologous DNA regulatory element into the genome of the cell such that the inserted regulatory element is operably linked to the corresponding endogenous gene. For example, an endogenous corresponding gene (*e.g.*, a gene which is “transcriptionally silent,” not normally expressed, or expressed only at very low levels) may be activated by inserting a regulatory element which is capable of promoting the expression of a normally expressed gene product in that cell. Techniques such as targeted homologous recombinations, can be used to insert the heterologous DNA as described in, *e.g.*, Chappel, US 5,272,071; WO 91/06667, published on May 16, 1991.

Transgenic Animals

[0056] Non-human transgenic animals that express a heterologous target polypeptide (*e.g.*, expressed from a *ADAMTS2* nucleic acid or substantially identical sequence thereof) can be generated. Such animals are useful for studying the function and/or activity of a target polypeptide and for identifying and/or evaluating modulators of the activity of *ADAMTS2* nucleic acids and encoded polypeptides. As used herein, a “transgenic animal” is a non-human animal such as a mammal (*e.g.*, a non-human primate such as chimpanzee, baboon, or macaque; an ungulate such as an equine, bovine, or

caprine; or a rodent such as a rat, a mouse, or an Israeli sand rat), a bird (e.g., a chicken or a turkey), an amphibian (e.g., a frog, salamander, or newt), or an insect (e.g., *Drosophila melanogaster*), in which one or more of the cells of the animal includes a transgene. A transgene is exogenous DNA or a rearrangement (e.g., a deletion of endogenous chromosomal DNA) that is often integrated into or occurs in the genome of cells in a transgenic animal. A transgene can direct expression of an encoded gene product in one or more cell types or tissues of the transgenic animal, and other transgenes can reduce expression (e.g., a knockout). Thus, a transgenic animal can be one in which an endogenous nucleic acid homologous to a *ADAMTS2* nucleic acid has been altered by homologous recombination between the endogenous gene and an exogenous DNA molecule introduced into a cell of the animal (e.g., an embryonic cell of the animal) prior to development of the animal.

[0057] Intrinsic sequences and polyadenylation signals can also be included in the transgene to increase expression efficiency of the transgene. One or more tissue-specific regulatory sequences can be operably linked to a *ADAMTS2* nucleotide sequence to direct expression of an encoded polypeptide to particular cells. A transgenic founder animal can be identified based upon the presence of a *ADAMTS2* nucleotide sequence in its genome and/or expression of encoded mRNA in tissues or cells of the animals. A transgenic founder animal can then be used to breed additional animals carrying the transgene. Moreover, transgenic animals carrying a *ADAMTS2* nucleotide sequence can further be bred to other transgenic animals carrying other transgenes.

[0058] Target polypeptides can be expressed in transgenic animals or plants by introducing, for example, a *ADAMTS2* nucleic acid into the genome of an animal that encodes the target polypeptide. In preferred embodiments the nucleic acid is placed under the control of a tissue specific promoter, e.g., a milk or egg specific promoter, and recovered from the milk or eggs produced by the animal. Also included is a population of cells from a transgenic animal.

Target Polypeptides

[0059] Also featured herein are isolated target polypeptides, which are encoded by a *ADAMTS2* nucleotide sequence (e.g., SEQ ID NO: 1-3), or a substantially identical nucleotide sequence thereof. *ADAMTS2* exists in two forms, a "long" form comprising a molecule approximately 130 kDa in length (e.g., SEQ ID NO: 4), and a "short" form comprising a molecule approximately 70 kDa in length (e.g., SEQ ID NO: 5). Thus featured herein are isolated *ADAMTS2* polypeptides, which include long and short isoforms, and substantially identical polypeptides thereof. An *ADAMTS2* polypeptide is a polypeptide encoded by an *ADAMTS2* nucleic acid, where one nucleic acid can encode one or more different polypeptides. The term "polypeptide" as used herein includes proteins and peptides. An "isolated" or "purified" polypeptide or protein is substantially free of cellular material or other contaminating proteins from the cell or tissue source from which the protein is derived, or substantially free from chemical

precursors or other chemicals when chemically synthesized. In one embodiment, the language "substantially free" means preparation of a target polypeptide having less than about 30%, 20%, 10% and more preferably 5% (by dry weight), of non-target polypeptide (also referred to herein as a "contaminating protein"), or of chemical precursors or non-target chemicals. When the target polypeptide or a biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, specifically, where culture medium represents less than about 20%, sometimes less than about 10%, and often less than about 5% of the volume of the polypeptide preparation. Isolated or purified target polypeptide preparations are sometimes 0.01 milligrams or more or 0.1 milligrams or more, and often 1.0 milligrams or more and 10 milligrams or more in dry weight.

[0060] Further included herein are target polypeptide fragments. The polypeptide fragment may be a domain or part of a domain of a target polypeptide. The polypeptide fragment may have increased, decreased or unexpected biological activity. The polypeptide fragment is often 50 or fewer, 100 or fewer, or 200 or fewer amino acids in length, and is sometimes 300, 400, 500, 600, 700, or 900 or fewer amino acids in length. Thus, featured herein are *ADAMTS2* polypeptides and biologically active or antigenic fragments thereof useful as reagents or targets in assays applicable to treatment and diagnosis of osteoarthritis. In another embodiment, provided herein are *ADAMTS2* polypeptides having a *ADAMTS2* activity (e.g., a zinc binding activity, a metalloprotease activity, a procollagen II processing or synthesis activity, or a collagen II synthesis activity in vitro or in vivo). In certain embodiments, the polypeptides are *ADAMTS2* proteins including at least one propeptide domain, at least one metalloproteinase domain, at least one disintegrin-like domain, at least one, two, three, and often four thrombospondin domains, and sometimes having a *ADAMTS2* activity, e.g., a *ADAMTS2* activity as described herein. *ADAMTS2* polypeptides and fragments thereof often have biological activity, such as excising the N-propeptide of type II procollagens. Methods for monitoring and quantifying this biological activity are known (e.g., Colige et al., *J. Biol. Chem.* 270: 16724-16730 (1995)).

[0061] Human *ADAMTS2* protein (SEQ ID NO: 4-5) includes a signal sequence of about 29 amino acids (from amino acid 1 to about amino acid 29 of SEQ ID NO: 4-5). The *ADAMTS2* protein without the signal sequence can be approximately 1182 amino acid residues in length (from about amino acid 30 to amino acid 1211 of SEQ ID NO: 4) or approximately 485 amino acid residues in length (from about amino acid 30 to amino acid 514 of SEQ ID NO: 5). Human *ADAMTS2* protein includes a "pro" region homologous to the reproxin family propeptide, which is typically post-translationally cleaved upon conversion of the inactive (or pro-domain containing) protein to the catalytically active metalloprotease. The prodomain region of human *ADAMTS2* protein corresponds to about amino acids 30 to 251, 30 to 252, 30 to 253, 30 to 254, 30 to 255, 30 to 256, 30 to 257, 30 to 258 or 30 to 259 of SEQ ID NO: 4-5, where it is understood that the active form of *ADAMTS2* does not contain the propeptide domain.

[0062] Upon cleavage, catalytically active mature protein can be approximately 960, 959, 958, 957, 956, 955, 954, 953 or 952 amino acids in length (from about amino acid 252, 253, 254, 255, 256, 257, 258, 259 or 260 to amino acid 1211 of SEQ ID NO: 4) or approximately 261, 260, 259, 258, 257, 256, 255, 254 or 253 amino acid residues in length (from about amino acid 252, 253, 254, 255, 256, 257, 258, 259 or 260 to amino acid 514 of SEQ ID NO: 5).

[0063] Human *ADAMTS2* contains the following regions or other structural features: a signal sequence at about amino acids 1-29 of SEQ ID NO: 4-5; a reproxolin family propeptide domain located at about amino acid residues 30 to 251, 30 to 252, 30 to 253, 30 to 254, 30 to 255, 30 to 256, 30 to 257, 30 to 258 or 30 to 259 of SEQ ID NO: 4-5; a zinc-metalloprotease catalytic domain at about amino acids 251 to 479, 252 to 479, 253 to 479, 254 to 479, 255 to 479, 256 to 479, 257 to 479, 258 to 479 or 259 to 479 of SEQ ID NO: 4-5; a disintegrin domain at about amino acids 480 to 560 of SEQ ID NO: 4; a cysteine-rich domain at about amino acids 618 to 722 of SEQ ID NO: 4; four thrombospondin motifs-2 motifs at about amino acids 561 to 616, 854 to 912, 914 to 971, and 975 to 1029 of SEQ ID NO: 4; and eight N-glycosylation sites located at about amino acids 112, 251, 949, 993, 1031, 1098, 1145, and 1150 of SEQ ID NO: 4.

[0064] In other embodiments, provided are methods of increasing the synthesis of procollagen II comprising providing or administering to individuals in need of increasing levels of type II collagen the pharmaceutical or physiologically acceptable composition comprising active human *ADAMTS2* protein or fragment thereof, where *ADAMTS2* polypeptide fragments having activity are selected from amino acids 252-1211, 253-1211, 254-1211, 255-1211, 256-1211, 257-1211, 258-1211, 259-1211 or 260-1211 of SEQ ID NO: 4, where it is understood that the active form of *ADAMTS2* does not contain the propeptide domain.

[0065] Substantially identical target polypeptides may depart from the amino acid sequences of target polypeptides in different manners. For example, conservative amino acid modifications may be introduced at one or more positions in the amino acid sequences of target polypeptides. A “conservative amino acid substitution” is one in which the amino acid is replaced by another amino acid having a similar structure and/or chemical function. Families of amino acid residues having similar structures and functions are well known. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Also, essential and non-essential amino acids may be replaced. A “non-essential” amino acid is one that can be altered without abolishing or substantially altering the biological function of a target polypeptide, whereas altering an “essential” amino acid abolishes or substantially alters the

biological function of a target polypeptide. Amino acids that are conserved among target polypeptides are typically essential amino acids. In certain embodiments, the polypeptide includes one or more non-synonymous polymorphic variants associated with osteoarthritis.

[0066] Also, target polypeptides may exist as chimeric or fusion polypeptides. As used herein, a target “chimeric polypeptide” or target “fusion polypeptide” includes a target polypeptide linked to a non-target polypeptide. A “non-target polypeptide” refers to a polypeptide having an amino acid sequence corresponding to a polypeptide which is not substantially identical to the target polypeptide, which includes, for example, a polypeptide that is different from the target polypeptide and derived from the same or a different organism. The target polypeptide in the fusion polypeptide can correspond to an entire or nearly entire target polypeptide or a fragment thereof. The non-target polypeptide can be fused to the N-terminus or C-terminus of the target polypeptide.

[0067] Fusion polypeptides can include a moiety having high affinity for a ligand. For example, the fusion polypeptide can be a GST-target fusion polypeptide in which the target sequences are fused to the C-terminus of the GST sequences, or a polyhistidine-target fusion polypeptide in which the target polypeptide is fused at the N- or C-terminus to a string of histidine residues. Such fusion polypeptides can facilitate purification of recombinant target polypeptide. Expression vectors are commercially available that already encode a fusion moiety (e.g., a GST polypeptide), and a nucleotide sequence in SEQ ID NO: 1-3, or a substantially identical nucleotide sequence thereof, can be cloned into an expression vector such that the fusion moiety is linked in-frame to the target polypeptide. Further, the fusion polypeptide can be a target polypeptide containing a heterologous signal sequence at its N-terminus. In certain host cells (e.g., mammalian host cells), expression, secretion, cellular internalization, and cellular localization of a target polypeptide can be increased through use of a heterologous signal sequence. Fusion polypeptides can also include all or a part of a serum polypeptide (e.g., an IgG constant region or human serum albumin).

[0068] Target polypeptides can be incorporated into pharmaceutical compositions and administered to a subject *in vivo*. Administration of these target polypeptides can be used to affect the bioavailability of a substrate of the target polypeptide and may effectively increase target polypeptide biological activity in a cell. Target fusion polypeptides may be useful therapeutically for the treatment of disorders caused by, for example, (i) aberrant modification or mutation of a gene encoding a target polypeptide; (ii) mis-regulation of the gene encoding the target polypeptide; and (iii) aberrant post-translational modification of a target polypeptide. Also, target polypeptides can be used as immunogens to produce anti-target antibodies in a subject, to purify target polypeptide ligands or binding partners, and in screening assays to identify molecules which inhibit or enhance the interaction of a target polypeptide with a substrate.

[0069] In addition, polypeptides can be chemically synthesized using techniques known in the art (See, e.g., Creighton, 1983 Proteins. New York, N.Y.: W. H. Freeman and Company; and Hunkapiller et

al., (1984) *Nature* July 12 -18;310(5973):105-11). For example, a relative short fragment can be synthesized by use of a peptide synthesizer. Furthermore, if desired, non-classical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the fragment sequence. Non-classical amino acids include, but are not limited to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid, α -amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid, g-Abu, e-Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid, 3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine, β -alanine, fluoroamino acids, designer amino acids such as β -methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L (levorotary).

[0070] Polypeptides and polypeptide fragments sometimes are differentially modified during or after translation, *e.g.*, by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease, NaBH4; acetylation, formylation, oxidation, reduction; metabolic synthesis in the presence of tunicamycin; and the like. Additional post-translational modifications include, for example, N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of prokaryotic host cell expression. The polypeptide fragments may also be modified with a detectable label, such as an enzymatic, fluorescent, isotopic or affinity label to allow for detection and isolation of the polypeptide.

[0071] Also provided are chemically modified derivatives of polypeptides that can provide additional advantages such as increased solubility, stability and circulating time of the polypeptide, or decreased immunogenicity (*see e.g.*, U.S. Pat. No: 4,179,337). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

[0072] The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between about 1 kDa and about 100 kDa (the term “about” indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (*e.g.*, the duration of sustained release desired, the effects, if

any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog).

[0073] The polymers should be attached to the polypeptide with consideration of effects on functional or antigenic domains of the polypeptide. There are a number of attachment methods available to those skilled in the art (e.g., EP 0 401 384 (coupling PEG to G-CSF) and Malik et al. (1992) *Exp Hematol.* September;20(8):1028-35 (pegylation of GM-CSF using tresyl chloride)). For example, polyethylene glycol may be covalently bound through amino acid residues via a reactive group, such as a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include lysine residues and the N-terminal amino acid residues; those having a free carboxyl group may include aspartic acid residues, glutamic acid residues and the C-terminal amino acid residue. Sulfhydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. For therapeutic purposes, the attachment sometimes is at an amino group, such as attachment at the N-terminus or lysine group.

[0074] Proteins can be chemically modified at the N-terminus. Using polyethylene glycol as an illustration of such a composition, one may select from a variety of polyethylene glycol molecules (by molecular weight, branching, and the like), the proportion of polyethylene glycol molecules to protein (polypeptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective proteins chemically modified at the N-terminus may be accomplished by reductive alkylation, which exploits differential reactivity of different types of primary amino groups (lysine versus the N-terminal) available for derivatization in a particular protein. Under the appropriate reaction conditions, substantially selective derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

Substantially Identical Nucleic Acids and Polypeptides

[0075] Nucleotide sequences and polypeptide sequences that are substantially identical to a *ADAMTS2* nucleotide sequence and the target polypeptide sequences encoded by those nucleotide sequences, respectively, are included herein. The term "substantially identical" as used herein refers to two or more nucleic acids or polypeptides sharing one or more identical nucleotide sequences or polypeptide sequences, respectively. Included are nucleotide sequences or polypeptide sequences that are 55% or more, 60% or more, 65% or more, 70% or more, 75% or more, 80% or more, 85% or more, 90% or more, 95% or more (each often within a 1%, 2%, 3% or 4% variability) identical to a *ADAMTS2* nucleotide sequence or the encoded target polypeptide amino acid sequences. One test for determining

whether two nucleic acids are substantially identical is to determine the percent of identical nucleotide sequences or polypeptide sequences shared between the nucleic acids or polypeptides.

[0076] Calculations of sequence identity are often performed as follows. Sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second amino acid or nucleic acid sequence for optimal alignment and non-homologous sequences can be disregarded for comparison purposes). The length of a reference sequence aligned for comparison purposes is sometimes 30% or more, 40% or more, 50% or more, often 60% or more, and more often 70% or more, 80% or more, 90% or more, or 100% of the length of the reference sequence. The nucleotides or amino acids at corresponding nucleotide or polypeptide positions, respectively, are then compared among the two sequences. When a position in the first sequence is occupied by the same nucleotide or amino acid as the corresponding position in the second sequence, the nucleotides or amino acids are deemed to be identical at that position. The percent identity between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, introduced for optimal alignment of the two sequences.

[0077] Comparison of sequences and determination of percent identity between two sequences can be accomplished using a mathematical algorithm. Percent identity between two amino acid or nucleotide sequences can be determined using the algorithm of Meyers & Miller, *CABIOS* 4: 11-17 (1989), which has been incorporated into the ALIGN program (version 2.0), using a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4. Also, percent identity between two amino acid sequences can be determined using the Needleman & Wunsch, *J. Mol. Biol.* 48: 444-453 (1970) algorithm which has been incorporated into the GAP program in the GCG software package (available at the http address www.gcg.com), using either a Blossum 62 matrix or a PAM250 matrix, and a gap weight of 16, 14, 12, 10, 8, 6, or 4 and a length weight of 1, 2, 3, 4, 5, or 6. Percent identity between two nucleotide sequences can be determined using the GAP program in the GCG software package (available at http address www.gcg.com), using a NWSgapdna.CMP matrix and a gap weight of 40, 50, 60, 70, or 80 and a length weight of 1, 2, 3, 4, 5, or 6. A set of parameters often used is a Blossum 62 scoring matrix with a gap open penalty of 12, a gap extend penalty of 4, and a frameshift gap penalty of 5.

[0078] Another manner for determining if two nucleic acids are substantially identical is to assess whether a polynucleotide homologous to one nucleic acid will hybridize to the other nucleic acid under stringent conditions. As use herein, the term "stringent conditions" refers to conditions for hybridization and washing. Stringent conditions are known to those skilled in the art and can be found in *Current Protocols in Molecular Biology*, John Wiley & Sons, N.Y., 6.3.1-6.3.6 (1989). Aqueous and non-aqueous methods are described in that reference and either can be used. An example of stringent hybridization conditions is hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C,

followed by one or more washes in 0.2X SSC, 0.1% SDS at 50°C. Another example of stringent hybridization conditions are hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 55°C. A further example of stringent hybridization conditions is hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 60°C. Often, stringent hybridization conditions are hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 65°C. More often, stringency conditions are 0.5M sodium phosphate, 7% SDS at 65°C, followed by one or more washes at 0.2X SSC, 1% SDS at 65°C.

[0079] An example of a substantially identical nucleotide sequence to a nucleotide sequence in SEQ ID NO: 1-3 is one that has a different nucleotide sequence but still encodes the same polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO: 1-3. Another example is a nucleotide sequence that encodes a polypeptide having a polypeptide sequence that is more than 70% or more identical to, sometimes more than 75% or more, 80% or more, or 85% or more identical to, and often more than 90% or more and 95% or more identical to a polypeptide sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3.

[0080] Nucleotide sequences in SEQ ID NO: 1-3 and amino acid sequences of encoded polypeptides can be used as “query sequences” to perform a search against public databases to identify other family members or related sequences, for example. Such searches can be performed using the NBLAST and XBLAST programs (version 2.0) of Altschul *et al.*, *J. Mol. Biol.* 215: 403-10 (1990). BLAST nucleotide searches can be performed with the NBLAST program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to nucleotide sequences in SEQ ID NO: 1-3. BLAST polypeptide searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to polypeptides encoded by the nucleotide sequences of SEQ ID NO: 1-3. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul *et al.*, *Nucleic Acids Res.* 25(17): 3389-3402 (1997). When utilizing BLAST and Gapped BLAST programs, default parameters of the respective programs (*e.g.*, XBLAST and NBLAST) can be used (*see* the <http://www.ncbi.nlm.nih.gov>).

[0081] A nucleic acid that is substantially identical to a nucleotide sequence in SEQ ID NO: 1-3 may include polymorphic sites at positions equivalent to those described herein when the sequences are aligned. For example, using the alignment procedures described herein, SNPs in a sequence substantially identical to a sequence in SEQ ID NO: 1-3 can be identified at nucleotide positions that match (*i.e.*, align) with nucleotides at SNP positions in each nucleotide sequence in SEQ ID NO: 1-3. Also, where a polymorphic variation results in an insertion or deletion, insertion or deletion of a nucleotide sequence

from a reference sequence can change the relative positions of other polymorphic sites in the nucleotide sequence.

[0082] Substantially identical nucleotide and polypeptide sequences include those that are naturally occurring, such as allelic variants (same locus), splice variants, homologs (different locus), and orthologs (different organism) or can be non-naturally occurring. Non-naturally occurring variants can be generated by mutagenesis techniques, including those applied to polynucleotides, cells, or organisms. The variants can contain nucleotide substitutions, deletions, inversions and insertions. Variation can occur in either or both the coding and non-coding regions. The variations can produce both conservative and non-conservative amino acid substitutions (as compared in the encoded product). Orthologs, homologs, allelic variants, and splice variants can be identified using methods known in the art. These variants normally comprise a nucleotide sequence encoding a polypeptide that is 50% or more, about 55% or more, often about 70-75% or more or about 80-85% or more, and sometimes about 90-95% or more identical to the amino acid sequences of target polypeptides or a fragment thereof. Such nucleic acid molecules can readily be identified as being able to hybridize under stringent conditions to a nucleotide sequence in SEQ ID NO: 1-3 or a fragment of this sequence. Nucleic acid molecules corresponding to orthologs, homologs, and allelic variants of a nucleotide sequence in SEQ ID NO: 1-3 can further be identified by mapping the sequence to the same chromosome or locus as the nucleotide sequence in SEQ ID NO: 1-3.

[0083] Also, substantially identical nucleotide sequences may include codons that are altered with respect to the naturally occurring sequence for enhancing expression of a target polypeptide in a particular expression system. For example, the nucleic acid can be one in which one or more codons are altered, and often 10% or more or 20% or more of the codons are altered for optimized expression in bacteria (e.g., *E. coli*), yeast (e.g., *S. cerevisiae*), human (e.g., 293 cells), insect, or rodent (e.g., hamster) cells.

Methods for Identifying Risk of Osteoarthritis

[0084] Methods for prognosing and diagnosing osteoarthritis are included herein. These methods include detecting the presence or absence of one or more polymorphic variations in a nucleotide sequence associated with osteoarthritis, such as variants in or around the loci set forth herein, or a substantially identical sequence thereof, in a sample from a subject, where the presence of a polymorphic variant described herein is indicative of a risk of osteoarthritis. Determining a risk of osteoarthritis sometimes refers to determining whether an individual is at an increased risk of osteoarthritis (e.g., intermediate risk or higher risk).

[0085] Thus, featured herein is a method for identifying a subject who is at risk of osteoarthritis, which comprises detecting an aberration associated with osteoarthritis in a nucleic acid sample from the

subject. An embodiment is a method for detecting a risk of osteoarthritis in a subject, which comprises detecting the presence or absence of a polymorphic variation associated with osteoarthritis at a polymorphic site in a nucleotide sequence in a nucleic acid sample from a subject, where the nucleotide sequence comprises a polynucleotide sequence selected from the group consisting of: (a) a nucleotide sequence of SEQ ID NO: 1-3; (b) a nucleotide sequence which encodes a polypeptide consisting of an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3; (c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3, or a nucleotide sequence about 90% or more identical to a nucleotide sequence of SEQ ID NO: 1-3; and (d) a fragment of a nucleotide sequence of (a), (b), or (c) comprising the polymorphic site; whereby the presence of the polymorphic variation is indicative of a predisposition to osteoarthritis in the subject. In some embodiments, a polymorphic variation at position 733 of SEQ ID NO: 2-3 may be detected (e.g., a guanine in these sequences or a cytosine in a complementary sequence are associated with increased risk of osteoarthritis). In certain embodiments, polymorphic variants at the positions described herein are detected for determining a risk of osteoarthritis, and polymorphic variants at positions in linkage disequilibrium with these positions are detected for determining a risk of osteoarthritis. As used herein, "SEQ ID NO: 1-3" refers to individual sequences in SEQ ID NO: 1, 2 or 3, each sequence being separately applicable to embodiments described herein.

[0086] Risk of osteoarthritis sometimes is expressed as a probability, such as an odds ratio, percentage, or risk factor. Risk often is based upon the presence or absence of one or more polymorphic variants described herein, and also may be based in part upon phenotypic traits of the individual being tested. Methods for calculating risk based upon patient data are well known (see, e.g., Agresti, *Categorical Data Analysis*, 2nd Ed. 2002. Wilcy). Allelotyping and genotyping analyses may be carried out in populations other than those exemplified herein to enhance the predictive power of the prognostic method. These further analyses are executed in view of the exemplified procedures described herein, and may be based upon the same polymorphic variations or additional polymorphic variations.

[0087] In certain embodiments, determining the presence of a combination of two or more polymorphic variants associated with osteoarthritis in one or more genetic loci (e.g., one or more genes) of the sample is determined to identify, quantify and/or estimate, risk of osteoarthritis. The risk often is the probability of having or developing osteoarthritis. The risk sometimes is expressed as a relative risk with respect to a population average risk of osteoarthritis, and sometimes is expressed as a relative risk with respect to the lowest risk group. Such relative risk assessments often are based upon penetrance values determined by statistical methods, and are particularly useful to clinicians and insurance companies for assessing risk of osteoarthritis (e.g., a clinician can target appropriate detection, prevention and therapeutic regimens to a patient after determining the patient's risk of osteoarthritis, and an

insurance company can fine tune actuarial tables based upon population genotype assessments of osteoarthritis risk). Risk of osteoarthritis sometimes is expressed as an odds ratio, which is the odds of a particular person having a genotype has or will develop osteoarthritis with respect to another genotype group (e.g., the most disease protective genotype or population average). In related embodiments, the determination is utilized to identify a subject at risk of osteoarthritis. In an embodiment, two or more polymorphic variations are detected in two or more regions in human genomic DNA associated with increased risk of osteoarthritis, such as a locus containing a *ADAMTS2*, for example. In certain embodiments, 3 or more, or 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or 20 or more polymorphic variants are detected in the sample. In specific embodiments, polymorphic variants are detected in a *ADAMTS2* region, for example. In certain embodiments, polymorphic variants are detected at other genetic loci (e.g., the polymorphic variants can be detected in *ADAMTS2* in addition to other loci or only in other loci), where the other loci include but are not limited to those described in concurrently-filed patent applications having attorney docket number 524593008700, 524593008800, 524593009000 or 524593009200, which is incorporated herein by reference in its entirety.

[0088] Results from prognostic tests may be combined with other test results to diagnose osteoarthritis. For example, prognostic results may be gathered, a patient sample may be ordered based on a determined predisposition to osteoarthritis, the patient sample is analyzed, and the results of the analysis may be utilized to diagnose osteoarthritis. Also osteoarthritis diagnostic method can be developed from studies used to generate prognostic methods in which populations are stratified into subpopulations having different progressions of osteoarthritis. In another embodiment, prognostic results may be gathered, a patient's risk factors for developing osteoarthritis (e.g., age, weight, race, diet) analyzed, and a patient sample may be ordered based on a determined predisposition to osteoarthritis.

[0089] The nucleic acid sample typically is isolated from a biological sample obtained from a subject. For example, nucleic acid can be isolated from blood, saliva, sputum, urine, cell scrapings, and biopsy tissue. The nucleic acid sample can be isolated from a biological sample using standard techniques, such as the technique described in Example 2. As used herein, the term "subject" refers primarily to humans but also refers to other mammals such as dogs, cats, and ungulates (e.g., cattle, sheep, and swine). Subjects also include avians (e.g., chickens and turkeys), reptiles, and fish (e.g., salmon), as embodiments described herein can be adapted to nucleic acid samples isolated from any of these organisms. The nucleic acid sample may be isolated from the subject and then directly utilized in a method for determining the presence of a polymorphic variant, or alternatively, the sample may be isolated and then stored (e.g., frozen) for a period of time before being subjected to analysis.

[0090] The presence or absence of a polymorphic variant is determined using one or both chromosomal complements represented in the nucleic acid sample. Determining the presence or absence of a polymorphic variant in both chromosomal complements represented in a nucleic acid sample from a

subject having a copy of each chromosome is useful for determining the zygosity of an individual for the polymorphic variant (*i.e.*, whether the individual is homozygous or heterozygous for the polymorphic variant). Any oligonucleotide-based diagnostic may be utilized to determine whether a sample includes the presence or absence of a polymorphic variant in a sample. For example, primer extension methods, ligase sequence determination methods (*e.g.*, U.S. Pat. Nos. 5,679,524 and 5,952,174, and WO 01/27326), mismatch sequence determination methods (*e.g.*, U.S. Pat. Nos. 5,851,770; 5,958,692; 6,110,684; and 6,183,958), microarray sequence determination methods, restriction fragment length polymorphism (RFLP), single strand conformation polymorphism detection (SSCP) (*e.g.*, U.S. Pat. Nos. 5,891,625 and 6,013,499), PCR-based assays (*e.g.*, TAQMAN® PCR System (Applied Biosystems)), and nucleotide sequencing methods may be used.

[0091] Oligonucleotide extension methods typically involve providing a pair of oligonucleotide primers in a polymerase chain reaction (PCR) or in other nucleic acid amplification methods for the purpose of amplifying a region from the nucleic acid sample that comprises the polymorphic variation. One oligonucleotide primer is complementary to a region 3' of the polymorphism and the other is complementary to a region 5' of the polymorphism. A PCR primer pair may be used in methods disclosed in U.S. Pat. Nos. 4,683,195; 4,683,202, 4,965,188; 5,656,493; 5,998,143; 6,140,054; WO 01/27327; and WO 01/27329 for example. PCR primer pairs may also be used in any commercially available machines that perform PCR, such as any of the GENEAMP® Systems available from Applied Biosystems. Also, those of ordinary skill in the art will be able to design oligonucleotide primers based upon a *ADAMTS2* nucleotide sequence using knowledge available in the art.

[0092] Also provided is an extension oligonucleotide that hybridizes to the amplified fragment adjacent to the polymorphic variation. As used herein, the term “adjacent” refers to the 3' end of the extension oligonucleotide being often 1 nucleotide from the 5' end of the polymorphic site, and sometimes 2, 3, 4, 5, 6, 7, 8, 9, or 10 nucleotides from the 5' end of the polymorphic site, in the nucleic acid when the extension oligonucleotide is hybridized to the nucleic acid. The extension oligonucleotide then is extended by one or more nucleotides, and the number and/or type of nucleotides that are added to the extension oligonucleotide determine whether the polymorphic variant is present. Oligonucleotide extension methods are disclosed, for example, in U.S. Pat. Nos. 4,656,127; 4,851,331; 5,679,524; 5,834,189; 5,876,934; 5,908,755; 5,912,118; 5,976,802; 5,981,186; 6,004,744; 6,013,431; 6,017,702; 6,046,005; 6,087,095; 6,210,891; and WO 01/20039. Oligonucleotide extension methods using mass spectrometry are described, for example, in U.S. Pat. Nos. 5,547,835; 5,605,798; 5,691,141; 5,849,542; 5,869,242; 5,928,906; 6,043,031; and 6,194,144, and a method often utilized is described herein in Example 2.

[0093] A microarray can be utilized for determining whether a polymorphic variant is present or absent in a nucleic acid sample. A microarray may include any oligonucleotides described herein, and

methods for making and using oligonucleotide microarrays suitable for diagnostic use are disclosed in U.S. Pat. Nos. 5,492,806; 5,525,464; 5,589,330; 5,695,940; 5,849,483; 6,018,041; 6,045,996; 6,136,541; 6,142,681; 6,156,501; 6,197,506; 6,223,127; 6,225,625; 6,229,911; 6,239,273; WO 00/52625; WO 01/25485; and WO 01/29259. The microarray typically comprises a solid support and the oligonucleotides may be linked to this solid support by covalent bonds or by non-covalent interactions. The oligonucleotides may also be linked to the solid support directly or by a spacer molecule. A microarray may comprise one or more oligonucleotides complementary to a polymorphic site set forth herein.

[0094] A kit also may be utilized for determining whether a polymorphic variant is present or absent in a nucleic acid sample. A kit often comprises one or more pairs of oligonucleotide primers useful for amplifying a fragment of a nucleotide sequence of SEQ ID NO: 1-3 or a substantially identical sequence thereof, where the fragment includes a polymorphic site. The kit sometimes comprises a polymerizing agent, for example, a thermostable nucleic acid polymerase such as one disclosed in U.S. Pat. Nos. 4,889,818 or 6,077,664. Also, the kit often comprises an elongation oligonucleotide that hybridizes to a *ADAMTS2* nucleotide sequence in a nucleic acid sample adjacent to the polymorphic site. Where the kit includes an elongation oligonucleotide, it also often comprises chain elongating nucleotides, such as dATP, dTTP, dGTP, dCTP, and dITP, including analogs of dATP, dTTP, dGTP, dCTP and dITP, provided that such analogs are substrates for a thermostable nucleic acid polymerase and can be incorporated into a nucleic acid chain elongated from the extension oligonucleotide. Along with chain elongating nucleotides would be one or more chain terminating nucleotides such as ddATP, ddTTP, ddGTP, ddCTP, and the like. In an embodiment, the kit comprises one or more oligonucleotide primer pairs, a polymerizing agent, chain elongating nucleotides, at least one elongation oligonucleotide, and one or more chain terminating nucleotides. Kits optionally include buffers, vials, microtiter plates, and instructions for use.

[0095] An individual identified as being at risk of osteoarthritis may be heterozygous or homozygous with respect to the allele associated with a higher risk of osteoarthritis. A subject homozygous for an allele associated with an increased risk of osteoarthritis is at a comparatively high risk of osteoarthritis, a subject heterozygous for an allele associated with an increased risk of osteoarthritis is at a comparatively intermediate risk of osteoarthritis, and a subject homozygous for an allele associated with a decreased risk of osteoarthritis is at a comparatively low risk of osteoarthritis. A genotype may be assessed for a complementary strand, such that the complementary nucleotide at a particular position is detected.

[0096] Also featured are methods for determining risk of osteoarthritis and/or identifying a subject at risk of osteoarthritis by contacting a polypeptide or protein encoded by a *ADAMTS2* nucleotide sequence from a subject with an antibody that specifically binds to an epitope associated with increased

risk of osteoarthritis in the polypeptide (e.g., an epitope comprising a valine at position 245 in an *IR1LR1* polypeptide).

Applications of Prognostic and Diagnostic Results to Pharmacogenomic Methods

[0097] Pharmacogenomics is a discipline that involves tailoring a treatment for a subject according to the subject's genotype as a particular treatment regimen may exert a differential effect depending upon the subject's genotype. For example, based upon the outcome of a prognostic test described herein, a clinician or physician may target pertinent information and preventative or therapeutic treatments to a subject who would be benefited by the information or treatment and avoid directing such information and treatments to a subject who would not be benefited (e.g., the treatment has no therapeutic effect and/or the subject experiences adverse side effects).

[0098] The following is an example of a pharmacogenomic embodiment. A particular treatment regimen can exert a differential effect depending upon the subject's genotype. Where a candidate therapeutic exhibits a significant interaction with a major allele and a comparatively weak interaction with a minor allele (e.g., an order of magnitude or greater difference in the interaction), such a therapeutic typically would not be administered to a subject genotyped as being homozygous for the minor allele, and sometimes not administered to a subject genotyped as being heterozygous for the minor allele. In another example, where a candidate therapeutic is not significantly toxic when administered to subjects who are homozygous for a major allele but is comparatively toxic when administered to subjects heterozygous or homozygous for a minor allele, the candidate therapeutic is not typically administered to subjects who are genotyped as being heterozygous or homozygous with respect to the minor allele.

[0099] The methods described herein are applicable to pharmacogenomic methods for preventing, alleviating or treating osteoarthritis. For example, a nucleic acid sample from an individual may be subjected to a prognostic test described herein. Where one or more polymorphic variations associated with increased risk of osteoarthritis are identified in a subject, information for preventing or treating osteoarthritis and/or one or more osteoarthritis treatment regimens then may be prescribed to that subject.

[0100] In certain embodiments, a treatment or preventative regimen is specifically prescribed and/or administered to individuals who will most benefit from it based upon their risk of developing osteoarthritis assessed by the methods described herein. Thus, provided are methods for identifying a subject predisposed to osteoarthritis and then prescribing a therapeutic or preventative regimen to individuals identified as having a predisposition. Thus, certain embodiments are directed to a method for reducing osteoarthritis in a subject, which comprises: detecting the presence or absence of a polymorphic variant associated with osteoarthritis in a nucleotide sequence in a nucleic acid sample from a subject, where the nucleotide sequence comprises a polynucleotide sequence selected from the group consisting of: (a) a nucleotide sequence of SEQ ID NO: 1-3; (b) a nucleotide sequence which encodes a polypeptide

consisting of an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3; (c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3, or a nucleotide sequence about 90% or more identical to a nucleotide sequence of SEQ ID NO: 1-3; and (d) a fragment of a polynucleotide sequence of (a), (b), or (c); and prescribing or administering a treatment regimen to a subject from whom the sample originated where the presence of a polymorphic variation associated with osteoarthritis is detected in the nucleotide sequence. In these methods, predisposition results may be utilized in combination with other test results to diagnose osteoarthritis.

[0101] Certain preventative treatments often are prescribed to subjects having a predisposition to osteoarthritis and where the subject is diagnosed with osteoarthritis or is diagnosed as having symptoms indicative of an early stage of osteoarthritis. The treatment sometimes is preventative (e.g., is prescribed or administered to reduce the probability that osteoarthritis arises or progresses), sometimes is therapeutic, and sometimes delays, alleviates or halts the progression of osteoarthritis. Any known preventative or therapeutic treatment for alleviating or preventing the occurrence of osteoarthritis is prescribed and/or administered. For example, the treatment often is directed to decreasing pain and improving joint movement. Examples of OA treatments include exercises to keep joints flexible and improve muscle strength. Different medications to control pain, including corticosteroids and nonsteroidal anti-inflammatory drugs (NSAIDs, e.g., Voltaren); cyclooxygenase-2 (COX-2) inhibitors (e.g., Celebrex, Vioxx, Mobic, and Bextra); monoclonal antibodies (e.g., Remicade); tumor necrosis factor inhibitors (e.g., Enbrel); or injections of glucocorticoids, hyaluronic acid or chondroitin sulfate into joints that are inflamed and not responsive to NSAIDS. Orally administered chondroitin sulfate also may be used as a therapeutic, as it may increase hyaluronic acid levels and viscosity of synovial fluid, and decrease collagenase levels in synovial fluid. Also, glucosamine can serve as an OA therapeutic as delivering it into joints may inhibit enzymes involved in cartilage degradation and enhance the production of hyaluronic acid. For mild pain without inflammation, acetaminophen may be used. Other treatments include: heat/cold therapy for temporary pain relief; joint protection to prevent strain or stress on painful joints; surgery to relieve chronic pain in damaged joints; and weight control to prevent extra stress on weight-bearing joints.

[0102] As therapeutic approaches for treating osteoarthritis continue to evolve and improve, the goal of treatments for osteoarthritis related disorders is to intervene even before clinical signs first manifest. Thus, genetic markers associated with susceptibility to osteoarthritis prove useful for early diagnosis, prevention and treatment of osteoarthritis.

[0103] As osteoarthritis preventative and treatment information can be specifically targeted to subjects in need thereof (e.g., those at risk of developing osteoarthritis or those in an early stage of osteoarthritis), provided herein is a method for preventing or reducing the risk of developing

osteoarthritis in a subject, which comprises: (a) detecting the presence or absence of a polymorphic variation associated with osteoarthritis at a polymorphic site in a nucleotide sequence in a nucleic acid sample from a subject; (b) identifying a subject with a predisposition to osteoarthritis, whereby the presence of the polymorphic variation is indicative of a predisposition to osteoarthritis in the subject; and (c) if such a predisposition is identified, providing the subject with information about methods or products to prevent or reduce osteoarthritis or to delay the onset of osteoarthritis. Also provided is a method of targeting information or advertising to a subpopulation of a human population based on the subpopulation being genetically predisposed to a disease or condition, which comprises: (a) detecting the presence or absence of a polymorphic variation associated with osteoarthritis at a polymorphic site in a nucleotide sequence in a nucleic acid sample from a subject; (b) identifying the subpopulation of subjects in which the polymorphic variation is associated with osteoarthritis; and (c) providing information only to the subpopulation of subjects about a particular product which may be obtained and consumed or applied by the subject to help prevent or delay onset of the disease or condition.

[0104] Pharmacogenomics methods also may be used to analyze and predict a response to osteoarthritis treatment or a drug. For example, if pharmacogenomics analysis indicates a likelihood that an individual will respond positively to osteoarthritis treatment with a particular drug, the drug may be administered to the individual. Conversely, if the analysis indicates that an individual is likely to respond negatively to treatment with a particular drug, an alternative course of treatment may be prescribed. A negative response may be defined as either the absence of an efficacious response or the presence of toxic side effects. The response to a therapeutic treatment can be predicted in a background study in which subjects in any of the following populations are genotyped: a population that responds favorably to a treatment regimen, a population that does not respond significantly to a treatment regimen, and a population that responds adversely to a treatment regimen (*e.g.*, exhibits one or more side effects). These populations are provided as examples and other populations and subpopulations may be analyzed. Based upon the results of these analyses, a subject is genotyped to predict whether he or she will respond favorably to a treatment regimen, not respond significantly to a treatment regimen, or respond adversely to a treatment regimen.

[0105] The tests described herein also are applicable to clinical drug trials. One or more polymorphic variants indicative of response to an agent for treating osteoarthritis or to side effects to an agent for treating osteoarthritis may be identified using the methods described herein. Thereafter, potential participants in clinical trials of such an agent may be screened to identify those individuals most likely to respond favorably to the drug and exclude those likely to experience side effects. In that way, the effectiveness of drug treatment may be measured in individuals who respond positively to the drug, without lowering the measurement as a result of the inclusion of individuals who are unlikely to respond positively in the study and without risking undesirable safety problems.

[0106] Thus, another embodiment is a method of selecting an individual for inclusion in a clinical trial of a treatment or drug comprising the steps of: (a) obtaining a nucleic acid sample from an individual; (b) determining the identity of a polymorphic variation which is associated with a positive response to the treatment or the drug, or at least one polymorphic variation which is associated with a negative response to the treatment or the drug in the nucleic acid sample, and (c) including the individual in the clinical trial if the nucleic acid sample contains said polymorphic variation associated with a positive response to the treatment or the drug or if the nucleic acid sample lacks said polymorphic variation associated with a negative response to the treatment or the drug. In addition, the methods described herein for selecting an individual for inclusion in a clinical trial of a treatment or drug encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination. The polymorphic variation may be in a sequence selected individually or in any combination from the group consisting of (i) a nucleotide sequence of SEQ ID NO: 1-3; (ii) a nucleotide sequence which encodes a polypeptide consisting of an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3; (iii) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3, or a nucleotide sequence about 90% or more identical to a nucleotide sequence of SEQ ID NO: 1-3; and (iv) a fragment of a polynucleotide sequence of (i), (ii), or (iii) comprising the polymorphic site. The including step (c) optionally comprises administering the drug or the treatment to the individual if the nucleic acid sample contains the polymorphic variation associated with a positive response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

[0107] Also provided herein is a method of partnering between a diagnostic/prognostic testing provider and a provider of a consumable product, which comprises: (a) the diagnostic/prognostic testing provider detects the presence or absence of a polymorphic variation associated with osteoarthritis at a polymorphic site in a nucleotide sequence in a nucleic acid sample from a subject; (b) the diagnostic/prognostic testing provider identifies the subpopulation of subjects in which the polymorphic variation is associated with osteoarthritis; (c) the diagnostic/prognostic testing provider forwards information to the subpopulation of subjects about a particular product which may be obtained and consumed or applied by the subject to help prevent or delay onset of the disease or condition; and (d) the provider of a consumable product forwards to the diagnostic test provider a fee every time the diagnostic/prognostic test provider forwards information to the subject as set forth in step (c) above.

Compositions Comprising Osteoarthritis-Directed Molecules

[0108] Featured herein is a composition comprising a cell from a subject having osteoarthritis or at risk of osteoarthritis and one or more molecules specifically directed and targeted to a nucleic acid

comprising a *ADAMTS2* nucleotide sequence or amino acid sequence. Such directed molecules include, but are not limited to, a compound that binds to a *ADAMTS2* nucleotide sequence or amino acid sequence referenced herein; a RNAi or siRNA molecule having a strand complementary or substantially complementary to a *ADAMTS2* nucleotide sequence (e.g., hybridizes to a *ADAMTS2* nucleotide sequence under conditions of high stringency); an antisense nucleic acid complementary or substantially complementary to an RNA encoded by a *ADAMTS2* nucleotide sequence (e.g., hybridizes to a *ADAMTS2* nucleotide sequence under conditions of high stringency); a ribozyme that hybridizes to a *ADAMTS2* nucleotide sequence (e.g., hybridizes to a *ADAMTS2* nucleotide sequence under conditions of high stringency); a nucleic acid aptamer that specifically binds a polypeptide encoded by *ADAMTS2* nucleotide sequence; and an antibody that specifically binds to a polypeptide encoded by *ADAMTS2* nucleotide sequence or binds to a nucleic acid having such a nucleotide sequence. In specific embodiments, the osteoarthritis directed molecule interacts with a nucleic acid or polypeptide variant associated with osteoarthritis, such as variants referenced herein. In other embodiments, the osteoarthritis directed molecule interacts with a polypeptide involved in a signal pathway of a polypeptide encoded by a *ADAMTS2* nucleotide sequence, or a nucleic acid comprising such a nucleotide sequence.

[0109] Compositions sometimes include an adjuvant known to stimulate an immune response, and in certain embodiments, an adjuvant that stimulates a T-cell lymphocyte response. Adjuvants are known, including but not limited to an aluminum adjuvant (e.g., aluminum hydroxide); a cytokine adjuvant or adjuvant that stimulates a cytokine response (e.g., interleukin (IL)-12 and/or gamma-interferon cytokines); a Freund-type mineral oil adjuvant emulsion (e.g., Freund's complete or incomplete adjuvant); a synthetic lipoid compound; a copolymer adjuvant (e.g., TitreMax); a saponin; Quil A; a liposome; an oil-in-water emulsion (e.g., an emulsion stabilized by Tween 80 and pluronic polyoxyethylene/polyoxypropylene block copolymer (Syntex Adjuvant Formulation); TitreMax; detoxified endotoxin (MPL) and mycobacterial cell wall components (TDW, CWS) in 2% squalene (Ribi Adjuvant System)); a muramyl dipeptide; an immune-stimulating complex (ISCOM, e.g., an Ag-modified saponin/cholesterol micelle that forms stable cage-like structure); an aqueous phase adjuvant that does not have a depot effect (e.g., Gerbu adjuvant); a carbohydrate polymer (e.g., AdjuPrime); L-tyrosine; a manide-oleate compound (e.g., Montanide); an ethylene-vinyl acetate copolymer (e.g., Elvax 40W1,2); or lipid A, for example. Such compositions are useful for generating an immune response against osteoarthritis directed molecule (e.g., an HLA-binding subsequence within a polypeptide encoded by a *ADAMTS2* nucleotide sequence). In such methods, a peptide having an amino acid subsequence of a polypeptide encoded by a *ADAMTS2* nucleotide sequence is delivered to a subject, where the subsequence binds to an HLA molecule and induces a CTL lymphocyte response. The peptide sometimes is delivered to the subject as an isolated peptide or as a minigene in a plasmid that encodes the

peptide. Methods for identifying HLA-binding subsequences in such polypeptides are known (see e.g., publication WO02/20616 and PCT application US98/01373 for methods of identifying such sequences).

[0110] The cell may be in a group of cells cultured *in vitro* or in a tissue maintained *in vitro* or present in an animal *in vivo* (e.g., a rat, mouse, ape or human). In certain embodiments, a composition comprises a component from a cell such as a nucleic acid molecule (e.g., genomic DNA), a protein mixture or isolated protein, for example. The aforementioned compositions have utility in diagnostic, prognostic and pharmacogenomic methods described previously and in therapeutics described hereafter. Certain osteoarthritis directed molecules are described in greater detail below.

Compounds

[0111] Compounds can be obtained using any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; peptoid libraries (libraries of molecules having the functionalities of peptides, but with a novel, non-peptide backbone which are resistant to enzymatic degradation but which nevertheless remain bioactive (see, e.g., Zuckermann et al., *J. Med. Chem.* 37: 2678-85 (1994)); spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; “one-bead one-compound” library methods; and synthetic library methods using affinity chromatography selection. Biological library and peptoid library approaches are typically limited to peptide libraries, while the other approaches are applicable to peptide, non-peptide oligomer or small molecule libraries of compounds (Lam, *Anticancer Drug Des.* 12: 145, (1997)). Examples of methods for synthesizing molecular libraries are described, for example, in DeWitt et al., *Proc. Natl. Acad. Sci. U.S.A.* 90: 6909 (1993); Erb et al., *Proc. Natl. Acad. Sci. USA* 91: 11422 (1994); Zuckermann et al., *J. Med. Chem.* 37: 2678 (1994); Cho et al., *Science* 261: 1303 (1993); Carell et al., *Angew. Chem. Int. Ed. Engl.* 33: 2059 (1994); Carell et al., *Angew. Chem. Int. Ed. Engl.* 33: 2061 (1994); and in Gallop et al., *J. Med. Chem.* 37: 1233 (1994).

[0112] Libraries of compounds may be presented in solution (e.g., Houghten, *Biotechniques* 13: 412-421 (1992)), or on beads (Lam, *Nature* 354: 82-84 (1991)), chips (Fodor, *Nature* 364: 555-556 (1993)), bacteria or spores (Ladner, United States Patent No. 5,223,409), plasmids (Cull et al., *Proc. Natl. Acad. Sci. USA* 89: 1865-1869 (1992)) or on phage (Scott and Smith, *Science* 249: 386-390 (1990); Devlin, *Science* 249: 404-406 (1990); Cwirla et al., *Proc. Natl. Acad. Sci.* 87: 6378-6382 (1990); Felici, *J. Mol. Biol.* 222: 301-310 (1991); Ladner *supra*).

[0113] A compound sometimes alters expression and sometimes alters activity of a polypeptide target and may be a small molecule. Small molecules include, but are not limited to, peptides, peptidomimetics (e.g., peptoids), amino acids, amino acid analogs, polynucleotides, polynucleotide analogs, nucleotides, nucleotide analogs, organic or inorganic compounds (i.e., including heteroorganic and organometallic compounds) having a molecular weight less than about 10,000 grams per mole,

organic or inorganic compounds having a molecular weight less than about 5,000 grams per mole, organic or inorganic compounds having a molecular weight less than about 1,000 grams per mole, organic or inorganic compounds having a molecular weight less than about 500 grams per mole, and salts, esters, and other pharmaceutically acceptable forms of such compounds.

Antisense Nucleic Acid Molecules, Ribozymes, RNAi, siRNA and Modified Nucleic Acid Molecules

[0114] An “antisense” nucleic acid refers to a nucleotide sequence complementary to a “sense” nucleic acid encoding a polypeptide, e.g., complementary to the coding strand of a double-stranded cDNA molecule or complementary to an mRNA sequence. The antisense nucleic acid can be complementary to an entire coding strand, or to a portion thereof or a substantially identical sequence thereof. In another embodiment, the antisense nucleic acid molecule is antisense to a “noncoding region” of the coding strand of a nucleotide sequence (e.g., 5' and 3' untranslated regions in SEQ ID NO: 1).

[0115] An antisense nucleic acid can be designed such that it is complementary to the entire coding region of an mRNA encoded by a nucleotide sequence (e.g., SEQ ID NO: 1), and often the antisense nucleic acid is an oligonucleotide antisense to only a portion of a coding or noncoding region of the mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of the mRNA, e.g., between the -10 and +10 regions of the target gene nucleotide sequence of interest. An antisense oligonucleotide can be, for example, about 7, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, or more nucleotides in length. The antisense nucleic acids, which include the ribozymes described hereafter, can be designed to target a *ADAMTS2* nucleotide sequence, often a variant associated with osteoarthritis, or a substantially identical sequence thereof. Among the variants, minor alleles and major alleles can be targeted, and those associated with a higher risk of osteoarthritis are often designed, tested, and administered to subjects.

[0116] An antisense nucleic acid can be constructed using chemical synthesis and enzymatic ligation reactions using standard procedures. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used. Antisense nucleic acid also can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

[0117] When utilized as therapeutics, antisense nucleic acids typically are administered to a subject (e.g., by direct injection at a tissue site) or generated in situ such that they hybridize with or bind to

cellular mRNA and/or genomic DNA encoding a polypeptide and thereby inhibit expression of the polypeptide, for example, by inhibiting transcription and/or translation. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then are administered systemically. For systemic administration, antisense molecules can be modified such that they specifically bind to receptors or antigens expressed on a selected cell surface, for example, by linking antisense nucleic acid molecules to peptides or antibodies which bind to cell surface receptors or antigens. Antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. Sufficient intracellular concentrations of antisense molecules are achieved by incorporating a strong promoter, such as a pol II or pol III promoter, in the vector construct.

[0118] Antisense nucleic acid molecules sometimes are alpha-anomeric nucleic acid molecules. An alpha-anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual beta-units, the strands run parallel to each other (Gaultier et al., Nucleic Acids. Res. 15: 6625-6641 (1987)). Antisense nucleic acid molecules can also comprise a 2'-o-methylribonucleotide (Inoue et al., Nucleic Acids Res. 15: 6131-6148 (1987)) or a chimeric RNA-DNA analogue (Inoue et al., FEBS Lett. 215: 327-330 (1987)). Antisense nucleic acids sometimes are composed of DNA or PNA or any other nucleic acid derivatives described previously.

[0119] In another embodiment, an antisense nucleic acid is a ribozyme. A ribozyme having specificity for a *ADAMTS2* nucleotide sequence can include one or more sequences complementary to such a nucleotide sequence, and a sequence having a known catalytic region responsible for mRNA cleavage (see e.g., U.S. Pat. No. 5,093,246 or Haselhoff and Gerlach, Nature 334: 585-591 (1988)). For example, a derivative of a Tetrahymena L-19 IVS RNA is sometimes utilized in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a mRNA (see e.g., Cech et al. U.S. Patent No. 4,987,071; and Cech et al. U.S. Patent No. 5,116,742). Also, target mRNA sequences can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules (see e.g., Bartel & Szostak, Science 261: 1411-1418 (1993)).

[0120] Osteoarthritis directed molecules include in certain embodiments nucleic acids that can form triple helix structures with a *ADAMTS2* nucleotide sequence, or a substantially identical sequence thereof, especially one that includes a regulatory region that controls expression of a polypeptide. Gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of a nucleotide sequence referenced herein or a substantially identical sequence (e.g., promoter and/or enhancers) to form triple helical structures that prevent transcription of a gene in target cells (see e.g., Helene, Anticancer Drug Des. 6(6): 569-84 (1991); Helene et al., Ann. N.Y. Acad. Sci. 660: 27-36 (1992); and Maher, Bioassays 14(12): 807-15 (1992)). Potential sequences that can be targeted for triple helix formation can be increased by creating a so-called “switchback” nucleic acid molecule. Switchback molecules are synthesized in an alternating 5'-3', 3'-5' manner, such that they base pair with first one

strand of a duplex and then the other, eliminating the necessity for a sizeable stretch of either purines or pyrimidines to be present on one strand of a duplex.

[0121] Osteoarthritis directed molecules include RNAi and siRNA nucleic acids. Gene expression may be inhibited by the introduction of double-stranded RNA (dsRNA), which induces potent and specific gene silencing, a phenomenon called RNA interference or RNAi. See, e.g., Fire et al., US Patent Number 6,506,559; Tuschl et al. PCT International Publication No. WO 01/75164; Kay et al. PCT International Publication No. WO 03/010180A1; or Bosher JM, Labouesse, Nat Cell Biol 2000 Feb;2(2):E31-6. This process has been improved by decreasing the size of the double-stranded RNA to 20-24 base pairs (to create small-interfering RNAs or siRNAs) that “switched off” genes in mammalian cells without initiating an acute phase response, i.e., a host defense mechanism that often results in cell death (see, e.g., Caplen et al. Proc Natl Acad Sci U S A. 2001 Aug 14;98(17):9742-7 and Elbashir et al. Methods 2002 Feb;26(2):199-213). There is increasing evidence of post-transcriptional gene silencing by RNA interference (RNAi) for inhibiting targeted expression in mammalian cells at the mRNA level, in human cells. There is additional evidence of effective methods for inhibiting the proliferation and migration of tumor cells in human patients, and for inhibiting metastatic cancer development (see, e.g., U.S. Patent Application No. US2001000993183; Caplen et al. Proc Natl Acad Sci U S A; and Abderrahmani et al. Mol Cell Biol 2001 Nov 21(21):7256-67).

[0122] An “siRNA” or “RNAi” refers to a nucleic acid that forms a double stranded RNA and has the ability to reduce or inhibit expression of a gene or target gene when the siRNA is delivered to or expressed in the same cell as the gene or target gene. “siRNA” refers to short double-stranded RNA formed by the complementary strands. Complementary portions of the siRNA that hybridize to form the double stranded molecule often have substantial or complete identity to the target molecule sequence. In one embodiment, an siRNA refers to a nucleic acid that has substantial or complete identity to a target gene and forms a double stranded siRNA.

[0123] When designing the siRNA molecules, the targeted region often is selected from a given DNA sequence beginning 50 to 100 nucleotides downstream of the start codon. See, e.g., Elbashir et al., Methods 26:199-213 (2002). Initially, 5' or 3' UTRs and regions nearby the start codon were avoided assuming that UTR-binding proteins and/or translation initiation complexes may interfere with binding of the siRNP or RISC endonuclease complex. Sometimes regions of the target 23 nucleotides in length conforming to the sequence motif AA(N19)TT (N, an nucleotide), and regions with approximately 30% to 70% G/C-content (often about 50% G/C-content) often are selected. If no suitable sequences are found, the search often is extended using the motif NA(N21). The sequence of the sense siRNA sometimes corresponds to (N19) TT or N21 (position 3 to 23 of the 23-nt motif), respectively. In the latter case, the 3' end of the sense siRNA often is converted to TT. The rationale for this sequence conversion is to generate a symmetric duplex with respect to the sequence composition of the sense and

antisense 3' overhangs. The antisense siRNA is synthesized as the complement to position 1 to 21 of the 23-nt motif. Because position 1 of the 23-nt motif is not recognized sequence-specifically by the antisense siRNA, the 3'-most nucleotide residue of the antisense siRNA can be chosen deliberately. However, the penultimate nucleotide of the antisense siRNA (complementary to position 2 of the 23-nt motif) often is complementary to the targeted sequence. For simplifying chemical synthesis, TT often is utilized. siRNAs corresponding to the target motif NAR(N17)YNN, where R is purine (A,G) and Y is pyrimidine (C,U), often are selected. Respective 21 nucleotide sense and antisense siRNAs often begin with a purine nucleotide and can also be expressed from pol III expression vectors without a change in targeting site. Expression of RNAs from pol III promoters often is efficient when the first transcribed nucleotide is a purine.

[0124] The sequence of the siRNA can correspond to the full length target gene, or a subsequence thereof. Often, the siRNA is about 15 to about 50 nucleotides in length (e.g., each complementary sequence of the double stranded siRNA is 15-50 nucleotides in length, and the double stranded siRNA is about 15-50 base pairs in length, sometimes about 20-30 nucleotides in length or about 20-25 nucleotides in length, e.g., 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 nucleotides in length. The siRNA sometimes is about 21 nucleotides in length. Methods of using siRNA are well known in the art, and specific siRNA molecules may be purchased from a number of companies including Dharmacon Research, Inc.

[0125] Antisense, ribozyme, RNAi and siRNA nucleic acids can be altered to form modified nucleic acid molecules. The nucleic acids can be altered at base moieties, sugar moieties or phosphate backbone moieties to improve stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of nucleic acid molecules can be modified to generate peptide nucleic acids (see Hyrup et al., *Bioorganic & Medicinal Chemistry* 4 (1): 5-23 (1996)). As used herein, the terms “peptide nucleic acid” or “PNA” refers to a nucleic acid mimic such as a DNA mimic, in which the deoxyribose phosphate backbone is replaced by a pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of a PNA can allow for specific hybridization to DNA and RNA under conditions of low ionic strength. Synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described, for example, in Hyrup et al., (1996) *supra* and Perry-O’Keefe et al., *Proc. Natl. Acad. Sci.* 93: 14670-675 (1996).

[0126] PNA nucleic acids can be used in prognostic, diagnostic, and therapeutic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, for example, inducing transcription or translation arrest or inhibiting replication. PNA nucleic acid molecules can also be used in the analysis of single base pair mutations in a gene, (e.g., by PNA-directed PCR clamping); as “artificial restriction enzymes” when used in combination with other enzymes, (e.g., S1 nucleases (Hyrup (1996) *supra*)); or as probes or primers for DNA sequencing or hybridization (Hyrup et al., (1996) *supra*; Perry-O’Keefe *supra*).

[0127] In other embodiments, oligonucleotides may include other appended groups such as peptides (e.g., for targeting host cell receptors *in vivo*), or agents facilitating transport across cell membranes (see e.g., Letsinger et al., Proc. Natl. Acad. Sci. USA 86: 6553-6556 (1989); Lemaitre et al., Proc. Natl. Acad. Sci. USA 84: 648-652 (1987); PCT Publication No. W088/09810) or the blood-brain barrier (see, e.g., PCT Publication No. W089/10134). In addition, oligonucleotides can be modified with hybridization-triggered cleavage agents (See, e.g., Krol et al., Bio-Techniques 6: 958-976 (1988)) or intercalating agents. (See, e.g., Zon, Pharm. Res. 5: 539-549 (1988)). To this end, the oligonucleotide may be conjugated to another molecule, (e.g., a peptide, hybridization triggered cross-linking agent, transport agent, or hybridization-triggered cleavage agent).

[0128] Also included herein are molecular beacon oligonucleotide primer and probe molecules having one or more regions complementary to a *ADAMTS2* nucleotide sequence, or a substantially identical sequence thereof, two complementary regions one having a fluorophore and one a quencher such that the molecular beacon is useful for quantifying the presence of the nucleic acid in a sample. Molecular beacon nucleic acids are described, for example, in Lizardi et al., U.S. Patent No. 5,854,033; Nazarenko et al., U.S. Patent No. 5,866,336, and Livak et al., U.S. Patent 5,876,930.

Antibodies

[0129] The term “antibody” as used herein refers to an immunoglobulin molecule or immunologically active portion thereof, i.e., an antigen-binding portion. Examples of immunologically active portions of immunoglobulin molecules include F(ab) and F(ab')₂ fragments which can be generated by treating the antibody with an enzyme such as pepsin. An antibody sometimes is a polyclonal, monoclonal, recombinant (e.g., a chimeric or humanized), fully human, non-human (e.g., murine), or a single chain antibody. An antibody may have effector function and can fix complement, and is sometimes coupled to a toxin or imaging agent.

[0130] A full-length polypeptide or antigenic peptide fragment encoded by a nucleotide sequence referenced herein can be used as an immunogen or can be used to identify antibodies made with other immunogens, e.g., cells, membrane preparations, and the like. An antigenic peptide often includes at least 8 amino acid residues of the amino acid sequences encoded by a nucleotide sequence referenced herein, or substantially identical sequence thereof, and encompasses an epitope. Antigenic peptides sometimes include 10 or more amino acids, 15 or more amino acids, 20 or more amino acids, or 30 or more amino acids. Hydrophilic and hydrophobic fragments of polypeptides sometimes are used as immunogens.

[0131] Epitopes encompassed by the antigenic peptide are regions located on the surface of the polypeptide (e.g., hydrophilic regions) as well as regions with high antigenicity. For example, an Emini surface probability analysis of the human polypeptide sequence can be used to indicate the regions that

have a particularly high probability of being localized to the surface of the polypeptide and are thus likely to constitute surface residues useful for targeting antibody production. The antibody may bind an epitope on any domain or region on polypeptides described herein.

[0132] Also, chimeric, humanized, and completely human antibodies are useful for applications which include repeated administration to subjects. Chimeric and humanized monoclonal antibodies, comprising both human and non-human portions, can be made using standard recombinant DNA techniques. Such chimeric and humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art, for example using methods described in Robinson et al International Application No. PCT/US86/02269; Akira, et al European Patent Application 184,187; Taniguchi, M., European Patent Application 171,496; Morrison et al European Patent Application 173,494; Neuberger et al PCT International Publication No. WO 86/01533; Cabilly et al U.S. Patent No. 4,816,567; Cabilly et al European Patent Application 125,023; Better et al., Science 240: 1041-1043 (1988); Liu et al., Proc. Natl. Acad. Sci. USA 84: 3439-3443 (1987); Liu et al., J. Immunol. 139: 3521-3526 (1987); Sun et al., Proc. Natl. Acad. Sci. USA 84: 214-218 (1987); Nishimura et al., Canc. Res. 47: 999-1005 (1987); Wood et al., Nature 314: 446-449 (1985); and Shaw et al., J. Natl. Cancer Inst. 80: 1553-1559 (1988); Morrison, S. L., Science 229: 1202-1207 (1985); Oi et al., BioTechniques 4: 214 (1986); Winter U.S. Patent 5,225,539; Jones et al., Nature 321: 552-525 (1986); Verhoeven et al., Science 239: 1534; and Beidler et al., J. Immunol. 141: 4053-4060 (1988).

[0133] Completely human antibodies are particularly desirable for therapeutic treatment of human patients. Such antibodies can be produced using transgenic mice that are incapable of expressing endogenous immunoglobulin heavy and light chains genes, but which can express human heavy and light chain genes. See, for example, Lonberg and Huszar, Int. Rev. Immunol. 13: 65-93 (1995); and U.S. Patent Nos. 5,625,126; 5,633,425; 5,569,825; 5,661,016; and 5,545,806. In addition, companies such as Abgenix, Inc. (Fremont, CA) and Medarex, Inc. (Princeton, NJ), can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above. Completely human antibodies that recognize a selected epitope also can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody (e.g., a murine antibody) is used to guide the selection of a completely human antibody recognizing the same epitope. This technology is described for example by Jespers et al., Bio/Technology 12: 899-903 (1994).

[0134] An antibody can be a single chain antibody. A single chain antibody (scFV) can be engineered (see, e.g., Colcher et al., Ann. N Y Acad. Sci. 880: 263-80 (1999); and Reiter, Clin. Cancer Res. 2: 245-52 (1996)). Single chain antibodies can be dimerized or multimerized to generate multivalent antibodies having specificities for different epitopes of the same target polypeptide.

[0135] Antibodies also may be selected or modified so that they exhibit reduced or no ability to bind an Fc receptor. For example, an antibody may be an isotype or subtype, fragment or other mutant, which

does not support binding to an Fc receptor (e.g., it has a mutagenized or deleted Fc receptor binding region).

[0136] Also, an antibody (or fragment thereof) may be conjugated to a therapeutic moiety such as a cytotoxin, a therapeutic agent or a radioactive metal ion. A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include taxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1 dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine, thiotepa chlorambucil, melphalan, carmustine (BCNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (e.g., vincristine and vinblastine).

[0137] Antibody conjugates can be used for modifying a given biological response. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a polypeptide such as tumor necrosis factor, gamma-interferon, alpha-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator; or, biological response modifiers such as, for example, lymphokines, interleukin-1 (“IL-1”), interleukin-2 (“IL-2”), interleukin-6 (“IL-6”), granulocyte macrophage colony stimulating factor (“GM-CSF”), granulocyte colony stimulating factor (“G-CSF”), or other growth factors. Also, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, for example.

[0138] An antibody (e.g., monoclonal antibody) can be used to isolate target polypeptides by standard techniques, such as affinity chromatography or immunoprecipitation. Moreover, an antibody can be used to detect a target polypeptide (e.g., in a cellular lysate or cell supernatant) in order to evaluate the abundance and pattern of expression of the polypeptide. Antibodies can be used diagnostically to monitor polypeptide levels in tissue as part of a clinical testing procedure, e.g., to determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling (i.e., physically linking) the antibody to a detectable substance (i.e., antibody labeling). Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β -galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials

include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin, and examples of suitable radioactive material include ¹²⁵I, ¹³¹I, ³⁵S or ³H. Also, an antibody can be utilized as a test molecule for determining whether it can treat osteoarthritis, and as a therapeutic for administration to a subject for treating osteoarthritis.

[0139] An antibody can be made by immunizing with a purified antigen, or a fragment thereof, e.g., a fragment described herein, a membrane associated antigen, tissues, e.g., crude tissue preparations, whole cells, preferably living cells, lysed cells, or cell fractions.

[0140] Included herein are antibodies which bind only a native polypeptide, only denatured or otherwise non-native polypeptide, or which bind both, as well as those having linear or conformational epitopes. Conformational epitopes sometimes can be identified by selecting antibodies that bind to native but not denatured polypeptide. Also featured are antibodies that specifically bind to a polypeptide variant associated with osteoarthritis.

Methods for Identifying Candidate Therapeutics for Treating Osteoarthritis

[0141] Current therapies for the treatment of osteoarthritis have limited efficacy, limited tolerability and significant mechanism-based side effects, and few of the available therapies adequately address underlying defects. Current therapeutic approaches were largely developed in the absence of defined molecular targets or even a solid understanding of disease pathogenesis. Therefore, provided are methods of identifying candidate therapeutics that target biochemical pathways related to the development of osteoarthritis.

[0142] Thus, featured herein are methods for identifying a candidate therapeutic for treating osteoarthritis. The methods comprise contacting a test molecule with a target molecule in a system. A "target molecule" as used herein refers to a *ADAMTS2* nucleic acid, a substantially identical nucleic acid thereof, or a fragment thereof, and an encoded polypeptide of the foregoing. The methods also comprise determining the presence or absence of an interaction between the test molecule and the target molecule, where the presence of an interaction between the test molecule and the nucleic acid or polypeptide identifies the test molecule as a candidate osteoarthritis therapeutic. The interaction between the test molecule and the target molecule may be quantified.

[0143] Test molecules and candidate therapeutics include, but are not limited to, compounds, antisense nucleic acids, siRNA molecules, ribozymes, polypeptides or proteins encoded by a *ADAMTS2* nucleotide sequence, or a substantially identical sequence or fragment thereof, and immunotherapeutics (e.g., antibodies and HLA-presented polypeptide fragments). A test molecule or candidate therapeutic may act as a modulator of target molecule concentration or target molecule function in a system. A

“modulator” may agonize (i.e., up-regulates) or antagonize (i.e., down-regulates) a target molecule concentration partially or completely in a system by affecting such cellular functions as DNA replication and/or DNA processing (e.g., DNA methylation or DNA repair), RNA transcription and/or RNA processing (e.g., removal of intronic sequences and/or translocation of spliced mRNA from the nucleus), polypeptide production (e.g., translation of the polypeptide from mRNA), and/or polypeptide post-translational modification (e.g., glycosylation, phosphorylation, and proteolysis of pro-polypeptides). A modulator may also agonize or antagonize a biological function of a target molecule partially or completely, where the function may include adopting a certain structural conformation, interacting with one or more binding partners, ligand binding, catalysis (e.g., phosphorylation, dephosphorylation, hydrolysis, methylation, and isomerization), and an effect upon a cellular event (e.g., effecting progression of osteoarthritis).

[0144] As used herein, the term “system” refers to a cell free *in vitro* environment and a cell-based environment such as a collection of cells, a tissue, an organ, or an organism. A system is “contacted” with a test molecule in a variety of manners, including adding molecules in solution and allowing them to interact with one another by diffusion, cell injection, and any administration routes in an animal. As used herein, the term “interaction” refers to an effect of a test molecule on test molecule, where the effect sometimes is binding between the test molecule and the target molecule, and sometimes is an observable change in cells, tissue, or organism.

[0145] There are many standard methods for detecting the presence or absence of interaction between a test molecule and a target molecule. For example, titrametric, acidimetric, radiometric, NMR, monolayer, polarographic, spectrophotometric, fluorescent, and ESR assays probative of a target molecule interaction may be utilized.

[0146] *ADAMTS2* activity and/or *ADAMTS2* interactions can be detected and quantified using assays known in the art. For example, an immunoprecipitation assay or a kinase activity assay that employs a kinase-inactivated MEK can be utilized. Kinase inactivated MEKs are known in the art, such as a MEK that includes the mutation K97M. In these assays, mammalian cells (e.g., COS or NIH-3T3) are transiently transfected with constructs expressing *ADAMTS2*, and in addition, the cells are co-transfected with oncogenic RAS or SRC or both. Oncogenic RAS or SRC activates *ADAMTS2* kinase activity. *ADAMTS2* is immunoprecipitated from cell extracts using a monoclonal antibody (e.g., 9E10) or a polyclonal antibody (e.g., from rabbit) specific for a unique peptide from *ADAMTS2*. *ADAMTS2* is then resuspended in assay buffer containing GST-Mek1 or GST-Mek2 and/or GST-ERK2. In addition, [γ ³²P] ATP can be added to detect and/or quantify phosphorylation activity. Samples are incubated for 5-30 minutes at 30°C, and then the reaction is terminated by addition of EDTA. The samples are centrifuged and the supernatant fractions are collected. Phosphorylation activity is detected using one of two methods: (i) activity of GST-ERK2 kinase can be measured using MBP (myelin basic

protein, a substrate for ERK) as substrate, or (ii) following incubation of immunoprecipitated *ADAMTS2* in reaction buffer containing GST-ERK and [γ ³²P] ATP, transfer of labeled ATP to kinase-dead ERK can be quantified by a phosphor-imager or densitometer following PAGE separation of polypeptide products (phosphorylated and non-phosphorylated forms). These types of assays are described in Weber et al., *Oncogene* 19: 169-176 (2000); Mason et al., *EMBO J.* 18: 2137-2148 (1999); Marais et al., *J. Biol. Chem.* 272: 4378-4383 (1997); Marais et al., *EMBO J.* 14: 3136-3145 (1995).

[0147] As noted above, *ADAMTS2* includes a domain having metalloprotease activity, and modulators of such activity are known. Examples of such modulators are set forth in WO03063762A2; WO-09937625; WO-09918076; WO-09838163; WO-09837877; WO9947550A1; WO0177092A1; WO0040577A1; WO9942436A1; WO9838163A1; WO9837877A1; WO04014379A1; WO03106381A2; WO03014098A1; WO03014092A1 and WO02096426A1.

[0148] Test molecule/target molecule interactions can be detected and/or quantified using assays known in the art. For example, an interaction can be determined by labeling the test molecule and/or the target molecule, where the label is covalently or non-covalently attached to the test molecule or target molecule. The label is sometimes a radioactive molecule such as ¹²⁵I, ¹³¹I, ³⁵S or ³H, which can be detected by direct counting of radioemission or by scintillation counting. Also, enzymatic labels such as horseradish peroxidase, alkaline phosphatase, or luciferase may be utilized where the enzymatic label can be detected by determining conversion of an appropriate substrate to product. In addition, presence or absence of an interaction can be determined without labeling. For example, a microphysiometer (e.g., Cytosensor) is an analytical instrument that measures the rate at which a cell acidifies its environment using a light-addressable potentiometric sensor (LAPS). Changes in this acidification rate can be used as an indication of an interaction between a test molecule and target molecule (McConnell, H. M. et al., *Science* 257: 1906-1912 (1992)).

[0149] In cell-based systems, cells typically include a *ADAMTS2* nucleic acid, an encoded polypeptide, or substantially identical nucleic acid or polypeptide thereof, and are often of mammalian origin, although the cell can be of any origin. Whole cells, cell homogenates, and cell fractions (e.g., cell membrane fractions) can be subjected to analysis. Where interactions between a test molecule with a target polypeptide are monitored, soluble and/or membrane bound forms of the polypeptide may be utilized. Where membrane-bound forms of the polypeptide are used, it may be desirable to utilize a solubilizing agent. Examples of such solubilizing agents include non-ionic detergents such as n-octylglucoside, n-dodecylglucoside, n-dodecylmaltoside, octanoyl-N-methylglucamide, decanoyl-N-methylglucamide, Triton[®] X-100, Triton[®] X-114, Thesit[®], Isotridecyloxy(ethylene glycol ether)_n, 3-[(3-cholamidopropyl)dimethylammonio]-1-propane sulfonate (CHAPS), 3-[(3-

cholamidopropyl)dimethylamminio]-2-hydroxy-1-propane sulfonate (CHAPSO), or N-dodecyl-N,N-dimethyl-3-ammonio-1-propane sulfonate.

[0150] An interaction between a test molecule and target molecule also can be detected by monitoring fluorescence energy transfer (FET) (see, e.g., Lakowicz *et al.*, U.S. Patent No. 5,631,169; Stavrianopoulos *et al.* U.S. Patent No. 4,868,103). A fluorophore label on a first, “donor” molecule is selected such that its emitted fluorescent energy will be absorbed by a fluorescent label on a second, “acceptor” molecule, which in turn is able to fluoresce due to the absorbed energy. Alternately, the “donor” polypeptide molecule may simply utilize the natural fluorescent energy of tryptophan residues. Labels are chosen that emit different wavelengths of light, such that the “acceptor” molecule label may be differentiated from that of the “donor”. Since the efficiency of energy transfer between the labels is related to the distance separating the molecules, the spatial relationship between the molecules can be assessed. In a situation in which binding occurs between the molecules, the fluorescent emission of the “acceptor” molecule label in the assay should be maximal. An FET binding event can be conveniently measured through standard fluorometric detection means well known in the art (e.g., using a fluorimeter).

[0151] In another embodiment, determining the presence or absence of an interaction between a test molecule and a target molecule can be effected by monitoring surface plasmon resonance (see, e.g., Sjolander & Urbaniczky, *Anal. Chem.* 63: 2338-2345 (1991) and Szabo *et al.*, *Curr. Opin. Struct. Biol.* 5: 699-705 (1995)). “Surface plasmon resonance” or “biomolecular interaction analysis (BIA)” can be utilized to detect biospecific interactions in real time, without labeling any of the interactants (e.g., BIACore). Changes in the mass at the binding surface (indicative of a binding event) result in alterations of the refractive index of light near the surface (the optical phenomenon of surface plasmon resonance (SPR)), resulting in a detectable signal which can be used as an indication of real-time reactions between biological molecules.

[0152] In another embodiment, the target molecule or test molecules are anchored to a solid phase, facilitating the detection of target molecule/test molecule complexes and separation of the complexes from free, uncomplexed molecules. The target molecule or test molecule is immobilized to the solid support. In an embodiment, the target molecule is anchored to a solid surface, and the test molecule, which is not anchored, can be labeled, either directly or indirectly, with detectable labels discussed herein.

[0153] It may be desirable to immobilize a target molecule, an anti-target molecule antibody, and/or test molecules to facilitate separation of target molecule/test molecule complexes from uncomplexed forms, as well as to accommodate automation of the assay. The attachment between a test molecule and/or target molecule and the solid support may be covalent or non-covalent (see, e.g., U.S. Patent No. 6,022,688 for non-covalent attachments). The solid support may be one or more surfaces of the system, such as one or more surfaces in each well of a microtiter plate, a surface of a silicon wafer, a surface of a

bead (*see, e.g.*, Lam, *Nature* 354: 82-84 (1991)) that is optionally linked to another solid support, or a channel in a microfluidic device, for example. Types of solid supports, linker molecules for covalent and non-covalent attachments to solid supports, and methods for immobilizing nucleic acids and other molecules to solid supports are well known (*see, e.g.*, U.S. Patent Nos. 6,261,776; 5,900,481; 6,133,436; and 6,022,688; and WIPO publication WO 01/18234).

[0154] In an embodiment, target molecule may be immobilized to surfaces via biotin and streptavidin. For example, biotinylated target polypeptide can be prepared from biotin-NHS (N-hydroxy-succinimide) using techniques known in the art (*e.g.*, biotinylation kit, Pierce Chemicals, Rockford, IL), and immobilized in the wells of streptavidin-coated 96 well plates (Pierce Chemical). In another embodiment, a target polypeptide can be prepared as a fusion polypeptide. For example, glutathione-S-transferase/target polypeptide fusion can be adsorbed onto glutathione sepharose beads (Sigma Chemical, St. Louis, MO) or glutathione derivitized microtiter plates, which are then combined with a test molecule under conditions conducive to complex formation (*e.g.*, at physiological conditions for salt and pH). Following incubation, the beads or microtiter plate wells are washed to remove any unbound components, or the matrix is immobilized in the case of beads, and complex formation is determined directly or indirectly as described above. Alternatively, the complexes can be dissociated from the matrix, and the level of target molecule binding or activity is determined using standard techniques.

[0155] In an embodiment, the non-immobilized component is added to the coated surface containing the anchored component. After the reaction is complete, unreacted components are removed (*e.g.*, by washing) under conditions such that a significant percentage of complexes formed will remain immobilized to the solid surface. The detection of complexes anchored on the solid surface can be accomplished in a number of manners. Where the previously non-immobilized component is pre-labeled, the detection of label immobilized on the surface indicates that complexes were formed. Where the previously non-immobilized component is not pre-labeled, an indirect label can be used to detect complexes anchored on the surface, *e.g.*, by adding a labeled antibody specific for the immobilized component, where the antibody, in turn, can be directly labeled or indirectly labeled with, *e.g.*, a labeled anti-Ig antibody.

[0156] In another embodiment, an assay is performed utilizing antibodies that specifically bind target molecule or test molecule but do not interfere with binding of the target molecule to the test molecule. Such antibodies can be derivitized to a solid support, and unbound target molecule may be immobilized by antibody conjugation. Methods for detecting such complexes, in addition to those described above for the GST-immobilized complexes, include immunodetection of complexes using antibodies reactive with the target molecule, as well as enzyme-linked assays which rely on detecting an enzymatic activity associated with the target molecule.

[0157] Cell free assays also can be conducted in a liquid phase. In such an assay, reaction products are separated from unreacted components, by any of a number of standard techniques, including but not limited to: differential centrifugation (see, e.g., Rivas, G., and Minton, *Trends Biochem Sci* Aug;18(8): 284-7 (1993)); chromatography (gel filtration chromatography, ion-exchange chromatography); electrophoresis (see, e.g., Ausubel *et al.*, eds. *Current Protocols in Molecular Biology*, J. Wiley: New York (1999)); and immunoprecipitation (see, e.g., Ausubel *et al.*, eds., *supra*). Media and chromatographic techniques are known to one skilled in the art (see, e.g., Heegaard, *J Mol. Recognit. Winter*; 11(1-6): 141-8 (1998); Hage & Tweed, *J. Chromatogr. B Biomed. Sci. Appl.* Oct 10; 699 (1-2): 499-525 (1997)). Further, fluorescence energy transfer may also be conveniently utilized, as described herein, to detect binding without further purification of the complex from solution.

[0158] In another embodiment, modulators of target molecule expression are identified. For example, a cell or cell free mixture is contacted with a candidate compound and the expression of target mRNA or target polypeptide is evaluated relative to the level of expression of target mRNA or target polypeptide in the absence of the candidate compound. When expression of target mRNA or target polypeptide is greater in the presence of the candidate compound than in its absence, the candidate compound is identified as an agonist of target mRNA or target polypeptide expression. Alternatively, when expression of target mRNA or target polypeptide is less (e.g., less with statistical significance) in the presence of the candidate compound than in its absence, the candidate compound is identified as an antagonist or inhibitor of target mRNA or target polypeptide expression. The level of target mRNA or target polypeptide expression can be determined by methods described herein.

[0159] In another embodiment, binding partners that interact with a target molecule are detected. The target molecules can interact with one or more cellular or extracellular macromolecules, such as polypeptides *in vivo*, and these interacting molecules are referred to herein as "binding partners." Binding partners can agonize or antagonize target molecule biological activity. Also, test molecules that agonize or antagonize interactions between target molecules and binding partners can be useful as therapeutic molecules as they can up-regulate or down-regulated target molecule activity *in vivo* and thereby treat osteoarthritis.

[0160] Binding partners of target molecules can be identified by methods known in the art. For example, binding partners may be identified by lysing cells and analyzing cell lysates by electrophoretic techniques. Alternatively, a two-hybrid assay or three-hybrid assay can be utilized (see, e.g., U.S. Patent No. 5,283,317; Zervos *et al.*, *Cell* 72:223-232 (1993); Madura *et al.*, *J. Biol. Chem.* 268: 12046-12054 (1993); Bartel *et al.*, *Biotechniques* 14: 920-924 (1993); Iwabuchi *et al.*, *Oncogene* 8: 1693-1696 (1993); and Brent WO94/10300). A two-hybrid system is based on the modular nature of most transcription factors, which consist of separable DNA-binding and activation domains. The assay often utilizes two different DNA constructs. In one construct, a *ADAMTS2* nucleic acid (sometimes referred to as the

“bait”) is fused to a gene encoding the DNA binding domain of a known transcription factor (e.g., GAL-4). In another construct, a DNA sequence from a library of DNA sequences that encodes a potential binding partner (sometimes referred to as the “prey”) is fused to a gene that encodes an activation domain of the known transcription factor. Sometimes, a *ADAMTS2* nucleic acid can be fused to the activation domain. If the “bait” and the “prey” molecules interact *in vivo*, the DNA-binding and activation domains of the transcription factor are brought into close proximity. This proximity allows transcription of a reporter gene (e.g., LacZ) which is operably linked to a transcriptional regulatory site responsive to the transcription factor. Expression of the reporter gene can be detected and cell colonies containing the functional transcription factor can be isolated and used to identify the potential binding partner.

[0161] In an embodiment for identifying test molecules that antagonize or agonize complex formation between target molecules and binding partners, a reaction mixture containing the target molecule and the binding partner is prepared, under conditions and for a time sufficient to allow complex formation. The reaction mixture often is provided in the presence or absence of the test molecule. The test molecule can be included initially in the reaction mixture, or can be added at a time subsequent to the addition of the target molecule and its binding partner. Control reaction mixtures are incubated without the test molecule or with a placebo. Formation of any complexes between the target molecule and the binding partner then is detected. Decreased formation of a complex in the reaction mixture containing test molecule as compared to in a control reaction mixture indicates that the molecule antagonizes target molecule/binding partner complex formation. Alternatively, increased formation of a complex in the reaction mixture containing test molecule as compared to in a control reaction mixture indicates that the molecule agonizes target molecule/binding partner complex formation. In another embodiment, complex formation of target molecule/binding partner can be compared to complex formation of mutant target molecule/binding partner (e.g., amino acid modifications in a target polypeptide). Such a comparison can be important in those cases where it is desirable to identify test molecules that modulate interactions of mutant but not non-mutated target gene products.

[0162] The assays can be conducted in a heterogeneous or homogeneous format. In heterogeneous assays, target molecule and/or the binding partner are immobilized to a solid phase, and complexes are detected on the solid phase at the end of the reaction. In homogeneous assays, the entire reaction is carried out in a liquid phase. In either approach, the order of addition of reactants can be varied to obtain different information about the molecules being tested. For example, test compounds that agonize target molecule/binding partner interactions can be identified by conducting the reaction in the presence of the test molecule in a competition format. Alternatively, test molecules that agonize preformed complexes, e.g., molecules with higher binding constants that displace one of the components from the complex, can be tested by adding the test compound to the reaction mixture after complexes have been formed.

[0163] In a heterogeneous assay embodiment, the target molecule or the binding partner is anchored onto a solid surface (e.g., a microtiter plate), while the non-anchored species is labeled, either directly or indirectly. The anchored molecule can be immobilized by non-covalent or covalent attachments. Alternatively, an immobilized antibody specific for the molecule to be anchored can be used to anchor the molecule to the solid surface. The partner of the immobilized species is exposed to the coated surface with or without the test molecule. After the reaction is complete, unreacted components are removed (e.g., by washing) such that a significant portion of any complexes formed will remain immobilized on the solid surface. Where the non-immobilized species is pre-labeled, the detection of label immobilized on the surface is indicative of complex. Where the non-immobilized species is not pre-labeled, an indirect label can be used to detect complexes anchored to the surface; e.g., by using a labeled antibody specific for the initially non-immobilized species. Depending upon the order of addition of reaction components, test compounds that inhibit complex formation or that disrupt preformed complexes can be detected.

[0164] In another embodiment, the reaction can be conducted in a liquid phase in the presence or absence of test molecule, where the reaction products are separated from unreacted components, and the complexes are detected (e.g., using an immobilized antibody specific for one of the binding components to anchor any complexes formed in solution, and a labeled antibody specific for the other partner to detect anchored complexes). Again, depending upon the order of addition of reactants to the liquid phase, test compounds that inhibit complex or that disrupt preformed complexes can be identified.

[0165] In an alternate embodiment, a homogeneous assay can be utilized. For example, a preformed complex of the target gene product and the interactive cellular or extracellular binding partner product is prepared. One or both of the target molecule or binding partner is labeled, and the signal generated by the label(s) is quenched upon complex formation (e.g., U.S. Patent No. 4,109,496 that utilizes this approach for immunoassays). Addition of a test molecule that competes with and displaces one of the species from the preformed complex will result in the generation of a signal above background. In this way, test substances that disrupt target molecule/binding partner complexes can be identified.

[0166] Candidate therapeutics for treating osteoarthritis are identified from a group of test molecules that interact with a target molecule. Test molecules are normally ranked according to the degree with which they modulate (e.g., agonize or antagonize) a function associated with the target molecule (e.g., DNA replication and/or processing, RNA transcription and/or processing, polypeptide production and/or processing, and/or biological function/activity), and then top ranking modulators are selected. Also, pharmacogenomic information described herein can determine the rank of a modulator. The top 10% of ranked test molecules often are selected for further testing as candidate therapeutics, and sometimes the top 15%, 20%, or 25% of ranked test molecules are selected for further testing as candidate therapeutics. Candidate therapeutics typically are formulated for administration to a subject.

Therapeutic Formulations

[0167] Formulations and pharmaceutical compositions typically include in combination with a pharmaceutically acceptable carrier one or more target molecule modulators. The modulator often is a test molecule identified as having an interaction with a target molecule by a screening method described above. The modulator may be a compound, an antisense nucleic acid, a ribozyme, an antibody, or a binding partner. Also, formulations may comprise a target polypeptide or fragment thereof in combination with a pharmaceutically acceptable carrier.

[0168] Formulations or pharmaceutical compositions typically include in combination with a pharmaceutically acceptable carrier, a compound, an antisense nucleic acid, a ribozyme, an antibody, a binding partner that interacts with an *ADAMTS2* polypeptide, a *ADAMTS2* nucleic acid, or a fragment thereof. The formulated molecule may be one that is identified by a screening method described above. Also, formulations may comprise a *ADAMTS2* polypeptide or fragment thereof, where the *ADAMTS2* polypeptide contains an isoleucine at position 245 of SEQ ID NO: 4, and a pharmaceutically acceptable carrier. Also, formulations may comprise an active *ADAMTS2* polypeptide or fragment thereof, where *ADAMTS2* polypeptide fragments having activity are selected from amino acids 252-1211, 253-1211, 254-1211, 255-1211, 256-1211, 257-1211, 258-1211, 259-1211 or 260-1211 of SEQ ID NO: 4, where it is understood that the active form of *ADAMTS2* does not contain the propeptide domain. As used herein, the term "pharmaceutically acceptable carrier" includes solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. Supplementary active compounds can also be incorporated into the compositions.

[0169] As used herein, the term "pharmaceutically acceptable carrier" includes solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. Supplementary active compounds can also be incorporated into the compositions. Pharmaceutical compositions can be included in a container, pack, or dispenser together with instructions for administration.

[0170] A pharmaceutical composition typically is formulated to be compatible with its intended route of administration. Examples of routes of administration include parenteral, *e.g.*, intravenous, intradermal, subcutaneous, oral (*e.g.*, inhalation), transdermal (topical), transmucosal, and rectal administration. Solutions or suspensions used for parenteral, intradermal, or subcutaneous application can include the following components: a sterile diluent such as water for injection, saline solution, fixed oils, polyethylene glycols, glycerin, propylene glycol or other synthetic solvents; antibacterial agents such as benzyl alcohol or methyl parabens; antioxidants such as ascorbic acid or sodium bisulfite; chelating agents such as ethylenediaminetetraacetic acid; buffers such as acetates, citrates or phosphates and agents for the adjustment of tonicity such as sodium chloride or dextrose. pH can be adjusted with

acids or bases, such as hydrochloric acid or sodium hydroxide. The parenteral preparation can be enclosed in ampoules, disposable syringes or multiple dose vials made of glass or plastic.

[0171] Oral compositions generally include an inert diluent or an edible carrier. For the purpose of oral therapeutic administration, the active compound can be incorporated with excipients and used in the form of tablets, troches, or capsules, *e.g.*, gelatin capsules. Oral compositions can also be prepared using a fluid carrier for use as a mouthwash. Pharmaceutically compatible binding agents, and/or adjuvant materials can be included as part of the composition. The tablets, pills, capsules, troches and the like can contain any of the following ingredients, or compounds of a similar nature: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel, or corn starch; a lubricant such as magnesium stearate or Sterotes; a glidant such as colloidal silicon dioxide; a sweetening agent such as sucrose or saccharin; or a flavoring agent such as peppermint, methyl salicylate, or orange flavoring.

[0172] Pharmaceutical compositions suitable for injectable use include sterile aqueous solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersion. For intravenous administration, suitable carriers include physiological saline, bacteriostatic water, Cremophor EL™ (BASF, Parsippany, NJ) or phosphate buffered saline (PBS). In all cases, the composition must be sterile and should be fluid to the extent that easy syringability exists. It should be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), and suitable mixtures thereof. The proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. Prevention of the action of microorganisms can be achieved by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, ascorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars, polyalcohols such as mannitol, sorbitol, sodium chloride in the composition. Prolonged absorption of the injectable compositions can be brought about by including in the composition an agent which delays absorption, for example, aluminum monostearate and gelatin.

[0173] Sterile injectable solutions can be prepared by incorporating the active compound in the required amount in an appropriate solvent with one or a combination of ingredients enumerated above, as required, followed by filtered sterilization. Generally, dispersions are prepared by incorporating the active compound into a sterile vehicle which contains a basic dispersion medium and the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, the preferred methods of preparation are vacuum drying and freeze-drying which

yields a powder of the active ingredient plus any additional desired ingredient from a previously sterile-filtered solution thereof.

[0174] For administration by inhalation, the compounds are delivered in the form of an aerosol spray from pressured container or dispenser which contains a suitable propellant, *e.g.*, a gas such as carbon dioxide, or a nebulizer.

[0175] Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, detergents, bile salts, and fusidic acid derivatives. Transmucosal administration can be accomplished through the use of nasal sprays or suppositories. For transdermal administration, the active compounds are formulated into ointments, salves, gels, or creams as generally known in the art. Molecules can also be prepared in the form of suppositories (*e.g.*, with conventional suppository bases such as cocoa butter and other glycerides) or retention enemas for rectal delivery.

[0176] In one embodiment, active molecules are prepared with carriers that will protect the compound against rapid elimination from the body, such as a controlled release formulation, including implants and microencapsulated delivery systems. Biodegradable, biocompatible polymers can be used, such as ethylene vinyl acetate, polyanhydrides, polyglycolic acid, collagen, polyorthoesters, and polylactic acid. Methods for preparation of such formulations will be apparent to those skilled in the art. Materials can also be obtained commercially from Alza Corporation and Nova Pharmaceuticals, Inc. Liposomal suspensions (including liposomes targeted to infected cells with monoclonal antibodies to viral antigens) can also be used as pharmaceutically acceptable carriers. These can be prepared according to methods known to those skilled in the art, for example, as described in U.S. Patent No. 4,522,811.

[0177] It is advantageous to formulate oral or parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit form as used herein refers to physically discrete units suited as unitary dosages for the subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier.

[0178] Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, *e.g.*, for determining the LD₅₀ (the dose lethal to 50% of the population) and the ED₅₀ (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio LD₅₀/ED₅₀. Molecules which exhibit high therapeutic indices are preferred. While molecules that exhibit toxic side effects may be used, care should be taken to design a delivery system

that targets such compounds to the site of affected tissue in order to minimize potential damage to uninfected cells and, thereby, reduce side effects.

[0179] The data obtained from the cell culture assays and animal studies can be used in formulating a range of dosage for use in humans. The dosage of such molecules lies preferably within a range of circulating concentrations that include the ED₅₀ with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. For any molecules used in the methods described herein, the therapeutically effective dose can be estimated initially from cell culture assays. A dose may be formulated in animal models to achieve a circulating plasma concentration range that includes the IC₅₀ (*i.e.*, the concentration of the test compound which achieves a half-maximal inhibition of symptoms) as determined in cell culture. Such information can be used to more accurately determine useful doses in humans. Levels in plasma may be measured, for example, by high performance liquid chromatography.

[0180] As defined herein, a therapeutically effective amount of protein or polypeptide (*i.e.*, an effective dosage) ranges from about 0.001 to 30 mg/kg body weight, sometimes about 0.01 to 25 mg/kg body weight, often about 0.1 to 20 mg/kg body weight, and more often about 1 to 10 mg/kg, 2 to 9 mg/kg, 3 to 8 mg/kg, 4 to 7 mg/kg, or 5 to 6 mg/kg body weight. The protein or polypeptide can be administered one time per week for between about 1 to 10 weeks, sometimes between 2 to 8 weeks, often between about 3 to 7 weeks, and more often for about 4, 5, or 6 weeks. The skilled artisan will appreciate that certain factors may influence the dosage and timing required to effectively treat a subject, including but not limited to the severity of the disease or disorder, previous treatments, the general health and/or age of the subject, and other diseases present. Moreover, treatment of a subject with a therapeutically effective amount of a protein, polypeptide, or antibody can include a single treatment or, preferably, can include a series of treatments.

[0181] With regard to polypeptide formulations, featured herein is a method for treating osteoarthritis in a subject, which comprises contacting one or more cells in the subject with a first polypeptide, where the subject comprises a second polypeptide having one or more polymorphic variations associated with cancer, and where the first polypeptide comprises fewer polymorphic variations associated with cancer than the second polypeptide. The first and second polypeptides are encoded by a nucleic acid which comprises a nucleotide sequence in SEQ ID NO: 1-3; a nucleotide sequence which encodes a polypeptide consisting of an amino acid sequence encoded by a nucleotide sequence referenced in SEQ ID NO: 1-3; a nucleotide sequence which encodes a polypeptide that is 90% or more identical to an amino acid sequence encoded by a nucleotide sequence of SEQ ID NO: 1-3 and a nucleotide sequence 90% or more identical to a nucleotide sequence in SEQ ID NO: 1-3. The subject often is a human.

[0182] For antibodies, a dosage of 0.1 mg/kg of body weight (generally 10 mg/kg to 20 mg/kg) is often utilized. If the antibody is to act in the brain, a dosage of 50 mg/kg to 100 mg/kg is often appropriate. Generally, partially human antibodies and fully human antibodies have a longer half-life within the human body than other antibodies. Accordingly, lower dosages and less frequent administration is often possible. Modifications such as lipidation can be used to stabilize antibodies and to enhance uptake and tissue penetration (e.g., into the brain). A method for lipidation of antibodies is described by Cruikshank *et al.*, *J. Acquired Immune Deficiency Syndromes and Human Retrovirology* 14:193 (1997).

[0183] Antibody conjugates can be used for modifying a given biological response, the drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a polypeptide such as tumor necrosis factor, alpha-interferon, beta-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors. Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980.

[0184] For compounds, exemplary doses include milligram or microgram amounts of the compound per kilogram of subject or sample weight, for example, about 1 microgram per kilogram to about 500 milligrams per kilogram, about 100 micrograms per kilogram to about 5 milligrams per kilogram, or about 1 microgram per kilogram to about 50 micrograms per kilogram. It is understood that appropriate doses of a small molecule depend upon the potency of the small molecule with respect to the expression or activity to be modulated. When one or more of these small molecules is to be administered to an animal (e.g., a human) in order to modulate expression or activity of a polypeptide or nucleic acid described herein, a physician, veterinarian, or researcher may, for example, prescribe a relatively low dose at first, subsequently increasing the dose until an appropriate response is obtained. In addition, it is understood that the specific dose level for any particular animal subject will depend upon a variety of factors including the activity of the specific compound employed, the age, body weight, general health, gender, and diet of the subject, the time of administration, the route of administration, the rate of excretion, any drug combination, and the degree of expression or activity to be modulated.

[0185] With regard to nucleic acid formulations, gene therapy vectors can be delivered to a subject by, for example, intravenous injection, local administration (see, e.g., U.S. Patent 5,328,470) or by stereotactic injection (see e.g., Chen *et al.*, (1994) *Proc. Natl. Acad. Sci. USA* 91:3054-3057). Pharmaceutical preparations of gene therapy vectors can include a gene therapy vector in an acceptable

diluent, or can comprise a slow release matrix in which the gene delivery vehicle is imbedded. Alternatively, where the complete gene delivery vector can be produced intact from recombinant cells (e.g., retroviral vectors) the pharmaceutical preparation can include one or more cells which produce the gene delivery system. Examples of gene delivery vectors are described herein.

Therapeutic Methods

[0186] A therapeutic formulation described above can be administered to a subject in need of a therapeutic for inducing a desired biological response.. Therapeutic formulations can be administered by any of the paths described herein. With regard to both prophylactic and therapeutic methods of treatment, such treatments may be specifically tailored or modified, based on knowledge obtained from pharmacogenomic analyses described herein.

[0187] As used herein, the term "treatment" is defined as the application or administration of a therapeutic formulation to a subject, or application or administration of a therapeutic agent to an isolated tissue or cell line from a subject with the purpose to cure, heal, alleviate, relieve, alter, remedy, ameliorate, improve or affect osteoarthritis, symptoms of osteoarthritis or a predisposition towards osteoarthritis. A therapeutic formulation includes, but is not limited to, small molecules, peptides, antibodies, ribozymes and antisense oligonucleotides. Administration of a therapeutic formulation can occur prior to the manifestation of symptoms characteristic of osteoarthritis, such that osteoarthritis is prevented or delayed in its progression. The appropriate therapeutic composition can be determined based on screening assays described herein.

[0188] As discussed, successful treatment of osteoarthritis can be brought about by techniques that serve to agonize target molecule expression or function, or alternatively, antagonize target molecule expression or function. These techniques include administration of modulators that include, but are not limited to, small organic or inorganic molecules; antibodies (including, for example, polyclonal, monoclonal, humanized, anti-idiotypic, chimeric or single chain antibodies, and Fab, F(ab')₂ and Fab expression library fragments, scFV molecules, and epitope-binding fragments thereof); and peptides, phosphopeptides, or polypeptides.

[0189] Further, antisense and ribozyme molecules that inhibit expression of the target gene can also be used to reduce the level of target gene expression, thus effectively reducing the level of target gene activity. Still further, triple helix molecules can be utilized in reducing the level of target gene activity. Antisense, ribozyme and triple helix molecules are discussed above. It is possible that the use of antisense, ribozyme, and/or triple helix molecules to reduce or inhibit mutant gene expression can also reduce or inhibit the transcription (triple helix) and/or translation (antisense, ribozyme) of mRNA produced by normal target gene alleles, such that the concentration of normal target gene product present can be lower than is necessary for a normal phenotype. In such cases, nucleic acid molecules that encode

and express target gene polypeptides exhibiting normal target gene activity can be introduced into cells via gene therapy method. Alternatively, in instances in that the target gene encodes an extracellular polypeptide, it can be preferable to co-administer normal target gene polypeptide into the cell or tissue in order to maintain the requisite level of cellular or tissue target gene activity.

[0190] Another method by which nucleic acid molecules may be utilized in treating or preventing osteoarthritis is use of aptamer molecules specific for target molecules. Aptamers are nucleic acid molecules having a tertiary structure which permits them to specifically bind to ligands (see, e.g., Osborne, *et al.*, *Curr. Opin. Chem. Biol.* 1(1): 5-9 (1997); and Patel, D. J., *Curr. Opin. Chem. Biol.* Jun; 1(1): 32-46 (1997)).

[0191] Yet another method of utilizing nucleic acid molecules for osteoarthritis treatment is gene therapy, which can also be referred to as allele therapy. Provided herein is a gene therapy method for treating osteoarthritis in a subject, which comprises contacting one or more cells in the subject or from the subject with a nucleic acid having a first nucleotide sequence (e.g., the first nucleotide sequence is identical to or substantially identical to a nucleotide sequence of SEQ ID NO: 1-3). Genomic DNA in the subject comprises a second nucleotide sequence having one or more polymorphic variations associated with osteoarthritis (e.g., the second nucleotide sequence is identical to or substantially identical to a nucleotide sequence of SEQ ID NO: 1). The first and second nucleotide sequences typically are substantially identical to one another, and the first nucleotide sequence comprises fewer polymorphic variations associated with osteoarthritis than the second nucleotide sequence. The first nucleotide sequence may comprise a gene sequence that encodes a full-length polypeptide or a fragment thereof. The subject is often a human. Allele therapy methods often are utilized in conjunction with a method of first determining whether a subject has genomic DNA that includes polymorphic variants associated with osteoarthritis.

[0192] In another allele therapy embodiment, provided herein is a method which comprises contacting one or more cells in the subject or from the subject with a polypeptide encoded by a nucleic acid having a first nucleotide sequence (e.g., the first nucleotide sequence is identical to or substantially identical to the nucleotide sequence of SEQ ID NO: 1-3). Genomic DNA in the subject comprises a second nucleotide sequence having one or more polymorphic variations associated with osteoarthritis (e.g., the second nucleotide sequence is identical to or substantially identical to a nucleotide sequence of SEQ ID NO: 1). The first and second nucleotide sequences typically are substantially identical to one another, and the first nucleotide sequence comprises fewer polymorphic variations associated with osteoarthritis than the second nucleotide sequence. The first nucleotide sequence may comprise a gene sequence that encodes a full-length polypeptide or a fragment thereof. The subject is often a human. The method often comprises supplementing arthritis-associated *ADAMTS2* polypeptide with a non-arthritis-associated *ADAMTS2* polypeptide or fragment thereof, where the non-arthritis-associated form of

ADAMTS2 contains an isoleucine at position 245 of SEQ ID NO: 4 having enzymatic activity. The arthritis-associated *ADAMTS2* polypeptide sometimes contains a valine at position 245 of SEQ ID NO: 4 having an altered enzymatic activity varying from the non-arthritis-associated polypeptide.

[0193] In an embodiment, provided is a method of increasing the synthesis of procollagen II comprising providing or administering to individuals in need of increasing levels of type II collagen the pharmaceutical or physiologically acceptable composition comprising active human *ADAMTS2* protein or fragment thereof, where *ADAMTS2* polypeptide fragments having activity are selected from amino acids 252-1211, 253-1211, 254-1211, 255-1211, 256-1211, 257-1211, 258-1211, 259-1211 or 260-1211 of SEQ ID NO: 4, where it is understood that the active form of *ADAMTS2* does not contain the propeptide domain.

[0194] In another embodiment, provided herein is a method of increasing the synthesis of procollagen II comprising providing or administering to individuals in need of increasing levels of type II collagen the pharmaceutical or physiologically acceptable composition comprising an enzyme or molecule capable of cleaving *ADAMTS2* propeptide, e.g., a furin-type endopeptidase or N-ethylmaleimide described herein

[0195] For antibody-based therapies, antibodies can be generated that are both specific for target molecules and that reduce target molecule activity. Such antibodies may be administered in instances where antagonizing a target molecule function is appropriate for the treatment of osteoarthritis.

[0196] In circumstances where stimulating antibody production in an animal or a human subject by injection with a target molecule is harmful to the subject, it is possible to generate an immune response against the target molecule by use of anti-idiotypic antibodies (see, e.g., Herlyn, *Ann. Med.*; 31(1): 66-78 (1999); and Bhattacharya-Chatterjee & Foon, *Cancer Treat. Res.*; 94: 51-68 (1998)). Introducing an anti-idiotypic antibody to a mammal or human subject often stimulates production of anti-anti-idiotypic antibodies, which typically are specific to the target molecule. Vaccines directed to osteoarthritis also may be generated in this fashion.

[0197] In instances where the target molecule is intracellular and whole antibodies are used, internalizing antibodies may be preferred. Lipofectin or liposomes can be used to deliver the antibody or a fragment of the Fab region that binds to the target antigen into cells. Where fragments of the antibody are used, the smallest inhibitory fragment that binds to the target antigen is preferred. For example, peptides having an amino acid sequence corresponding to the Fv region of the antibody can be used. Alternatively, single chain neutralizing antibodies that bind to intracellular target antigens can also be administered. Such single chain antibodies can be administered, for example, by expressing nucleotide sequences encoding single-chain antibodies within the target cell population (see, e.g., Marasco *et al.*, *Proc. Natl. Acad. Sci. USA* 90: 7889-7893 (1993)).

[0198] Modulators can be administered to a patient at therapeutically effective doses to treat osteoarthritis. A therapeutically effective dose refers to an amount of the modulator sufficient to result in amelioration of symptoms of osteoarthritis. Toxicity and therapeutic efficacy of modulators can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, *e.g.*, for determining the LD₅₀ (the dose lethal to 50% of the population) and the ED₅₀ (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio LD₅₀/ED₅₀. Modulators that exhibit large therapeutic indices are preferred. While modulators that exhibit toxic side effects can be used, care should be taken to design a delivery system that targets such molecules to the site of affected tissue in order to minimize potential damage to uninfected cells, thereby reducing side effects.

[0199] Data obtained from cell culture assays and animal studies can be used in formulating a range of dosages for use in humans. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED₅₀ with little or no toxicity. The dosage can vary within this range depending upon the dosage form employed and the route of administration utilized. For any compound used in the methods described herein, the therapeutically effective dose can be estimated initially from cell culture assays. A dose can be formulated in animal models to achieve a circulating plasma concentration range that includes the IC₅₀ (*i.e.*, the concentration of the test compound that achieves a half-maximal inhibition of symptoms) as determined in cell culture. Such information can be used to more accurately determine useful doses in humans. Levels in plasma can be measured, for example, by high performance liquid chromatography.

[0200] Another example of effective dose determination for an individual is the ability to directly assay levels of “free” and “bound” compound in the serum of the test subject. Such assays may utilize antibody mimics and/or “biosensors” that have been created through molecular imprinting techniques. Molecules that modulate target molecule activity are used as a template, or “imprinting molecule”, to spatially organize polymerizable monomers prior to their polymerization with catalytic reagents. The subsequent removal of the imprinted molecule leaves a polymer matrix which contains a repeated “negative image” of the compound and is able to selectively rebind the molecule under biological assay conditions. A detailed review of this technique can be seen in Ansell *et al.*, *Current Opinion in Biotechnology* 7: 89-94 (1996) and in Shea, *Trends in Polymer Science* 2: 166-173 (1994). Such “imprinted” affinity matrixes are amenable to ligand-binding assays, whereby the immobilized monoclonal antibody component is replaced by an appropriately imprinted matrix. An example of the use of such matrixes in this way can be seen in Vlatakis, *et al.*, *Nature* 361: 645-647 (1993). Through the use of isotope-labeling, the “free” concentration of compound which modulates target molecule expression or activity readily can be monitored and used in calculations of IC₅₀. Such “imprinted” affinity matrixes can also be designed to include fluorescent groups whose photon-emitting properties

measurably change upon local and selective binding of target compound. These changes readily can be assayed in real time using appropriate fiberoptic devices, in turn allowing the dose in a test subject to be quickly optimized based on its individual IC₅₀. An example of such a “biosensor” is discussed in Kriz *et al.*, *Analytical Chemistry* 67: 2142-2144 (1995).

[0201] The examples set forth below are intended to illustrate but not limit the invention.

Examples

[0202] In the following studies a group of subjects was selected according to specific parameters relating to osteoarthritis. Nucleic acid samples obtained from individuals in the study group were subjected to genetic analysis, which identified associations between osteoarthritis and a polymorphism in the *ADAMTS2* gene on chromosome five. The polymorphism was genotyped again in two replication cohorts consisting of individuals selected for OA. In addition, SNPs proximal to the incident polymorphism were identified and allelotyped in OA case and control pools. Methods are described for producing *ADAMTS2* polypeptide and *ADAMTS2* polypeptide variants *in vitro* or *in vivo*, *ADAMTS2* nucleic acids or polypeptides and variants thereof are utilized for screening test molecules for those that interact with *ADAMTS2* molecules. Test molecules identified as interactors with *ADAMTS2* molecules and *ADAMTS2* variants are further screened *in vivo* to determine whether they treat osteoarthritis.

Example 1

Samples and Pooling Strategies

Sample Selection

[0203] Blood samples were collected from individuals diagnosed with knee osteoarthritis, which were referred to as case samples. Also, blood samples were collected from individuals not diagnosed with knee osteoarthritis as gender and age-matched controls. A database was created that listed all phenotypic trait information gathered from individuals for each case and control sample. Genomic DNA was extracted from each of the blood samples for genetic analyses.

DNA Extraction from Blood Samples

[0204] Six to ten milliliters of whole blood was transferred to a 50 ml tube containing 27 ml of red cell lysis solution (RCL). The tube was inverted until the contents were mixed. Each tube was incubated for 10 minutes at room temperature and inverted once during the incubation. The tubes were then centrifuged for 20 minutes at 3000 x g and the supernatant was carefully poured off. 100-200 μ l of residual liquid was left in the tube and was pipetted repeatedly to resuspend the pellet in the residual supernatant. White cell lysis solution (WCL) was added to the tube and pipetted repeatedly until

completely mixed. While no incubation was normally required, the solution was incubated at 37°C or room temperature if cell clumps were visible after mixing until the solution was homogeneous. 2 ml of protein precipitation was added to the cell lysate. The mixtures were vortexed vigorously at high speed for 20 sec to mix the protein precipitation solution uniformly with the cell lysate, and then centrifuged for 10 minutes at 3000 x g. The supernatant containing the DNA was then poured into a clean 15 ml tube, which contained 7 ml of 100% isopropanol. The samples were mixed by inverting the tubes gently until white threads of DNA were visible. Samples were centrifuged for 3 minutes at 2000 x g and the DNA was visible as a small white pellet. The supernatant was decanted and 5 ml of 70% ethanol was added to each tube. Each tube was inverted several times to wash the DNA pellet, and then centrifuged for 1 minute at 2000 x g. The ethanol was decanted and each tube was drained on clean absorbent paper. The DNA was dried in the tube by inversion for 10 minutes, and then 1000 µl of 1X TE was added. The size of each sample was estimated, and less TE buffer was added during the following DNA hydration step if the sample was smaller. The DNA was allowed to rehydrate overnight at room temperature, and DNA samples were stored at 2-8°C.

[0205] DNA was quantified by placing samples on a hematology mixer for at least 1 hour. DNA was serially diluted (typically 1:80, 1:160, 1:320, and 1:640 dilutions) so that it would be within the measurable range of standards. 125 µl of diluted DNA was transferred to a clear U-bottom microtitre plate, and 125 µl of 1X TE buffer was transferred into each well using a multichannel pipette. The DNA and 1X TE were mixed by repeated pipetting at least 15 times, and then the plates were sealed. 50 µl of diluted DNA was added to wells A5-H12 of a black flat bottom microtitre plate. Standards were inverted six times to mix them, and then 50 µl of 1X TE buffer was pipetted into well A1, 1000 ng/ml of standard was pipetted into well A2, 500 ng/ml of standard was pipetted into well A3, and 250 ng/ml of standard was pipetted into well A4. PicoGreen (Molecular Probes, Eugene, Oregon) was thawed and freshly diluted 1:200 according to the number of plates that were being measured. PicoGreen was vortexed and then 50µl was pipetted into all wells of the black plate with the diluted DNA. DNA and PicoGreen were mixed by pipetting repeatedly at least 10 times with the multichannel pipette. The plate was placed into a Fluoroskan Ascent Machine (microplate fluorometer produced by Labsystems) and the samples were allowed to incubate for 3 minutes before the machine was run using filter pairs 485 nm excitation and 538 nm emission wavelengths. Samples having measured DNA concentrations of greater than 450 ng/µl were re-measured for conformation. Samples having measured DNA concentrations of 20 ng/µl or less were re-measured for confirmation.

Pooling Strategies – Discovery Cohort

[0206] Samples were derived from the Nottingham knee OA family study (UK) where index cases were identified through a knee replacement registry. Siblings were approached and assessed with knee x-rays and assigned status as affected or unaffected. In all 1,157 individuals were available. In order to create same-sex pools of appropriate sizes, 335 unrelated female individuals with OA from the Nottingham OA sample were selected for the case pool. The control pool was made up of unrelated female individuals from the St. Thomas twin study (England) with normal knee x-rays and without other indications of OA, regardless of anatomical location, as well as lacking family history of OA. The St. Thomas twin study consists of Caucasian, female participants from the St. Thomas' Hospital, London, adult-twin registry, which is a voluntary registry of >4,000 twin pairs ranging from 18 to 76 years of age. The female case samples and female control samples are described further in Table 1 below.

[0207] A select set of samples from each group were utilized to generate pools, and one pool was created for each group. Each individual sample in a pool was represented by an equal amount of genomic DNA. For example, where 25 ng of genomic DNA was utilized in each PCR reaction and there were 200 individuals in each pool, each individual would provide 125 pg of genomic DNA. Inclusion or exclusion of samples for a pool was based upon the following criteria: the sample was derived from an individual characterized as Caucasian; the sample was derived from an individual of British paternal and maternal descent; case samples were derived from individuals diagnosed with specific knee osteoarthritis (OA) and were recruited from an OA knee replacement clinic. Control samples were derived from individuals free of OA, family history of OA, and rheumatoid arthritis. Also, sufficient genomic DNA was extracted from each blood sample for all allelotyping and genotyping reactions performed during the study. Phenotype information from each individual was collected and included age of the individual, gender, family history of OA, general medical information (e.g., height, weight, thyroid disease, diabetes, psoriasis, hysterectomy), joint history (previous and current symptoms, joint-related operations, age at onset of symptoms, date of primary diagnosis, age of individual as of primary diagnosis and order of involvement), and knee-related findings (crepitus, restricted passive movement, bony swelling/deformity). Additional knee information included knee history, current symptoms, any major knee injury, meniscectomy, knee replacement surgery, age of surgery, and treatment history (including hormone replace therapy (HRT)). Samples that met these criteria were added to appropriate pools based on disease status.

[0208] The selection process yielded the pools set forth in Table 1, which were used in the studies that follow:

TABLE 1

	Female case	Female control
Pool size (Number)	335	335
Pool Criteria (ex: case/control)	control	case
Mean Age (ex: years)	57.21	69.95

Example 2

Association of Polymorphic Variants with Osteoarthritis

[0209] A whole-genome screen was performed to identify particular SNPs associated with occurrence of osteoarthritis. As described in Example 1, two sets of samples were utilized, which included samples from female individuals having knee osteoarthritis (osteoarthritis cases), and samples from female individuals not having knee osteoarthritis (female controls). The initial screen of each pool was performed in an allelotyping study, in which certain samples in each group were pooled. By pooling DNA from each group, an allele frequency for each SNP in each group was calculated. These allele frequencies were then compared to one another. Particular SNPs were considered as being associated with osteoarthritis when allele frequency differences calculated between case and control pools were statistically significant. SNP disease association results obtained from the allelotyping study were then validated by genotyping each associated SNP across all samples from each pool. The results of the genotyping then were analyzed, allele frequencies for each group were calculated from the individual genotyping results, and a p-value was calculated to determine whether the case and control groups had statistically significant differences in allele frequencies for a particular SNP. When the genotyping results agreed with the original allelotyping results, the SNP disease association was considered validated at the genetic level.

SNP Panel Used for Genetic Analyses

[0210] A whole-genome SNP screen began with an initial screen of approximately 25,000 SNPs over each set of disease and control samples using a pooling approach. The pools studied in the screen are described in Example 1. The SNPs analyzed in this study were part of a set of 25,488 SNPs confirmed as being statistically polymorphic as each is characterized as having a minor allele frequency of greater than 10%. The SNPs in the set reside in genes or in close proximity to genes, and many reside

in gene exons. Specifically, SNPs in the set are located in exons, introns, and within 5,000 base-pairs upstream of a transcription start site of a gene. In addition, SNPs were selected according to the following criteria: they are located in ESTs; they are located in Locuslink or Ensembl genes; and they are located in Genomatix promoter predictions. SNPs in the set were also selected on the basis of even spacing across the genome, as depicted in Table 2.

[0211] A case-control study design using a whole genome association strategy involving approximately 28,000 single nucleotide polymorphisms (SNPs) was employed. Approximately 25,000 SNPs were evenly spaced in gene-based regions of the human genome with a median inter-marker distance of about 40,000 base pairs. Additionally, approximately 3,000 SNPs causing amino acid substitutions in genes described in the literature as candidates for various diseases were used. The case-control study samples were of female Caucasian origin (British paternal and maternal descent) 670 individuals were equally distributed in two groups: female controls and female cases. The whole genome association approach was first conducted on 2 DNA pools representing the 2 groups. Significant markers were confirmed by individual genotyping.

TABLE 2

<u>General Statistics</u>		<u>Spacing Statistics</u>	
Total # of SNPs	25,488	Median	37,058 bp
# of Exonic SNPs	>4,335 (17%)	Minimum*	1,000 bp
# SNPs with refSNP ID	20,776 (81%)	Maximum*	3,000,000 bp
Gene Coverage	>10,000	Mean	122,412 bp
Chromosome Coverage	All	Std Deviation	373,325 bp
		<i>*Excludes outliers</i>	

Allelotyping and Genotyping Results

[0212] The genetic studies summarized above and described in more detail below identified an allelic variant in the ADAMTS2 gene that is associated with osteoarthritis.

Assay for Verifying, Allelotyping, and Genotyping SNPs

[0213] A MassARRAY™ system (Sequenom, Inc.) was utilized to perform SNP genotyping in a high-throughput fashion. This genotyping platform was complemented by a homogeneous, single-tube assay method (hME™ or homogeneous MassEXTEND™ (Sequenom, Inc.)) in which two genotyping primers anneal to and amplify a genomic target surrounding a polymorphic site of interest. A third primer (the MassEXTEND™ primer), which is complementary to the amplified target up to but not

including the polymorphism, was then enzymatically extended one or a few bases through the polymorphic site and then terminated.

[0214] For each polymorphism, SpectroDESIGNER™ software (Sequenom, Inc.) was used to generate a set of PCR primers and a MassEXTEND™ primer which were used to genotype the polymorphism. Other primer design software could be used or one of ordinary skill in the art could manually design primers based on his or her knowledge of the relevant factors and considerations in designing such primers. Table 3 shows PCR primers and Table 4 shows extension primers used for analyzing polymorphisms. The initial PCR amplification reaction was performed in a 5 µl total volume containing 1X PCR buffer with 1.5 mM MgCl₂ (Qiagen), 200 µM each of dATP, dGTP, dCTP, dTTP (Gibco-BRL), 2.5 ng of genomic DNA, 0.1 units of HotStar DNA polymerase (Qiagen), and 200 nM each of forward and reverse PCR primers specific for the polymorphic region of interest.

TABLE 3: PCR Primers

SNP Reference	Forward PCR primer	Reverse PCR primer
rs398829	ACGTTGGATGTAGTCATCGTCCGCAGCATG	ACGTTGGATGAAGACGGTGTCCCTCTCCTTG

[0215] Samples were incubated at 95°C for 15 minutes, followed by 45 cycles of 95°C for 20 seconds, 56°C for 30 seconds, and 72°C for 1 minute, finishing with a 3 minute final extension at 72°C. Following amplification, shrimp alkaline phosphatase (SAP) (0.3 units in a 2 µl volume) (Amersham Pharmacia) was added to each reaction (total reaction volume was 7 µl) to remove any residual dNTPs that were not consumed in the PCR step. Samples were incubated for 20 minutes at 37°C, followed by 5 minutes at 85°C to denature the SAP.

[0216] Once the SAP reaction was complete, a primer extension reaction was initiated by adding a polymorphism-specific MassEXTEND™ primer cocktail to each sample. Each MassEXTEND™ cocktail included a specific combination of dideoxynucleotides (ddNTPs) and deoxynucleotides (dNTPs) used to distinguish polymorphic alleles from one another. Methods for verifying, allelotyping and genotyping SNPs are disclosed, for example, in U.S. Pat. No. 6,258,538, the content of which is hereby incorporated by reference. In Table 4, ddNTPs are shown and the fourth nucleotide not shown is the dNTP.

TABLE 4: Extension Primers

SNP Reference	Extend Probe	Termination Mix
rs398829	TGGCGTGCTCCTCTAGGA	ACG

[0217] The MassEXTEND™ reaction was performed in a total volume of 9 μ l, with the addition of 1X ThermoSequenase buffer, 0.576 units of ThermoSequenase (Amersham Pharmacia), 600 nM MassEXTEND™ primer, 2 mM of ddATP and/or ddCTP and/or ddGTP and/or ddTTP, and 2 mM of dATP or dCTP or dGTP or dTTP. The deoxy nucleotide (dNTP) used in the assay normally was complementary to the nucleotide at the polymorphic site in the amplicon. Samples were incubated at 94°C for 2 minutes, followed by 55 cycles of 5 seconds at 94°C, 5 seconds at 52°C, and 5 seconds at 72°C.

[0218] Following incubation, samples were desalted by adding 16 μ l of water (total reaction volume was 25 μ l), 3 mg of SpectroCLEAN™ sample cleaning beads (Sequenom, Inc.) and allowed to incubate for 3 minutes with rotation. Samples were then robotically dispensed using a piezoelectric dispensing device (SpectroJET™ (Sequenom, Inc.)) onto either 96-spot or 384-spot silicon chips containing a matrix that crystallized each sample (SpectroCHIP™ (Sequenom, Inc.)). Subsequently, MALDI-TOF mass spectrometry (Biflex and Autoflex MALDI-TOF mass spectrometers (Bruker Daltonics) can be used) and SpectroTYPER RT™ software (Sequenom, Inc.) were used to analyze and interpret the SNP genotype for each sample.

Genetic Analysis

[0219] Minor allelic frequencies for the polymorphisms set forth in Table A were verified as being 10% or greater using the extension assay described above in a group of samples isolated from 92 individuals originating from the state of Utah in the United States, Venezuela and France (Coriell cell repositories).

[0220] Genotyping results are shown for female pools in Table 5. In Table 5, “AF” refers to allelic frequency; and “F case” and “F control” refer to female case and female control groups, respectively.

TABLE 5: Genotyping Results

SNP Reference	AF F case	AF F control	p-value
rs398829	G = 0.740 A = 0.260	G = 0.652 A = 0.348	0.0002

[0221] All of the single marker alleles set forth in Table A were considered validated, since the genotyping data agreed with the allelotyping data and each SNP significantly associated with osteoarthritis. Particularly significant associations with osteoarthritis are indicated by a calculated p-value of less than 0.05 for genotype results.

Example 3

Association of Polymorphic Variants with Osteoarthritis in Replication Cohorts

[0222] The single marker polymorphism set forth in Table A was genotyped again in two replication cohorts consisting of individuals selected for OA.

Sample Selection and Pooling Strategies – Replication Sample 1

[0223] A second case control sample (replication sample #1) was created by using 100 Caucasian female cases from Chingford, UK, and 148 unrelated female cases from the St. Thomas twin study. Cases were defined as having Kellgren-Lawrence (KL) scores of at least 2 in at least one knee x-ray. In addition, 199 male knee replacement cases from Nottingham were included. (For a cohort description, see the Nottingham description provided in Example 1). The control pool was made up of unrelated female individuals from the St. Thomas twin study (England) with normal knee x-rays and without other indications of OA, regardless of anatomical location, as well as lacking family history of OA. The St. Thomas twin study consists of Caucasian, female participants from the St. Thomas' Hospital, London, adult-twin registry, which is a voluntary registry of >4,000 twin pairs ranging from 18 to 76 years of age. The replication sample 1 cohort was used to replicate the initial results. Table 6 below summarizes the selected phenotype data collected from the case and control individuals.

TABLE 6

Phenotype	Female cases (n=248): median (range)/ (n,%)	Male cases (n=199): median (range)/ (n,%)	Female controls (n=313): mean (range)/ (n,%)
Age	59 (39- 73)	66 (45- 73)	55 (50- 72)
Height (cm)	162 (141- 178)	175 (152- 198)	162 (141- 176)
Weight (kg)	68 (51- 123)	86 (62- 127)	64 (40- 111)
Body mass index (kg/m ²)	26 (18- 44)	29 (21- 41)	24 (18- 46)
Kellgren- Lawrence* left knee	0 (63, 26%), 1 (20, 8%), 2 (105, 43%), 3 (58, 23%), 4 (1, 0%)	NA	NA
Kellgren- Lawrence* right knee	0 (43, 7%), 1 (18, 7%), 2 (127, 52%), 3 (57, 23%), 4 (1, 0%)	NA	NA
KL* >2 both knees	No (145, 59%), Yes (101, 41%)	NA	NA
KL* >2 either knee	No (0, 0%), Yes (248, 100%)	NA	NA

* 0: normal, 1: doubtful, 2: definite osteophyte (bony protuberance), 3: joint space narrowing (with or without osteophyte), 4: joint deformity

Sample Selection and Pooling Strategies – Replication Sample 2

[0224] A third case control sample (replication sample #2) was created by using individuals with symptoms of OA from Newfoundland, Canada. These individuals were recruited and examined by rheumatologists. Affected joints were x-rayed and a final diagnosis of definite or probable OA was made according to American College of Rheumatology criteria by a single rheumatologist to avoid any inter-examiner diagnosis variability. Controls were recruited from volunteers without any symptoms from the musculoskeletal system based on a normal joint exam performed by a rheumatologist. Only cases with a diagnosis of definite OA were included in the study. Only individuals of Caucasian origin were included. The cases consisted of 228 individuals with definite knee OA, 106 individuals with definite hip OA, and 74 individuals with hip OA.

TABLE 7

Phenotype	Case	Control
Age at Visit	62.7	52.5
Sex (Female/Male)	227/119	174/101
Knee OA Xray: No	35% (120)	80% (16)
	1% (4)	0% (0)
	64% (221)	20% (4)
Hip OA Xray: No	63% (215)	80% (16)
	2% (7)	0% (0)
	35% (121)	20% (4)

Assay for Verifying, Allelotyping, and Genotyping SNPs

[0225] Genotyping of the replication cohorts described in Tables 6 and 7 was performed using the same methods used for the original genotyping, as described herein. A MassARRAY™ system (Sequenom, Inc.) was utilized to perform SNP genotyping in a high-throughput fashion. This genotyping platform was complemented by a homogeneous, single-tube assay method (hMET™ or homogeneous MassEXTEND™ (Sequenom, Inc.)) in which two genotyping primers anneal to and amplify a genomic target surrounding a polymorphic site of interest. A third primer (the MassEXTEND™ primer), which is complementary to the amplified target up to but not including the polymorphism, was then enzymatically extended one or a few bases through the polymorphic site and then terminated.

[0226] For each polymorphism, SpectroDESIGNER™ software (Sequenom, Inc.) was used to generate a set of PCR primers and a MassEXTEND™ primer which were used to genotype the polymorphism. Other primer design software could be used or one of ordinary skill in the art could

manually design primers based on his or her knowledge of the relevant factors and considerations in designing such primers. Table 3 shows PCR primers and Table 4 shows extension probes used for analyzing (e.g., genotyping) polymorphisms in the replication cohorts. The initial PCR amplification reaction was performed in a 5 μ l total volume containing 1X PCR buffer with 1.5 mM MgCl₂ (Qiagen), 200 μ M each of dATP, dGTP, dCTP, dTTP (Gibco-BRL), 2.5 ng of genomic DNA, 0.1 units of HotStar DNA polymerase (Qiagen), and 200 nM each of forward and reverse PCR primers specific for the polymorphic region of interest.

[0227] Samples were incubated at 95°C for 15 minutes, followed by 45 cycles of 95°C for 20 seconds, 56°C for 30 seconds, and 72°C for 1 minute, finishing with a 3 minute final extension at 72°C. Following amplification, shrimp alkaline phosphatase (SAP) (0.3 units in a 2 μ l volume) (Amersham Pharmacia) was added to each reaction (total reaction volume was 7 μ l) to remove any residual dNTPs that were not consumed in the PCR step. Samples were incubated for 20 minutes at 37°C, followed by 5 minutes at 85°C to denature the SAP.

[0228] Once the SAP reaction was complete, a primer extension reaction was initiated by adding a polymorphism-specific MassEXTEND™ primer cocktail to each sample. Each MassEXTEND™ cocktail included a specific combination of dideoxynucleotides (ddNTPs) and deoxynucleotides (dNTPs) used to distinguish polymorphic alleles from one another. Methods for verifying, allelotyping and genotyping SNPs are disclosed, for example, in U.S. Pat. No. 6,258,538, the content of which is hereby incorporated by reference. In Table 7, ddNTPs are shown and the fourth nucleotide not shown is the dNTP.

[0229] The MassEXTEND™ reaction was performed in a total volume of 9 μ l, with the addition of 1X ThermoSequenase buffer, 0.576 units of ThermoSequenase (Amersham Pharmacia), 600 nM MassEXTEND™ primer, 2 mM of ddATP and/or ddCTP and/or ddGTP and/or ddTTP, and 2 mM of dATP or dCTP or dGTP or dTTP. The deoxy nucleotide (dNTP) used in the assay normally was complementary to the nucleotide at the polymorphic site in the amplicon. Samples were incubated at 94°C for 2 minutes, followed by 55 cycles of 5 seconds at 94°C, 5 seconds at 52°C, and 5 seconds at 72°C.

[0230] Following incubation, samples were desalted by adding 16 μ l of water (total reaction volume was 25 μ l), 3 mg of SpectroCLEAN™ sample cleaning beads (Sequenom, Inc.) and allowed to incubate for 3 minutes with rotation. Samples were then robotically dispensed using a piezoelectric dispensing device (SpectroJET™ (Sequenom, Inc.)) onto either 96-spot or 384-spot silicon chips containing a matrix that crystallized each sample (SpectroCHIP™ (Sequenom, Inc.)). Subsequently, MALDI-TOF mass spectrometry (Biflex and Autoflex MALDI-TOF mass spectrometers (Bruker Daltonics) can be used) and

SpectroTYPER RT™ software (Sequenom, Inc.) were used to analyze and interpret the SNP genotype for each sample.

Genetic Analysis

[0231] Genotyping results for replication cohorts #1 and #2 are provided in Tables 8 and 9, respectively.

TABLE 8

rsID	Replication #1 (Mixed Male/Female cases and Female controls)				Meta-analysis Disc. + Rep #1 P-value				
	AF	OA	Con	AF	OA	Cas	Delta	P-value	
rs398829	0.30			0.28			0.02	0.307	0.0260

TABLE 9

rsID	Replication #2 (Newfoundland) (Male/Female cases and controls)				Meta-analysis Disc. + Rep #2 Not Done				
	AF	OA	Con	AF	OA	Cas	Delta	P-value	
rs398829	0.27			0.28			-0.013	0.627	

[0232] To combine the evidence for association from multiple sample collections, a meta-analysis procedure was employed. The allele frequencies were compared between cases and controls within the discovery sample, as well as within the replication cohort #1 using the DerSimian-Laird approach (DerSimonian, R. and N. Laird. 1986. Meta-analysis in clinical trials. Control Clin Trials 7: 177-188.)

[0233] The absence of a statistically significant association in one or more of the replication cohorts should not be interpreted as minimizing the value of the original finding. There are many reasons why a biologically derived association identified in a sample from one population would not replicate in a sample from another population. The most important reason is differences in population history. Due to bottlenecks and founder effects, there may be common disease predisposing alleles present in one population that are relatively rare in another, leading to a lack of association in the candidate region. Also, because common diseases such as arthritis-related disorders are the result of susceptibilities in many genes and many environmental risk factors, differences in population-specific genetic and environmental backgrounds could mask the effects of a biologically relevant allele. For these and other reasons, statistically strong results in the original, discovery sample that did not replicate in one or more of the replication samples may be further evaluated in additional replication cohorts and experimental systems.

Example 4
ADAMTS2 Region Proximal SNPs

[0234] It has been discovered that SNP rs398829 in *ADAMTS2* is associated with occurrence of osteoarthritis in subjects. This gene encodes a disintegrin and metalloproteinase with thrombospondin motifs-2 (*ADAMTS2*), which is a member of the *ADAMTS* protein family. Members of the family share several distinct protein modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. *ADAMTS2* is involved in collagens 1, 2 and 5 N-terminal processing, (type II collagen is the major form in cartilage). Mutations in this gene cause Ehlers-Danlos syndrome type VIIC, a recessively inherited connective-tissue disorder that causes loose joints and fragile skin. Mild loss of function may exacerbate physical joint damage leading to a predisposition to OA and incorrectly processed collagen can act dominantly to inhibit self assembly of fibrils. Alternative splicing of the gene generates 2 transcript variants. The short transcript encodes a protein, which has no significant procollagen N-peptidase activity.

[0235] Two hundred-nine additional allelic variants proximal to rs398829 were identified and subsequently allelotyped in osteoarthritis case and control sample sets as described in Examples 1 and 2. The polymorphic variants are set forth in Table 10. The chromosome positions provided in column four of Table 10 are based on Genome “Build 34” of NCBI’s GenBank.

TABLE 10

dbSNP rs#	Chromosome	Position in SEQ ID NO: 1	Chromosome Position	Allele Variants
rs2278221	5	210	178695460	c/t
rs1650358	5	3608	178698858	c/g
rs1643818	5	3609	178698859	c/g
rs3733916	5	4318	178699568	c/t
rs1624933	5	5593	178700843	a/g
rs1624857	5	5629	178700879	c/t
rs1624832	5	5639	178700889	a/g
rs1624829	5	5640	178700890	c/t
rs2161171	5	8943	178704193	a/c
rs1530499	5	17968	178713218	a/g
rs888764	5	19887	178715137	a/g
rs873987	5	21034	178716284	a/g
rs4078699	5	21085	178716335	c/t
rs870311	5	21596	178716846	a/g
rs1643817	5	23379	178718629	a/c
rs1643816	5	23432	178718682	a/c
rs1650355	5	24007	178719257	a/c
rs888763	5	26121	178721371	a/g
rs1862212	5	26273	178721523	a/t

dbSNP rs#	Chromosome	Position in SEQ ID NO: 1	Chromosome Position	Allele Variants
rs1110514	5	26755	178722005	a/t
rs3797600	5	27411	178722661	c/t
rs3797602	5	27710	178722960	g/t
rs3797603	5	27842	178723092	c/t
rs3776819	5	28379	178723629	c/t
rs252076	5	29603	178724853	c/t
rs252075	5	31232	178726482	c/g
rs252074	5	31504	178726754	a/g
rs252068	5	32583	178727833	c/g
rs252069	5	32794	178728044	a/g
rs194040	5	32840	178728090	c/t
rs252070	5	33044	178728294	c/t
rs3797606	5	33150	178728400	a/c
rs171667	5	33218	178728468	a/g
rs187539	5	33513	178728763	c/t
rs3836834	5	33959	178729209	- /tatcaaactaccatga aa
rs252071	5	34486	178729736	a/g
rs252072	5	36289	178731539	c/t
rs252073	5	36570	178731820	c/t
rs379589	5	38247	178733497	a/t
rs2052472	5	38477	178733727	a/c
rs2052471	5	38518	178733768	c/t
rs2052470	5	38529	178733779	c/t
rs2052469	5	38667	178733917	a/g
rs3797608	5	39781	178735031	c/t
rs3797609	5	39856	178735106	c/t
rs3822601	5	39927	178735177	c/t
rs153131	5	40506	178735756	a/g
rs751546	5	41869	178737119	c/g
rs2279979	5	42452	178737702	c/t
rs252060	5	44788	178740038	c/t
rs3797610	5	46059	178741309	a/c
rs194039	5	46846	178742096	a/g
rs168773	5	47712	178742962	a/t
rs252061	5	48796	178744046	c/t
rs187537	5	49441	178744691	c/g
rs252062	5	49602	178744852	a/t
rs2431255	5	49723	178744973	a/c
rs3797612	5	50050	178745300	c/t
rs3797613	5	50171	178745421	c/t
rs614114	5	50477	178745727	c/t
rs252063	5	50818	178746068	c/t
rs252064	5	50833	178746083	c/t
rs252065	5	50881	178746131	a/g
rs450502	5	50882	178746132	a/g
rs439252	5	51386	178746636	c/t

dbSNP rs#	Chromosome	Position in SEQ ID NO: 1	Chromosome Position	Allele Variants
rs252066	5	51534	178746784	c/t
rs457957	5	52317	178747567	a/g
rs3797614	5	52368	178747618	c/t
rs423552	5	52970	178748220	a/g
rs398829	5	53023	178748273	a/g
rs416646	5	53356	178748606	a/g
rs187450	5	53882	178749132	g/t
rs337807	5	54553	178749803	c/t
rs337806	5	55475	178750725	a/c
rs1396438	5	55530	178750780	a/g
rs1396437	5	55691	178750941	c/t
rs2411811	5	55848	178751098	a/c
rs2898813	5	55879	178751129	c/g
rs189256	5	56316	178751566	a/g
rs173072	5	56911	178752161	a/c
rs337805	5	57320	178752570	a/g
rs191415	5	57391	178752641	c/t
rs180045	5	57437	178752687	c/t
rs189255	5	57478	178752728	c/g
rs652766	5	57500	178752750	c/t
rs466750	5	59111	178754361	g/t
rs442406	5	59333	178754583	a/g
rs662407	5	59715	178754965	a/g
rs592971	5	59804	178755054	a/g
rs457187	5	59851	178755101	a/g
rs459490	5	59929	178755179	c/t
rs459668	5	60052	178755302	c/t
rs462646	5	60240	178755490	c/t
rs458272	5	60359	178755609	g/t
rs463455	5	60381	178755631	a/g
rs675880	5	60456	178755706	c/t
rs810617	5	60724	178755974	c/g
rs464156	5	60875	178756125	c/t
rs458083	5	60968	178756218	a/g
rs467333	5	60978	178756228	c/g
rs465381	5	60998	178756248	c/t
rs466363	5	61557	178756807	c/t
rs2457099	5	62091	178757341	c/t
rs463901	5	62645	178757895	c/t
rs465621	5	62943	178758193	a/c
rs463724	5	63131	178758381	a/t
rs465242	5	63145	178758395	g/t
rs467419	5	63406	178758656	a/g
rs456135	5	63427	178758677	c/g
rs464536	5	63554	178758804	c/t
rs461898	5	63661	178758911	a/g
rs389558	5	64093	178759343	a/g

dbSNP rs#	Chromosome	Position in SEQ ID NO: 1	Chromosome Position	Allele Variants
rs466752	5	64153	178759403	c/t
rs455655	5	64409	178759659	c/g
rs463435	5	64544	178759794	c/t
rs2174971	5	65257	178760507	c/t
rs1979979	5	65626	178760876	a/g
rs411804	5	65739	178760989	a/g
rs1623885	5	66392	178761642	c/t
rs1643811	5	66720	178761970	c/t
rs434430	5	69177	178764427	a/t
rs187538	5	69336	178764586	g/t
rs252067	5	69636	178764886	a/g
rs459319	5	69823	178765073	a/g
rs467289	5	69928	178765178	c/t
rs462644	5	70547	178765797	c/t
rs458752	5	70633	178765883	c/t
rs708320	5	71805	178767055	a/c
rs457954	5	72181	178767431	c/g
rs2411810	5	72200	178767450	c/t
rs3084687	5	72474	178767724	-/at
rs69638	5	72567	178767817	c/g
rs455452	5	72973	178768223	a/g
rs464850	5	73468	178768718	a/g
rs431472	5	73889	178769139	a/g
rs2411809	5	75730	178770980	c/t
rs2457094	5	75970	178771220	a/g
rs2457095	5	76114	178771364	a/g
rs2261740	5	76342	178771592	c/t
rs1109180	5	76449	178771699	a/g
rs1109179	5	76465	178771715	c/t
rs1109178	5	76791	178772041	a/c
rs456909	5	78042	178773292	a/g
rs469124	5	80758	178776008	a/g
rs468039	5	80778	178776028	c/t
rs467017	5	81356	178776606	a/c
rs469290	5	81576	178776826	a/g
rs469090	5	81689	178776939	c/t
rs469568	5	81759	178777009	g/t
rs468386	5	81950	178777200	c/g
rs469349	5	82562	178777812	a/c
rs469099	5	83591	178778841	c/t
rs456868	5	83700	178778950	a/g
rs465389	5	83821	178779071	c/g
rs463892	5	83842	178779092	c/g
rs468548	5	83923	178779173	g/t
rs654612	5	83929	178779179	a/c
rs468542	5	84021	178779271	c/g
rs469262	5	84175	178779425	c/t

dbSNP rs#	Chromosome	Position in SEQ ID NO: 1	Chromosome Position	Allele Variants
rs708323	5	84417	178779667	a/g
rs469089	5	84747	178779997	c/g
rs469396	5	85746	178780996	c/g
rs468723	5	86129	178781379	c/t
rs467604	5	86335	178781585	a/g
rs338874	5	87315	178782565	c/g
rs338875	5	87648	178782898	a/g
rs1385803	5	87764	178783014	a/c
rs1385804	5	87770	178783020	c/g
rs338876	5	88221	178783471	c/t
rs189803	5	90474	178785724	a/c
rs452215	5	91148	178786398	g/t
rs641170	5	91150	178786400	g/t
rs584398	5	91160	178786410	g/t
rs385330	5	91733	178786983	c/t
rs429538	5	91772	178787022	a/c
rs371229	5	91785	178787035	c/t
rs460874	5	93140	178788390	a/t
rs646121	5	93148	178788398	a/t
rs468262	5	96080	178791330	a/g
rs467863	5	96157	178791407	c/g
rs191434	5	96313	178791563	a/c
rs2054782	5	96759	178792009	c/t
rs468499	5	97026	178792276	a/c
rs180287	5	97320	178792570	c/g
rs338877	5	97732	178792982	a/t
rs650665	5	98713	178793963	c/g
rs193419	5	99707	178794957	a/c
rs180288	5	99959	178795209	c/g
rs186834	5	100009	178795259	a/g
rs189266	5	100020	178795270	c/g
rs189267	5	100065	178795315	a/c
rs170937	5	100086	178795336	c/g
rs463263	5	101270	178796520	c/g
rs463262	5	101276	178796526	g/t
rs460454	5	101371	178796621	c/t
rs460455	5	101376	178796626	c/g
rs460505	5	101439	178796689	c/t
rs931316	5	101820	178797070	c/t
rs463431	5	102392	178797642	c/g
rs461542	5	102602	178797852	a/g
rs463557	5	102604	178797854	a/c
rs191453	5	102896	178798146	c/t
rs2271212	5	189104	178884354	c/t
rs462009	5	189134	178884384	c/t
rs2271211	5	189205	178884455	a/g
rs396474	5	Not mapped	Not mapped	a/c

dbSNP rs#	Chromosome	Position in SEQ ID NO: 1	Chromosome Position	Allele Variants
rs428901	5	Not mapped	Not mapped	a/t
rs452300	5	Not mapped	Not mapped	g/t
rs670256	5	Not mapped	Not mapped	g/t

Assay for Verifying and Allelotyping SNPs

[0236] The methods used to verify and allelotype the 209 proximal SNPs of Table 10 are the same methods described in Examples 1 and 2 herein. The primers and probes used in these assays are provided in Table 11 and Table 12, respectively.

TABLE 11

dbSNP rs#	Forward PCR primer	Reverse PCR primer
rs2278221	ACGTTGGATGTCTCATGGGCCACCAACAAAC	ACGTTGGATGTATGCTCCTGTCACCGGCAT
rs1650358	ACGTTGGATGTGGATGGCTCCATGTTCTG	ACGTTGGATGAAGTGTGCTGGGATTACAGGTG
rs1643818	ACGTTGGATGCTGGGATTACAGGTGTGAAC	ACGTTGGATGTGGATGGCTCCATGTTCTG
rs3733916	ACGTTGGATGCCGAGCAGGCTGTAGTGTG	ACGTTGGATGCTTGATACCAACCTGGAACAG
rs1624933	ACGTTGGATGAGGCTGGCTCAAACCTCTG	ACGTTGGATGTAACAAAAAGTTGGCCGTGC
rs1624857	ACGTTGGATGTGAGGTCAAGGAGTTGAGAC	ACGTTGGATGGCCACCAAGCCAGACTAAGT
rs1624832	ACGTTGGATGTGAGGTCAAGGAGTTGAGAC	ACGTTGGATGGCCACCAAGCCAGACTAAGT
rs1624829	ACGTTGGATGTGAGGTCAAGGAGTTGAGAC	ACGTTGGATGGCCACCAAGCCAGACTAAGT
rs2161171	ACGTTGGATGCCCGTCACCACTTTATTTC	ACGTTGGATGAGAGTGGATCCAGTCTGCAG
rs1530499	ACGTTGGATGACTCCAAGATTCCCATTTC	ACGTTGGATGTTCTGTGTTCCACCTATGG
rs888764	ACGTTGGATGTAGTTGAATGTTGTATTGGC	ACGTTGGATGACCGTGATAAACACAGAATG
rs873987	ACGTTGGATGGCTGTTAACATGTGTCGGG	ACGTTGGATGATTGGCCACATCACCAAGAC
rs4078699	ACGTTGGATGGTACCGTGGATTCTTTAGG	ACGTTGGATGGTATTGGAAAAGAGCAGAGAC
rs870311	ACGTTGGATGTCAGGGCTCCAGTGTGAAG	ACGTTGGATGAAAAGGAGGAGTGCCCTGTG
rs1643817	ACGTTGGATGATGGGAAACTCCTGGCCTG	ACGTTGGATGAAAATGCAAGCCGCCACCTG
rs1643816	ACGTTGGATGTTCTCCCTTAGCCC	ACGTTGGATGTTGGCATGAGAGATGGACAG
rs1650355	ACGTTGGATGTCACAGCAACAAAACAAA	ACGTTGGATGTTAAATAGGTCAAGGGTTG
rs888763	ACGTTGGATGAAGAGGAAGAGACATACCAG	ACGTTGGATGAACAACATGGACTCAGGCTG
rs1862212	ACGTTGGATGGGCCACATTAAAACAAGGG	ACGTTGGATGTCCTGAGGTTCTATAAG
rs1110514	ACGTTGGATGTGCCAACGTTCCATGTTAG	ACGTTGGATGATCACTGTAGCCCCCTTCCTG
rs3797600	ACGTTGGATGCCCTCCTGTCACCTCCTTG	ACGTTGGATGGGAAGTGACTGCTGAGCTG
rs3797602	ACGTTGGATGAGAAACAGGGACTGGCTGT	ACGTTGGATGAGGAGCTCGGGAAAGTATG
rs3797603	ACGTTGGATGCACCCATCCATCATGATGTC	ACGTTGGATGTGCTACCTCAAAACAGTGGG
rs3776819	ACGTTGGATGCAAGCACCATTCCATTGCAC	ACGTTGGATGAAATGAGGATTGCAGTCCCC
rs252076	ACGTTGGATGACTTCTGACTTCAGGTGATC	ACGTTGGATGTATAGGAACGAAAAGAACCC
rs252075	ACGTTGGATGTGGGAGCATTGCAAGGCATG	ACGTTGGATGAAGCCTCAGATGGTTCCGGAG
rs252074	ACGTTGGATGTTGCGATGGCTCCTGGCT	ACGTTGGATGAAGTTGAGGGCTCCGGAGCA
rs252068	ACGTTGGATGGGGTAGGAAGGGTTAAGC	ACGTTGGATGGCAGCCCCCTCAATTCTTAG
rs252069	ACGTTGGATGTGCCATTCCCTGTTATTCC	ACGTTGGATGTTGGACTTGCCGTGCAACT
rs194040	ACGTTGGATGTGCCATTCCCTGTTATTCC	ACGTTGGATGTTGGACTTGCCGTGCAACT
rs252070	ACGTTGGATGCTCAAGGACATTGTCCTGG	ACGTTGGATGGGAGAAGCAGCTCCCTTTC

dbSNP rs#	Forward PCR primer	Reverse PCR primer
rs3797606	ACGTTGGATGGTTCCCCAAACAAGAGAGC	ACGTTGGATGGAAATGTTCAAAGCCGCAG
rs171667	ACGTTGGATGGGAACACATTGTAATGCG	ACGTTGGATGCCCTCCTCATTGTCTATTCC
rs187539	ACGTTGGATGAGCCACCCCAACCTTCAGGA	ACGTTGGATGTTGCTCCTGGACATGGTTTT
rs3836834	ACGTTGGATGAAGAAACGTGACTCTGCTC	ACGTTGGATGTAGTAATTCTGATCCTGGCC
rs252071	ACGTTGGATGGCTTCAACCTGAAACAAACCC	ACGTTGGATGGGATATTCCACTCTGAG
rs252072	ACGTTGGATGTTGTTCCCCAAAGGCGACG	ACGTTGGATGTGTGTTCCAGAGCTGGAG
rs252073	ACGTTGGATGGGAAGGCCGAGAAAAGTC	ACGTTGGATGACAAGCTCAGCAGAGTTCA
rs379589	ACGTTGGATGAAACACGGAGTACTGAGCA	ACGTTGGATGTTGTTAGCTGTCTGTCCGTC
rs2052472	ACGTTGGATGAACCAAGCTCAAGGATCACCC	ACGTTGGATGAAAGGAGACGGTCAGCTGTC
rs2052471	ACGTTGGATGACAGCTGACCGTCTCCTTTG	ACGTTGGATGCCCGTCCTGGACAAGCTTTT
rs2052470	ACGTTGGATGACAGCTGACCGTCTCCTTTG	ACGTTGGATGCCCGTCCTGGACAAGCTTTT
rs2052469	ACGTTGGATGAGGGAAAGATATCGCACGCG	ACGTTGGATGAGTGAACAACTGCTCGCCCTC
rs3797608	ACGTTGGATGTGCTTGCTTGGCTTCTGC	ACGTTGGATGTGCACTAAGGGAGTGAGTGG
rs3797609	ACGTTGGATGTGCGAGAACCAAGGCAAAGC	ACGTTGGATGACAGCATTGGAGTCCCCTG
rs3822601	ACGTTGGATGAGGTCACTGAGGCCTGAGAT	ACGTTGGATGTGCTGGCCTGAAGATCGAG
rs153131	ACGTTGGATGTAATCACGTGCTCTGATCCC	ACGTTGGATGAGCTGCTCTCAGTCATGTC
rs751546	ACGTTGGATGTCCTGCTCTGCCGTTCTACA	ACGTTGGATGATCAGCTAAAGGACCGGTG
rs2279979	ACGTTGGATGTATTGCTACCAAGAACAGTA	ACGTTGGATGAAAAGGGGCCACTTCAGGG
rs252060	ACGTTGGATGTGGCCAGAGCCCGTGTTC	ACGTTGGATGCCCAATCCCCTCTATG
rs3797610	ACGTTGGATGAAAAGCTTCTCCCTGGGTG	ACGTTGGATGCAAGTAGGGCAGAAACTCAG
rs194039	ACGTTGGATGAAAGTGTGGGATTACAGGC	ACGTTGGATGTGCTGGGAGAACATTAC
rs168773	ACGTTGGATGTGGTGCACACTCCTCTGTAAG	ACGTTGGATGGATCCCTATCCTACCTCTTC
rs252061	ACGTTGGATGTGTCACACTCCTCTGTAAG	ACGTTGGATGCTGTCTCCATGCTTTGC
rs187537	ACGTTGGATGCCAGGATGTCATGCTAAGTG	ACGTTGGATGGTACCTCGCATAAGTGGATC
rs252062	ACGTTGGATGAAGCACATTCATGTGGCTGG	ACGTTGGATGCTGAAACTCAATGGGCACAG
rs2431255	ACGTTGGATGGGTGAAGACGGTGACTTATG	ACGTTGGATGCTGGTGTCTTGAAGAAC
rs3797612	ACGTTGGATGAGTGAGGACGCAGGGCATT	ACGTTGGATGAGCGTGGCGAGGGAGATAA
rs3797613	ACGTTGGATGATCAGAGGAGAGACCCCCC	ACGTTGGATGGGTGTCTGCAGAGGCGG
rs614114	ACGTTGGATGGTTGGAGGATGTCTAGAAC	ACGTTGGATGGCTGGATCACTAGGTTTG
rs252063	ACGTTGGATGTTGAAATTACAGTCCGATGG	ACGTTGGATGCTGAGAGACTGAAAGCACA
rs252064	ACGTTGGATGCTGAGAGACTGAAAGCACA	ACGTTGGATGTTGAAATTACAGTCCGATGG
rs252065	ACGTTGGATGAAAACTAAGGCTCAGAGGAC	ACGTTGGATGTGGCTGGATTACAGTC
rs450502	ACGTTGGATGATGAGAAAACCAAGGCTCAG	ACGTTGGATGCTGGCTGGATTACAGTC
rs439252	ACGTTGGATGATCTCTGACCTCGTGTATCC	ACGTTGGATGTCATAATAACGGCCGGGTGC
rs252066	ACGTTGGATGTTCTCTTGACCGGTCTG	ACGTTGGATGTAACGAATTCTGCCATG
rs457957	ACGTTGGATGTTCACGTGCAATTAGAGCGAG	ACGTTGGATGAATTCCCTCCCCAATTCTC
rs3797614	ACGTTGGATGACTGCGAGCTTAAGGAGGG	ACGTTGGATGCCAACAGAACAGCCCCCTTTC
rs423552	ACGTTGGATGCCAGGACCTCGATTTGTAG	ACGTTGGATGATCCTAGAGGAGCACGCCAAC
rs398829	ACGTTGGATGTAGTCATCGTCCGCAGCATG	ACGTTGGATGAAGACGGTGTCTCTCTTG
rs416646	ACGTTGGATGGCTGGCTCTCACAGTCTC	ACGTTGGATGAGACAGGCACCTCTGTGACTT
rs187450	ACGTTGGATGAGAAGGCAGGGACGATATCC	ACGTTGGATGACCAAGATGAACCCCTCTGT
rs337807	ACGTTGGATGTCACCCAGTGCTGACAGCAG	ACGTTGGATGATGCTGGGATGCCATGGGTC
rs337806	ACGTTGGATGAATTAAAGAGATGGGCCACC	ACGTTGGATGCCCTGTGTGTTGTCTCC
rs1396438	ACGTTGGATGTACCTCTGGTGCAGAATG	ACGTTGGATGCCCTGGAGACAAAACACAG
rs1396437	ACGTTGGATGAAAAACTCGCCTGCTCGG	ACGTTGGATGTCCAGACATTCCCCGTAGGA
rs2411811	ACGTTGGATGGAGGGATGCTCTAGAACATA	ACGTTGGATGCTGAATTACACCTGAAATGG
rs2898813	ACGTTGGATGTCTCACCCACTTGCCTT	ACGTTGGATGATCGTATAATTGGGGTG

dbSNP rs#	Forward PCR primer	Reverse PCR primer
rs189256	ACGTTGGATGCTCCCTATAGCAAGGCTCA	ACGTTGGATGTTAACCCAGGCCATGAAGAG
rs173072	ACGTTGGATGAGCTGGAGATCTCTTGCTC	ACGTTGGATGCTAAAACAGGATGGCTCTGG
rs337805	ACGTTGGATGGAAAACAAACCAAGGAGCAGG	ACGTTGGATGATGTGGACAACGTTGGACTC
rs191415	ACGTTGGATGAATTACATGACTCGGACAAG	ACGTTGGATGTGCTGGTGAAGTACAGAAGG
rs180045	ACGTTGGATGGTCCCAGGTTCTGTTCTC	ACGTTGGATGTGTACTTCACCAGCACTGAG
rs189255	ACGTTGGATGAGGTTGCAGACTCAGTCCC	ACGTTGGATGGGTGATTGCGGGAATGAG
rs652766	ACGTTGGATGGGTGATTGCGGGAATGAG	ACGTTGGATGACCATCCCACGATGCTCCC
rs466750	ACGTTGGATGTATCTCTTAAATGCCTTG	ACGTTGGATGTGACCAGGAGGAGTTAAAAC
rs442406	ACGTTGGATGTGACAAGGTACGTGTTCTG	ACGTTGGATGCCAGACAAGTCTGATACAGC
rs662407	ACGTTGGATGCCACAGTCACCATTACTGAG	ACGTTGGATGCTTGAGCCATGAGTGGATG
rs592971	ACGTTGGATGGGAAGCATTCTTACTGC	ACGTTGGATGATTCCATCTATGGCTCAAG
rs457187	ACGTTGGATGTGAGATGAGGAGTATCTG	ACGTTGGATGGCAGTCAAAGAAATGCTTCC
rs459490	ACGTTGGATGACAGATACTCCTCATCTCAC	ACGTTGGATGGGAGTTTGTGTTATAGC
rs459668	ACGTTGGATGGCTTCATTAAGTGGTCTTC	ACGTTGGATGTGAATGTTCAACGACTACAC
rs462646	ACGTTGGATGCAATTATTGACGGAGATTA	ACGTTGGATGCTCCTCCAAATGAATCAAGAA
rs458272	ACGTTGGATGATGCCCTCATTGTCATT	ACGTTGGATGCCAACAAAGTATTCCAAC
rs463455	ACGTTGGATGATGCCCTCATTGTCATT	ACGTTGGATGCCAACAAAGTATTCCAAC
rs675880	ACGTTGGATGCAGCTCCATTGATCTGTT	ACGTTGGATGAAGAATGACAATGAGGAGGC
rs810617	ACGTTGGATGTGATCTCAGCTTACACAGC	ACGTTGGATGATGCCCTGTAATCCCAGCTAC
rs464156	ACGTTGGATGCAGATCCAAGAATATGTGGG	ACGTTGGATGTTCTAGAAAGGAGGCCAAATC
rs458083	ACGTTGGATGTGTTCTCCCCCTCCTG	ACGTTGGATGTGGCTCCTTCTAGAATCCC
rs467333	ACGTTGGATGCTGTTATTCTCCCCCTCC	ACGTTGGATGTTGGCTCCTTCTAGAATCC
rs465381	ACGTTGGATGACTGCCCATCTGTTCCAG	ACGTTGGATGACAAGCCTCTAAGGATAGGG
rs466363	ACGTTGGATGAAGTGACCCCTGAGGTGATGG	ACGTTGGATGTGAAGACAGTCACCCGTG
rs2457099	ACGTTGGATGTCCTTACACTGCCAGCGT	ACGTTGGATGCACTGTATTGCTACTTGAGC
rs463901	ACGTTGGATGAGAGTGCCAAGTGCAAAAGG	ACGTTGGATGTGCTTGCCTGTTGATCC
rs465621	ACGTTGGATGGGAAGTCATGGAAGTGCTAG	ACGTTGGATGAAAGAGCCCTAGGCTTGGAA
rs463724	ACGTTGGATGAGTGTGCCCTGTCGCCCTCA	ACGTTGGATGAAGGGCAGATGGCACACTTG
rs465242	ACGTTGGATGAGTGTGCCCTGTCGCCCTCA	ACGTTGGATGAAGGGCAGATGGCACACTTG
rs467419	ACGTTGGATGAGTCCCCAAACGTAAGTCC	ACGTTGGATGAGTCTAATCCCTGAGCCTC
rs456135	ACGTTGGATGAGTCTAATCCCTGAGCCTC	ACGTTGGATGACGTAAGTCTCTAATGACCGC
rs464536	ACGTTGGATGTGCTCCAGGTTGGCCTC	ACGTTGGATGAATTAGACTAAGGCCATGATG
rs461898	ACGTTGGATGGGAATACACAGCCACAGAG	ACGTTGGATGAGGTCAACGGGACAAGGTC
rs389558	ACGTTGGATGGCAGTCCTGACAGTTCTA	ACGTTGGATGTTCTCCCTGAAGCATGG
rs466752	ACGTTGGATGGCCTCTCCCTTAGTGC	ACGTTGGATGAGTCCTGACAGTTCTAAA
rs455655	ACGTTGGATGCTATTGCACCCCATATGGC	ACGTTGGATGAACACACAGCATCAGGTTCC
rs463435	ACGTTGGATGTTCAGCCATAGCTGGATTG	ACGTTGGATGCTCTGCTGGAAAATGTGAC
rs2174971	ACGTTGGATGAACACAACTCCCTCGTC	ACGTTGGATGTGAATCCTGGAGGTGAGTG
rs1979979	ACGTTGGATGTGGCTGTCAGCACCCACTT	ACGTTGGATGCCAAAGGAAGGGAGAATT
rs411804	ACGTTGGATGCAGATGACAGGCGGAAAATC	ACGTTGGATGAGGCTCCAGATGATGTCCA
rs1623885	ACGTTGGATGAATCAGCTAGGAAGAGCCTG	ACGTTGGATGTTCTGACCCCTCTAGGTCAG
rs1643811	ACGTTGGATGCAGGGCCCTGGTACTTCAG	ACGTTGGATGCATGGGGTGAATTGCACCTG
rs434430	ACGTTGGATGTCAGGAGTTCACTGTAGAG	ACGTTGGATGCACATGCATACATTCATCAC
rs187538	ACGTTGGATGACATGGGCTGGCAAAATG	ACGTTGGATGCACCTGCTCAGAAGTAGCAT
rs252067	ACGTTGGATGAGAATTGCTGTGGTGTGAGG	ACGTTGGATGTTCTTCTGGAGCTGCGC
rs459319	ACGTTGGATGCCCATCTCTGACCTAGACA	ACGTTGGATGGCTCCAAGGAAAATTGGGAG
rs467289	ACGTTGGATGGCCCTCTGGCTTGTCTT	ACGTTGGATGAGGCAGTGTGCCCTCTCATC

dbSNP rs#	Forward PCR primer	Reverse PCR primer
rs462644	ACGTTGGATGATGATGTGGGTGAGCCCTTG	ACGTTGGATGTAACACTCAGCACGCCAG
rs458752	ACGTTGGATGCACCCACATCATGTGCGCTT	ACGTTGGATGCCCTCTACCCAGCACTT
rs708320	ACGTTGGATGAAACCAGCCTGGCTAACATG	ACGTTGGATGACAGGTGCCTGCTATCATA
rs457954	ACGTTGGATGAACCAAGACCTTGACTGATGG	ACGTTGGATGCCTCATACAAGTAGCCAAGG
rs2411810	ACGTTGGATGGCTTAACCAGACCTGACTG	ACGTTGGATGAGTGTAAAGGATATCCACGGC
rs3084687	ACGTTGGATGATCCCTGAGCCAGAGATT	ACGTTGGATGATGTCCTGTGCACACACAAG
rs69638	ACGTTGGATGTGCTCATTGCTGCTCATC	ACGTTGGATGAGAAGAAAGGTGTGCAGTGG
rs455452	ACGTTGGATGAGTGTGAGCCTGCTGG	ACGTTGGATGTCAGGTTCCCTCTGTGTC
rs464850	ACGTTGGATGTCCTCTGTGCTCCAGACCA	ACGTTGGATGTCAGGCTGAGATTCTGTGGG
rs431472	ACGTTGGATGAACCAAGTGTGGGTGTGAAGC	ACGTTGGATGAGAGACTGCATCAGGCAGGA
rs2411809	ACGTTGGATGAGGCATAAGTGACCAACAG	ACGTTGGATGCCACTCACAGGGCATTGATG
rs2457094	ACGTTGGATGTTACTGTCACCTGGGTCTC	ACGTTGGATGGGAAGTCTGTATAGACGCAG
rs2457095	ACGTTGGATGTTATCAAGGCCTGCGCAGTG	ACGTTGGATGACTCCTGACCTCAGGCAATC
rs2261740	ACGTTGGATGATCGTGCCACTGCACTCCAG	ACGTTGGATGTCATCTTGGTAGCCCCCCC
rs1109180	ACGTTGGATGCCAGGCCTGTATTGCACATC	ACGTTGGATGAGAATGCGTGTGCATGTGGG
rs1109179	ACGTTGGATGTAAATGGTATGCAGACCCC	ACGTTGGATGGAGTGCCGTATTTGTCCTTC
rs1109178	ACGTTGGATGGCAAACAACAACAGCAACAG	ACGTTGGATGAAGTGTGGATTGTGCAGAC
rs456909	ACGTTGGATGTAGCTGCTCATCTGAAAG	ACGTTGGATGGGACTTACCGATCTACTC
rs469124	ACGTTGGATGACTGGACACACATAGGCTG	ACGTTGGATGTGAAATGCTAGGGTGTG
rs468039	ACGTTGGATGTGAAATGCTCAGGGTGTG	ACGTTGGATGAGGACTTGGACACACATAGG
rs467017	ACGTTGGATGGCTAGCTGCCACTAAACAG	ACGTTGGATGATGTGCCAAGAGGCTTGAG
rs469290	ACGTTGGATGTGCCCTTGTGCTCAGAG	ACGTTGGATGTCCTCTGTGCTGTGTTGG
rs469090	ACGTTGGATGACTGTCTTCAGGTGCTTGG	ACGTTGGATGGATGGTAGGTTAGTCTCCTGGTTC
rs469568	ACGTTGGATGAGCACCTCTGGCTTCATTG	ACGTTGGATGATTCAACCAGAAATCCCAAC
rs468386	ACGTTGGATGTAATCCCAGCCCTTGGAAAG	ACGTTGGATGTATGGAGACAGGGTTTAC
rs469349	ACGTTGGATGTTAGAGACAGAGTCTCACTC	ACGTTGGATGTTGATCCCAGGAGTTCAAGG
rs469099	ACGTTGGATGTTGGAGCTGCTCTAGTTCTC	ACGTTGGATGTGAAAACCGGGACTCAGCTC
rs456868	ACGTTGGATGACAGAGCAGGGAGCTGCCGT	ACGTTGGATGATTCAACCCCACTGTG
rs465389	ACGTTGGATGAGGCTTGTAGACAGCTCCC	ACGTTGGATGTGCCAGTGCTCTGAGTATGC
rs463892	ACGTTGGATGAGGCTTGTAGACAGCTCCC	ACGTTGGATGTGCCAGTGCTCTGAGTATGC
rs468548	ACGTTGGATGACTGGAAGGGAACATGCAAG	ACGTTGGATGCCGGATGCCCTTATAGAC
rs654612	ACGTTGGATGACTGGAAGGGAACATGCAAG	ACGTTGGATGTGGATGCCCTTCTAGACAC
rs468542	ACGTTGGATGCCCTCATTTCCTTCTCAC	ACGTTGGATGTGCTAGAAAGGGCATCCAG
rs469262	ACGTTGGATGTTCTGAGCTAACGAGCAG	ACGTTGGATGGGTCAAGGGATCCTTGATGC
rs708323	ACGTTGGATGCACATACTATACAGGTACC	ACGTTGGATGGAGGGAGAAGATGTTGAA
rs469089	ACGTTGGATGTTGGAAGTACCAACCTCAGC	ACGTTGGATGAATGGAAGGAAGGATCAGCC
rs469396	ACGTTGGATGAGTGAACCTCAATGAGGGAAC	ACGTTGGATGTCACACCAACTGATCCTTC
rs468723	ACGTTGGATGTGGATCTGCTGTTGGG	ACGTTGGATGATTGGCATCGCGTATCAGG
rs467604	ACGTTGGATGACTCCTGCCATTAAACTCTC	ACGTTGGATGCTGGCTTAACCTACAAGGG
rs338874	ACGTTGGATGCCCAACACAGCCACTGGG	ACGTTGGATGAAGGGCCTTGGCCCCACCCAA
rs338875	ACGTTGGATGTGCTGCTCGCGTGTG	ACGTTGGATGACACTGGATATGTCAGGGTC
rs1385803	ACGTTGGATGTCACCAACCATTCCAGAAGTG	ACGTTGGATGACCTTCCATTGCTGTGGC
rs1385804	ACGTTGGATGTCACCAACCATTCCAGAAGTG	ACGTTGGATGACCTTCCATTGCTGTGGC
rs338876	ACGTTGGATGTTAGGGCTGGGTGGAGGAAG	ACGTTGGATGTCCAACCTCCAGTGACAGAG
rs189803	ACGTTGGATGCCCTCCAGTTCTCTTCTG	ACGTTGGATGATCCTGGATTAGCCAGATGG
rs452215	ACGTTGGATGTAGCTCTATTCTCCACCC	ACGTTGGATGAGCGAGACTCCGTCTAAAA
rs641170	ACGTTGGATGATAGCTCTATTCTCCACCC	ACGTTGGATGAGCGAGACTCCGTCTAAAA

dbSNP rs#	Forward PCR primer	Reverse PCR primer
rs584398	ACGTTGGATGTTCCCTGTGAGCTATAAAC	ACGTTGGATGCGAGACTCCGTCTAAAAAAA
rs385330	ACGTTGGATGTTGCCCAACTATTGTCCTG	ACGTTGGATGGGTTCCCAGACAGTGTGG
rs429538	ACGTTGGATGTATTATCTGCAGACACCTGG	ACGTTGGATGATCTCATTCCCACCCCTTC
rs371229	ACGTTGGATGTATTATCTGCAGACACCTGG	ACGTTGGATGATCTCATTCCCACCCCTTC
rs460874	ACGTTGGATGGTCCCTGCGCTAAAAATTCC	ACGTTGGATGGGCAGGTCAACTAGAAAAC
rs646121	ACGTTGGATGGGCAGGTCAACTAGAAAAC	ACGTTGGATGGTCCCTGCGCTAAAAATTCC
rs468262	ACGTTGGATGCCAGGTTCGAAAGTTAGG	ACGTTGGATGTGGGTTGGTATGCGGTAAC
rs467863	ACGTTGGATGTTCGAAACCTGGCTGATGG	ACGTTGGATGTGCCACTGTCAGAAGACAAG
rs191434	ACGTTGGATGCCAGCTGAAAACACTAGACAG	ACGTTGGATGAGCTGAAGAGGTCTTCTCC
rs2054782	ACGTTGGATGAAAAAAGCAGGCCTCAGACC	ACGTTGGATGTCTGACTCTCATGCAAGAC
rs468499	ACGTTGGATGCTCCAGGAGGGACACTACGT	ACGTTGGATGTGCCAGCTTCCTCGATG
rs180287	ACGTTGGATGTTCTGCAGAATTACCTAT	ACGTTGGATGGAAAAAGAAAAAAATCAG
rs338877	ACGTTGGATGCGTGGATGGAAATTACATT	ACGTTGGATGTTCTTGGATCAATGTTGCC
rs650665	ACGTTGGATGCCATCTTACTCTATGATCTC	ACGTTGGATGAAAGTGTCTGGATTAGGC
rs193419	ACGTTGGATGCCAAATCCAAAGACACAGGG	ACGTTGGATGATGTTTCACTACCCCCAGTG
rs180288	ACGTTGGATGTGACCTGGTAGCTTAGAG	ACGTTGGATGTTAGGAGGTCAAGAGGG
rs186834	ACGTTGGATGTAAGCTACCAGGTACACAC	ACGTTGGATGAGTTGATAGGAGAGTCAGGC
rs189266	ACGTTGGATGTAAGCTACCAGGTACACAC	ACGTTGGATGAGTTGATAGGAGAGTCAGGC
rs189267	ACGTTGGATGCCATTGTGCCCTGTTGT	ACGTTGGATGCTCTGCCACTCTCCTATC
rs170937	ACGTTGGATGCCATTCAACTGTTGATGGCG	ACGTTGGATGTTCTCATTGTGCCCTGTTG
rs463263	ACGTTGGATGTACTGGACCCCTTGCACAG	ACGTTGGATGTGCCATGCTCATGTTGG
rs463262	ACGTTGGATGCCATTGCTCATGTTGG	ACGTTGGATGCCCTTGACAGATGCTG
rs460454	ACGTTGGATGAAGAAGGACCGTGTAGAGA	ACGTTGGATGACATGAGCATGGCAGGTAC
rs460455	ACGTTGGATGACATGAGCATGGCAGGTAC	ACGTTGGATGAAGAAGGACCGTGTAGAGA
rs460505	ACGTTGGATGACCGTGGACAGCGTCTGA	ACGTTGGATGTGCTCTGAGGGCAGAACAAAG
rs931316	ACGTTGGATGATGCACACACCCATGGTCAG	ACGTTGGATGCGGTTCACTCCAGCATTTCC
rs463431	ACGTTGGATGTCACCACAGCCATGGGA	ACGTTGGATGTTGAAACTACAATGTGGG
rs461542	ACGTTGGATGATGAAGGCCAAGAATGCT	ACGTTGGATGTGTCAGAACGTCAAGTG
rs463557	ACGTTGGATGATGAAGGCCAAGAATGCT	ACGTTGGATGTGTCAGAACGTCAAGTG
rs191453	ACGTTGGATGCATCCAACAGCTCTGTC	ACGTTGGATGACCCATCTGAGCGCATCAG
rs2271212	ACGTTGGATGAGCTCCCCGGAGGAACGA	ACGTTGGATGTGCAAGGTCTCGGCCAAAGAC
rs462009	ACGTTGGATGCAGGCTCCCTCGTGTGCC	ACGTTGGATGTTGGTGTCCCACGTGGTGT
rs2271211	ACGTTGGATGTCGTACCCCTGCTCTGGACG	ACGTTGGATGACTGACGCCAGGGCGCTT
rs396474	ACGTTGGATGTTGGAGTTGGAGATGAG	ACGTTGGATGTTCTCAGATCCCAGTCAG
rs428901	ACGTTGGATGTCAGTGAACAGAGCGAGACTC	ACGTTGGATGGGCTCGATAATGTAGCCAT
rs452300	ACGTTGGATGAGCACAAGCTGAAGAGGTCT	ACGTTGGATGAGGAGAGAAAGTCACAGATC
rs670256	ACGTTGGATGAGCTCTATTCTCCACCC	ACGTTGGATGAGCGAGACTCCGTCTAAAA

TABLE 12

dbSNP rs#	Extend Primer	Term Mix
rs2278221	CAAACGCTGAGGAGAACCC	ACT
rs1650358	AAGAGACAAAGGCCGGC	ACT
rs1643818	TACAGGTGTGAACCACCGC	ACT
rs3733916	AGGCTGTAGTGTGACAGAC	ACG

dbSNP rs#	Extend Primer	Term Mix
rs1624933	GTCTCAAACCTCTGACCTCA	ACT
rs1624857	AGACCAGCCTGGCCAACAT	ACT
rs1624832	GGCCAACATGGTAAACCC	ACG
rs1624829	TGGCCAACATGGTAAACCC	ACT
rs2161171	TGGAATAAGAGCCCTGCAGTGG	ACT
rs1530499	CCCCTGCCCCAGCCACAGGAA	ACT
rs888764	ATGTTGATTGGCTATTTGTCA	ACG
rs873987	AAAACCTAAAAGAATCCACGGTA	ACG
rs4078699	GACACATGATTAACAGCAAACAAT	ACT
rs870311	AAGGGCGTGACGGCCCC	ACT
rs1643817	GAAAGGGGAGAAAAGATTATCCC	CGT
rs1643816	AGGACCAGGAGTTCCCATT	ACT
rs1650355	GAATCAATGAAGAAGAGAGCTT	ACT
rs888763	GGTCAGGAGGCAGAGGG	ACT
rs1862212	GGGGTGAAAGGGAGCAGGG	CGT
rs1110514	CAGGGCCCAGGTGAGGAA	CGT
rs3797600	CTTTGTTGGTTAACCAAACCC	ACG
rs3797602	GCTGACAGCTCCGGACATG	ACT
rs3797603	TGTCATTCTCCTTGTGAACCCTC	ACT
rs3776819	CCATTCATTGCACCTGCATG	ACT
rs252076	CAAAGTGCTGGATTGCAGG	ACG
rs252075	GAGCATTGCAGGCATGCCCTCT	ACT
rs252074	CTGGGTGGCTGCTGGGC	ACG
rs252068	GGAAGGGTTAACGAAAGGAG	ACT
rs252069	TGAGCACCTACTATGGGCTAG	ACT
rs194040	ATTCCATATCTTCAAAGTGATTCA	ACG
rs252070	CCTGGGCTTCCCCCTCCC	ACG
rs3797606	AGCCCTTGGCCTCTCTCC	ACT
rs171667	CGCCTTTGCTTATGCAAAGA	ACG
rs187539	AACCTTCAGGAAAGTCCCCT	ACT
rs3836834	TCAAAATATCAAACATACCATGAAA	ACG
rs252071	ACCTGAGACACAGGGACT	ACT
rs252072	GCTGGGTACACTCGCGGA	ACG
rs252073	GCCGAGAAAAGTCAGGGATTCT	ACT
rs379589	CGGGAGTACTGAGCACCCAGG	CGT
rs2052472	CCCCACTGTACTATCTCCAC	ACT
rs2052471	GTCTCCTTGGCTGCCAAG	ACT
rs2052470	TGCCAAGGCCCTGTCCCT	ACT
rs2052469	CGCGGGGAAGTACTCGGC	ACT
rs3797608	GTCCTCCTGTTCTGAGGCC	ACT
rs3797609	GGCAGAGCGGATGGCCTG	ACG
rs3822601	GTGAGGCCTGAGATGAGAAC	ACG
rs153131	TCCCCATACCTCTGTGCTC	ACG
rs751546	CCGTTCTACAGCGGTTAAGA	ACT

dbSNP rs#	Extend Primer	Term Mix
rs2279979	GGCCACCAGACAGATGTAAG	ACT
rs252060	CGTGTTCGGCAGAGGTGA	ACT
rs3797610	CTTCTCCCTGGGTGATGTGTT	ACT
rs194039	CCACCGTGCCGGGACATTTTTTT	ACT
rs168773	ACTGGAGATATCACGGGAGC	CGT
rs252061	CCAGCTGGTCACAGGGCTCCC	ACG
rs187537	TCATGCTAAGTGAAATAAGCCA	ACT
rs252062	GCCACCACCGTCCACAGA	CGT
rs2431255	CTGTATATTCACCGCAATTAAAA	ACT
rs3797612	GGCATTCATCGTCAGGGCAA	ACG
rs3797613	CCGCCGCCGGTCTCCCA	ACG
rs614114	GAACGTTCTCTACTTTGCC	ACT
rs252063	CTCCCGTCCTCTGAGCCTT	ACT
rs252064	GAAAACTAAGGCTCAGAGGAC	ACT
rs252065	TGGAAAAGGCGAGGCCTGGAGT	ACG
rs450502	GGAAAAGGCGAGGCCTGGAGTT	ACT
rs439252	GCCTCCCAAAGTGTGGGATTA	ACG
rs252066	TAGCCCTCTGGAGGCCAG	ACG
rs457957	GGGCCCCCTCCTTAAAGCTC	ACT
rs3797614	TGGCCCTCGCTCTAATGCA	ACG
rs423552	CTCGATGTTGAGTCATCGTC	ACG
rs398829	TGGCGTGCTCCTCTAGGA	ACG
rs416646	CTCAGCAGGTCTGATCCATC	ACT
rs187450	GGGCAGACTCCCCAGGAT	ACT
rs337807	GCAGGCCACTCGGTGGAC	ACT
rs337806	CCACCCCAGGGGTAGCCC	ACT
rs1396438	GGCAGGCAGGTGGCCTG	ACT
rs1396437	CGGCAGAAGCAGCCTAAGA	ACG
rs2411811	ACATAATTCACCAATTTCACCCC	CGT
rs2898813	GGTCCTGGGTGGAGGGAT	ACT
rs189256	AGCAAGGCTCTATTGGGGA	ACT
rs173072	CTTTGCTCACATCGTGGCCAAA	ACT
rs337805	GGAGCAGGAAAATTACATGACT	ACG
rs191415	GAGTCCAACGTTGTCCACAT	ACT
rs180045	ACTTGTTCTACAATTCTCATTTC	ACG
rs189255	GACTCAGTCCCAGGTTTCT	ACT
rs652766	AGAAAACCTGGGACTGAGTCT	ACT
rs466750	TCCTTAAATGCCTGGTTGGCAAT	ACT
rs442406	TTCTGGCTGTTGGGTTTGAAC	ACT
rs662407	AAACATCTGAAATTAAAAGCACC	ACT
rs592971	AGCATTCTTGACTGCTTTCA	ACT
rs457187	GGAGTATCTGTTCCCTGTGG	ACT
rs459490	TTGAACATAGGAATAACCCGC	ACT
rs459668	GTCTTCTTTGTGTTTGGAGA	ACG

dbSNP rs#	Extend Primer	Term Mix
rs462646	ATTATTCGACGGAGATTATTGAC	ACT
rs458272	ATTATTTCTGTCCTGGTGTGG	ACT
rs463455	CCTCCTCATTGTCATTCTTTTC	ACT
rs675880	CTTTCATGACATTGACACAACTAC	ACT
rs810617	CCACAGCCTCCGCCTCCC	ACT
rs464156	GGGTTTCCAGGTTAAATGGC	ACT
rs458083	CTCCTGCTCTGCCTATCCTT	ACT
rs467333	ATTTCTTCCCCTCCTGCTCT	ACT
rs465381	GCCTCCCACAGTCCCTTGTT	ACT
rs466363	GTGATGGCTCTGCACCAAGA	ACG
rs2457099	AGCGTGTGCCAGCCTCTCC	ACT
rs463901	GACACAATTAGAGCGACTTAC	ACT
rs465621	AAGTGCTAGAAGAAAATGTAGC	ACT
rs463724	CCTTGCGCCATCCCCCTAG	CGT
rs465242	TGTGCCCATCCCCCCCCCTT	ACT
rs467419	AACGTAAGTCCTAATGACCGCCC	ACG
rs456135	CCCTCTCCTTTCTGGGCA	ACT
rs464536	GCTTTGGTCCTCCTGAGCC	ACG
rs461898	CACAGAGCGACTCTCTTGGTT	ACT
rs389558	CTGACAGTTCTCTAAACTCCA	ACG
rs466752	TTCCTTTCTCCCTGAAGCA	ACG
rs455655	CACCCCATATGGCTCATGGG	ACT
rs463435	GGGAAGGAGGTACTTAGCAG	ACG
rs2174971	GTGCCACTCTCCAGCGGCC	ACG
rs1979979	TTGCCGGCCCCCACCTC	ACG
rs411804	GAAAATCCCTGTCACCAGTC	ACG
rs1623885	CTTGGCTGCAGCACCCCA	ACT
rs1643811	GCCCTGGTACTTTCAGCTCCCT	ACG
rs434430	GTGTGCATGTGTGTGCCTG	CGT
rs187538	TAAACGGGCCAAAAACGCCAT	ACT
rs252067	GCGCTACGGATGTCAGG	ACT
rs459319	CATGTTAACAGAGAGAACGGTC	ACG
rs467289	TCACTGAGAAATATTTGCTCCC	ACT
rs462644	GGTGAGCCCTGGCTGTG	ACG
rs458752	TAAAGCGCTTACAATCAACA	ACT
rs708320	TGGTGAATCCTGCTCTACTAAA	CGT
rs457954	CACCGTTCTATAATGCAGCC	ACT
rs2411810	GGGGACGTTACTCTTTCAC	ACG
rs3084687	ATTTATATATGTGTGTACACAT	ACT
rs69638	CCCATTGGCTGTCTGGAA	ACT
rs455452	CCTCAACCCCAAGATGCCCTC	ACG
rs464850	ACTCCTGCCTGAGTGTCTC	ACT
rs431472	GTGAAGCGGAAGGAGACTC	ACG
rs2411809	CTGCACACCCCTGACAG	ACG

dbSNP rs#	Extend Primer	Term Mix
rs2457094	TGGCTGGCACCACTGCACTGC	ACT
rs2457095	TGGCTCATGCTTCTAATCCCA	ACT
rs2261740	CTGCACCCAGCCTGGGC	ACT
rs1109180	ACATCAGTGACAGTGTAAATGGTA	ACG
rs1109179	TATGCAGACCCCCCTCCCC	ACT
rs1109178	AACAAACAGCAACAGAAATGAAG	ACT
rs456909	CGATTCCCACGCGTGTCTG	ACG
rs469124	CCTGGCTCCATTGGTGTGAA	ACT
rs468039	CCTTCACACCAATGGAGCCAG	ACT
rs467017	CTGCCACTAAACAGATGAGAA	ACT
rs469290	ATTTCTGGGCCCAAAGTCCA	ACT
rs469090	CCAATTGTTCCAGCCACTCCC	ACT
rs469568	TGATATTGCTTGCTTGGGTCTTAG	ACT
rs468386	GGTCAAGAACATTCAAGAGCAGC	ACT
rs469349	GTGCAGTGGCACGATCCTA	ACT
rs469099	GCAGGTGGAACCGCAGAC	ACT
rs456868	GGAGCTGCGGTGACTCCC	ACT
rs465389	CCCTGGCACTCGCAGACC	ACT
rs463892	AGCTCCCCCCGCACAC	ACT
rs468548	AAGGGAACATGCAAGCAAAGACTC	ACT
rs654612	TGCAAGCAAAGACTCGAATGA	ACT
rs468542	TCACTCACTTGATTCCCTGCCATC	ACT
rs469262	CACTGTGGGATTCCAGCAGA	ACT
rs708323	TATACAGGTACCCATTAAAGT	ACT
rs469089	CCTCGGCCTCCCCCAGCT	ACT
rs469396	AATGAGGGAACCTGCAGTTAAGA	ACT
rs468723	CAGACCCATGCCTTGCC	ACT
rs467604	GAGTTTCCTCCTCTTACAA	ACT
rs338874	CACAGCCACTGGGGAGTAG	ACT
rs338875	TTGCTCGCGTGTGCCAGCAAAT	ACG
rs1385803	AAGTGGATTCTCATGGCAGAT	ACT
rs1385804	CATTCCAGAAGTGGATTCTCATG	ACT
rs338876	AGGAAGGTGCTCCGGCCT	ACG
rs189803	TGCTTCCCCCTTCCCCCT	CGT
rs452215	TCTATTCTCCACCCCCCATCTT	ACT
rs641170	CTATTCTCCACCCCCCATCT	ACT
rs584398	CTCTTATATAGCTCTATTCTCC	CGT
rs385330	AGGTGTCTGCAGATAATACATT	ACG
rs429538	CCTGGGGCACAGGACAATA	ACT
rs371229	GACAATAGTTGGGGCAAGAC	ACT
rs460874	ACAAAACATACCTTCAAAAATACA	CGT
rs646121	GTTTTTGTTCTCTGAAAGTGTCT	CGT
rs468262	CACCCAACACTACTGCTCCC	ACG
rs467863	GCTGATGGGAGGCCAATGT	ACT

dbSNP rs#	Extend Primer	Term Mix
rs191434	GTCCAGAGATCCTGCTCACT	CGT
rs2054782	CCCCCTCCATCACCTCCC	ACG
rs468499	GTGAGCCAGCAATTCTCCTA	ACT
rs180287	CAATGATCAGAACTCAGAGGTTT	ACT
rs338877	AGAGATAAATTCCAGTGTGAG	CGT
rs650665	AGACATCCCAGCCGGGC	ACT
rs193419	CCAAAGACACAGGGAGTAGATTA	ACT
rs180288	GAGAATATTCTTGTGGGCTTAAT	ACT
rs186834	CCAGGTACACACACACTC	ACG
rs189266	CACACACTCCCTCTCACTGT	ACT
rs189267	TTCTGTGCATTTGACGCCATC	CGT
rs170937	GATGGCGTCAAAGATGCACA	ACT
rs463263	CCCCTTGACAGATGCTG	ACT
rs463262	GGGGAGCAGCCAGTTCTA	ACT
rs460454	AGAGGCTGGGACAGAGAA	ACT
rs460455	GGTACCCACCAGTCTCCTTCT	ACT
rs460505	CAGCGTCTCTGACACGGTC	ACG
rs931316	GGTCAGAGCAGACACATCCACAT	ACG
rs463431	CCCATGGGGAGCACCAAG	ACT
rs461542	TGGGAGCTCCGGGATATTGCC	ACG
rs463557	GCTCCCAGGATATTGCCCA	ACT
rs191453	CTGGGCTGGGGCCCTGC	ACT
rs2271212	CGAGGAGGAGCCTGGCAG	ACG
rs462009	CTCCTCGTTGCCTCCGGG	ACT
rs2271211	GACGTAGCTGCCGACACCA	ACG
rs396474	CTGGTGGCCCATCTATCCTGG	ACT
rs428901	GAGCGAGACTCCGTCTCAA	CGT
rs452300	CTGAAGAGGTCTTCTCCTTCC	CGT
rs670256	TTCTTCCACCCCCATCTTG	ACT

Genetic Analysis

[0237] Allelotyping results from the discovery cohort are shown for cases and controls in Table 13. The allele frequency for the A2 allele is noted in the fifth and sixth columns for osteoarthritis case pools and control pools, respectively, where “AF” is allele frequency. The allele frequency for the A1 allele can be easily calculated by subtracting the A2 allele frequency from 1 (A1 AF = 1-A2 AF). For example, the SNP rs2278221 has the following case and control allele frequencies: case A1 (C) = 0.36; case A2 (T) = 0.64; control A1 (C) = 0.37; and control A2 (T) = 0.63, where the nucleotide is provided in parenthesis. Some SNPs are labeled “untyped” because of failed assays.

TABLE 13

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs2278221	210	178695460	C/T	0.64	0.63	0.770
rs1650358	3608	178698858	C/G			
rs1643818	3609	178698859	C/G			
rs3733916	4318	178699568	C/T			
rs1624933	5593	178700843	A/G	0.69	0.71	0.255
rs1624857	5629	178700879	C/T	0.79	0.81	0.574
rs1624832	5639	178700889	A/G	0.41	0.44	0.203
rs1624829	5640	178700890	C/T	0.89	0.93	0.044
rs2161171	8943	178704193	A/C			
rs1530499	17968	178713218	A/G	0.39	0.39	0.861
rs888764	19887	178715137	A/G			
rs873987	21034	178716284	A/G			
rs4078699	21085	178716335	C/T	0.56	0.54	0.374
rs870311	21596	178716846	A/G	0.51	0.50	0.590
rs1643817	23379	178718629	A/C	0.27	NA	NA
rs1643816	23432	178718682	A/C			
rs1650355	24007	178719257	A/C			
rs888763	26121	178721371	A/G	0.40	0.42	0.390
rs1862212	26273	178721523	A/T	0.55	0.54	0.753
rs1110514	26755	178722005	A/T	0.29	0.28	0.572
rs3797600	27411	178722661	C/T	0.56	0.57	0.738
rs3797602	27710	178722960	G/T	0.65	0.64	0.564
rs3797603	27842	178723092	C/T			
rs3776819	28379	178723629	C/T	0.46	0.46	0.850
rs252076	29603	178724853	C/T	0.46	0.48	0.519
rs252075	31232	178726482	C/G	0.35	0.36	0.859
rs252074	31504	178726754	A/G	0.35	0.34	0.816
rs252068	32583	178727833	C/G	0.47	0.48	0.656
rs252069	32794	178728044	A/G	0.28	0.27	0.626
rs194040	32840	178728090	C/T	0.31	0.32	0.665
rs252070	33044	178728294	C/T	0.58	0.57	0.573
rs3797606	33150	178728400	A/C	0.88	0.88	0.684
rs171667	33218	178728468	A/G	0.48	0.51	0.166
rs187539	33513	178728763	C/T	0.33	0.34	0.652
rs3836834	33959	178729209	- TATCA AACTAC CATGAA A			
rs252071	34486	178729736	A/G	0.30	0.31	0.666
rs252072	36289	178731539	C/T	0.49	0.50	0.677
rs252073	36570	178731820	C/T			
rs379589	38247	178733497	A/T	0.59	0.63	0.096
rs2052472	38477	178733727	A/C	0.05	0.06	0.508
rs2052471	38518	178733768	C/T	0.89	0.88	0.459
rs2052470	38529	178733779	C/T	0.83	0.80	0.125
rs2052469	38667	178733917	A/G	0.83	0.80	0.172
rs3797608	39781	178735031	C/T	0.06	0.07	0.578
rs3797609	39856	178735106	C/T	0.05	0.05	0.812
rs3822601	39927	178735177	C/T	0.08	0.08	0.802
rs153131	40506	178735756	A/G	0.76	0.77	0.944
rs751546	41869	178737119	C/G	0.93	0.92	0.585
rs2279979	42452	178737702	C/T	0.93	0.92	0.436
rs252060	44788	178740038	C/T	0.81	0.82	0.760
rs3797610	46059	178741309	A/C	0.17	0.17	0.858

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs194039	46846	178742096	A/G	0.41	0.47	0.035
rs168773	47712	178742962	A/T	0.35	0.38	0.266
rs252061	48796	178744046	C/T	0.21	0.19	0.508
rs187537	49441	178744691	C/G			
rs252062	49602	178744852	A/T	0.95	0.95	0.960
rs2431255	49723	178744973	A/C	0.24	0.19	0.034
rs3797612	50050	178745300	C/T	0.38	0.43	0.036
rs3797613	50171	178745421	C/T	0.21	0.21	0.941
rs614114	50477	178745727	C/T	0.50	0.53	0.387
rs252063	50818	178746068	C/T	0.57	0.55	0.313
rs252064	50833	178746083	C/T	0.52	0.52	0.806
rs252065	50881	178746131	A/G	0.22	0.22	0.857
rs450502	50882	178746132	A/G			
rs439252	51386	178746636	C/T			
rs252066	51534	178746784	C/T	0.19	0.18	0.618
rs457957	52317	178747567	A/G	0.67	0.70	0.172
rs3797614	52368	178747618	C/T			
rs423552	52970	178748220	A/G	0.90	0.92	0.215
rs398829	53023	178748273	A/G			
rs416646	53356	178748606	A/G	0.56	0.57	0.650
rs187450	53882	178749132	G/T			
rs337807	54553	178749803	C/T	0.55	0.59	0.208
rs337806	55475	178750725	A/C	0.11	0.10	0.925
rs1396438	55530	178750780	A/G	0.56	0.54	0.494
rs1396437	55691	178750941	C/T			
rs2411811	55848	178751098	A/C			
rs2898813	55879	178751129	C/G			
rs189256	56316	178751566	A/G	0.19	0.19	0.988
rs173072	56911	178752161	A/C			
rs337805	57320	178752570	A/G	0.25	0.24	0.657
rs191415	57391	178752641	C/T			
rs180045	57437	178752687	C/T	0.51	0.47	0.211
rs189255	57478	178752728	C/G	0.15	0.12	0.273
rs652766	57500	178752750	C/T	0.57	0.61	0.213
rs466750	59111	178754361	G/T	0.35	0.33	0.493
rs442406	59333	178754583	A/G	0.57	0.59	0.420
rs662407	59715	178754965	A/G	0.31	0.27	0.102
rs592971	59804	178755054	A/G			
rs457187	59851	178755101	A/G	0.23	0.24	0.842
rs459490	59929	178755179	C/T	0.21	0.20	0.604
rs459668	60052	178755302	C/T	0.20	0.19	0.648
rs462646	60240	178755490	C/T	0.43	0.43	0.905
rs458272	60359	178755609	G/T	0.22	0.20	0.523
rs463455	60381	178755631	A/G	0.25	0.24	0.644
rs675880	60456	178755706	C/T	0.63	0.65	0.591
rs810617	60724	178755974	C/G			
rs464156	60875	178756125	C/T	0.34	0.34	0.892
rs458083	60968	178756218	A/G	0.80	0.82	0.499
rs467333	60978	178756228	C/G	0.11	0.12	0.369
rs465381	60998	178756248	C/T			
rs466363	61557	178756807	C/T	0.31	0.34	0.358
rs2457099	62091	178757341	C/T	0.44	0.44	0.956
rs463901	62645	178757895	C/T	0.43	0.45	0.395
rs465621	62943	178758193	A/C	0.62	0.63	0.534
rs463724	63131	178758381	A/T	0.09	0.08	0.523
rs465242	63145	178758395	G/T			
rs467419	63406	178758656	A/G	0.65	0.66	0.647

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs456135	63427	178758677	C/G	0.79	0.80	0.686
rs464536	63554	178758804	C/T	0.36	0.34	0.296
rs461898	63661	178758911	A/G	0.30	0.32	0.411
rs389558	64093	178759343	A/G	0.24	0.26	0.325
rs466752	64153	178759403	C/T	0.35	0.37	0.446
rs455655	64409	178759659	C/G	0.87	0.89	0.536
rs463435	64544	178759794	C/T	0.68	0.66	0.428
rs2174971	65257	178760507	C/T	0.52	0.51	0.695
rs1979979	65626	178760876	A/G	0.07	0.06	0.692
rs411804	65739	178760989	A/G	0.78	0.78	0.976
rs1623885	66392	178761642	C/T	0.82	0.80	0.492
rs1643811	66720	178761970	C/T	0.24	0.24	0.924
rs434430	69177	178764427	A/T			
rs187538	69336	178764586	G/T			
rs252067	69636	178764886	A/G	0.21	0.23	0.606
rs459319	69823	178765073	A/G	0.19	0.20	0.640
rs467289	69928	178765178	C/T	0.26	0.26	0.988
rs462644	70547	178765797	C/T	0.59	0.58	0.914
rs458752	70633	178765883	C/T	0.18	0.20	0.513
rs708320	71805	178767055	A/C			
rs457954	72181	178767431	C/G	0.71	0.73	0.327
rs2411810	72200	178767450	C/T	0.28	0.26	0.252
rs3084687	72474	178767724	-/AT	0.13	0.12	0.884
rs69638	72567	178767817	C/G	0.54	0.52	0.449
rs455452	72973	178768223	A/G	0.59	0.60	0.733
rs464850	73468	178768718	A/G	0.11	0.09	0.249
rs431472	73889	178769139	A/G	0.33	0.34	0.713
rs2411809	75730	178770980	C/T			
rs2457094	75970	178771220	A/G	0.71	0.73	0.383
rs2457095	76114	178771364	A/G	0.74	0.76	0.551
rs2261740	76342	178771592	C/T	0.35	0.36	0.702
rs1109180	76449	178771699	A/G			
rs1109179	76465	178771715	C/T			
rs1109178	76791	178772041	A/C	0.46	0.45	0.820
rs456909	78042	178773292	A/G	0.55	0.53	0.444
rs469124	80758	178776008	A/G			
rs468039	80778	178776028	C/T			
rs467017	81356	178776606	A/C	0.33	0.32	0.665
rs469290	81576	178776826	A/G	0.57	0.57	0.871
rs469090	81689	178776939	C/T	0.82	0.83	0.387
rs469568	81759	178777009	G/T	0.38	0.38	0.888
rs468386	81950	178777200	C/G			
rs469349	82562	178777812	A/C			
rs469099	83591	178778841	C/T	0.66	0.63	0.264
rs456868	83700	178778950	A/G			
rs465389	83821	178779071	C/G			
rs463892	83842	178779092	C/G			
rs468548	83923	178779173	G/T			
rs654612	83929	178779179	A/C			
rs468542	84021	178779271	C/G			
rs469262	84175	178779425	C/T	0.45	0.47	0.405
rs708323	84417	178779667	A/G	0.73	0.69	0.138
rs469089	84747	178779997	C/G			
rs469396	85746	178780996	C/G	0.38	0.37	0.817
rs468723	86129	178781379	C/T	0.37	0.38	0.754
rs467604	86335	178781585	A/G	0.34	0.32	0.504
rs338874	87315	178782565	C/G	0.43	0.44	0.879

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs338875	87648	178782898	A/G	0.48	0.50	0.289
rs1385803	87764	178783014	A/C			
rs1385804	87770	178783020	C/G			
rs338876	88221	178783471	C/T	0.39	0.39	0.889
rs189803	90474	178785724	A/C			
rs452215	91148	178786398	G/T			
rs641170	91150	178786400	G/T			
rs584398	91160	178786410	G/T			
rs385330	91733	178786983	C/T			
rs429538	91772	178787022	A/C			
rs371229	91785	178787035	C/T			
rs460874	93140	178788390	A/T	0.74	0.71	0.351
rs646121	93148	178788398	A/T	0.93	0.94	0.687
rs468262	96080	178791330	A/G			
rs467863	96157	178791407	C/G			
rs191434	96313	178791563	A/C			
rs2054782	96759	178792009	C/T	0.44	0.42	0.353
rs468499	97026	178792276	A/C			
rs180287	97320	178792570	C/G			
rs338877	97732	178792982	A/T	0.04	0.04	0.863
rs650665	98713	178793963	C/G			
rs193419	99707	178794957	A/C			
rs180288	99959	178795209	C/G			
rs186834	100009	178795259	A/G			
rs189266	100020	178795270	C/G			
rs189267	100065	178795315	A/C			
rs170937	100086	178795336	C/G			
rs463263	101270	178796520	C/G			
rs463262	101276	178796526	G/T			
rs460454	101371	178796621	C/T			
rs460455	101376	178796626	C/G			
rs460505	101439	178796689	C/T			
rs931316	101820	178797070	C/T			
rs463431	102392	178797642	C/G			
rs461542	102602	178797852	A/G			
rs463557	102604	178797854	A/C			
rs191453	102896	178798146	C/T	0.11	0.14	0.123
rs2271212	189104	178884354	C/T	0.65	0.57	0.003
rs462009	189134	178884384	C/T			
rs2271211	189205	178884455	A/G			
rs396474	Not mapped	Not mapped	A/C			
rs428901	Not mapped	Not mapped	A/T	0.64	0.72	0.015
rs452300	Not mapped	Not mapped	G/T			
rs670256	Not mapped	Not mapped	G/T			

[0238] The *ADAMTS2* proximal SNPs were also allelotyped in the replication cohorts using the methods described herein and the primers provided in Tables 11 and 12. The replication allelotyping results for replication cohort #1 and replication cohort #2 are provided in Tables 14 and 15, respectively.

TABLE 14

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs2278221	210	178695460	C/T	0.64	0.62	0.624
rs1650358	3608	178698858	C/G			
rs1643818	3609	178698859	C/G			
rs3733916	4318	178699568	C/T			
rs1624933	5593	178700843	A/G	0.65	0.69	0.322
rs1624857	5629	178700879	C/T	0.81	untyped	NA
rs1624832	5639	178700889	A/G	0.38	0.42	0.265
rs1624829	5640	178700890	C/T	0.87	untyped	NA
rs2161171	8943	178704193	A/C			
rs1530499	17968	178713218	A/G	0.39	0.40	0.765
rs888764	19887	178715137	A/G			
rs873987	21034	178716284	A/G			
rs4078699	21085	178716335	C/T	0.55	0.54	0.733
rs870311	21596	178716846	A/G	0.50	0.50	0.828
rs1643817	23379	178718629	A/C	0.27	untyped	
rs1643816	23432	178718682	A/C			
rs1650355	24007	178719257	A/C			
rs888763	26121	178721371	A/G	0.40	0.40	0.816
rs1862212	26273	178721523	A/T	0.55	0.55	0.936
rs1110514	26755	178722005	A/T	0.29	0.29	0.997
rs3797600	27411	178722661	C/T	0.57	0.58	0.604
rs3797602	27710	178722960	G/T	0.64	0.63	0.879
rs3797603	27842	178723092	C/T			
rs3776819	28379	178723629	C/T	0.47	0.46	0.889
rs252076	29603	178724853	C/T	0.46	0.49	0.410
rs252075	31232	178726482	C/G	0.35	0.37	0.572
rs252074	31504	178726754	A/G	0.35	0.35	0.914
rs252068	32583	178727833	C/G	0.48	0.48	0.853
rs252069	32794	178728044	A/G	0.29	0.28	0.765
rs194040	32840	178728090	C/T	0.31	0.33	0.450
rs252070	33044	178728294	C/T	0.57	0.58	0.609
rs3797606	33150	178728400	A/C	0.87	0.91	0.119
rs171667	33218	178728468	A/G	0.45	0.50	0.125
rs187539	33513	178728763	C/T	0.33	0.34	0.709
rs3836834	33959	178729209	- TATCA AACTAC CATGAA A			
rs252071	34486	178729736	A/G	0.30	0.32	0.566
rs252072	36289	178731539	C/T	0.48	0.51	0.400
rs252073	36570	178731820	C/T			
rs379589	38247	178733497	A/T	0.59	0.65	0.035
rs2052472	38477	178733727	A/C	0.04	0.06	0.493
rs2052471	38518	178733768	C/T	0.87	0.88	0.697
rs2052470	38529	178733779	C/T	0.84	0.78	0.036
rs2052469	38667	178733917	A/G	0.84	0.79	0.086
rs3797608	39781	178735031	C/T	0.06	0.07	0.530
rs3797609	39856	178735106	C/T	0.04	0.05	0.841
rs3822601	39927	178735177	C/T	0.08	0.08	0.904
rs153131	40506	178735756	A/G	0.77	0.77	0.964
rs751546	41869	178737119	C/G	0.94	0.92	0.265
rs2279979	42452	178737702	C/T	0.94	0.92	0.238
rs252060	44788	178740038	C/T	0.82	0.80	0.553
rs3797610	46059	178741309	A/C	0.16	0.18	0.459

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs194039	46846	178742096	A/G	0.43	0.45	0.589
rs168773	47712	178742962	A/T	0.34	0.35	0.845
rs252061	48796	178744046	C/T	0.23	0.22	0.884
rs187537	49441	178744691	C/G			
rs252062	49602	178744852	A/T	0.98	0.96	0.310
rs2431255	49723	178744973	A/C	0.24	0.19	0.108
rs3797612	50050	178745300	C/T	0.42	0.46	0.254
rs3797613	50171	178745421	C/T	0.19	0.21	0.576
rs614114	50477	178745727	C/T	0.52	0.54	0.717
rs252063	50818	178746068	C/T	0.55	0.57	0.537
rs252064	50833	178746083	C/T	0.52	0.50	0.609
rs252065	50881	178746131	A/G	0.21	0.25	0.234
rs450502	50882	178746132	A/G			
rs439252	51386	178746636	C/T			
rs252066	51534	178746784	C/T	0.20	0.20	0.883
rs457957	52317	178747567	A/G	0.66	0.71	0.162
rs3797614	52368	178747618	C/T			
rs423552	52970	178748220	A/G	0.90	0.92	0.380
rs398829	53023	178748273	A/G			
rs416646	53356	178748606	A/G	0.58	0.59	0.915
rs187450	53882	178749132	G/T			
rs337807	54553	178749803	C/T	0.60	NA	NA
rs337806	55475	178750725	A/C	0.10	0.10	0.997
rs1396438	55530	178750780	A/G	0.52	0.57	0.188
rs1396437	55691	178750941	C/T			
rs2411811	55848	178751098	A/C			
rs2898813	55879	178751129	C/G			
rs189256	56316	178751566	A/G	0.21	0.20	0.852
rs173072	56911	178752161	A/C			
rs337805	57320	178752570	A/G	0.24	0.24	0.950
rs191415	57391	178752641	C/T			
rs180045	57437	178752687	C/T	0.47	0.46	0.918
rs189255	57478	178752728	C/G	0.14	0.13	0.764
rs652766	57500	178752750	C/T	0.59	0.61	0.570
rs466750	59111	178754361	G/T	0.38	0.37	0.606
rs442406	59333	178754583	A/G	0.56	0.57	0.882
rs662407	59715	178754965	A/G	0.32	0.27	0.134
rs592971	59804	178755054	A/G			
rs457187	59851	178755101	A/G	0.23	0.25	0.451
rs459490	59929	178755179	C/T	0.22	0.21	0.671
rs459668	60052	178755302	C/T	0.20	0.19	0.712
rs462646	60240	178755490	C/T	0.42	0.44	0.439
rs458272	60359	178755609	G/T	0.21	0.21	0.755
rs463455	60381	178755631	A/G	0.25	0.25	0.783
rs675880	60456	178755706	C/T	0.62	0.63	0.741
rs810617	60724	178755974	C/G			
rs464156	60875	178756125	C/T	0.32	0.34	0.541
rs458083	60968	178756218	A/G	0.80	0.82	0.499
rs467333	60978	178756228	C/G	0.10	0.13	0.243
rs465381	60998	178756248	C/T			
rs466363	61557	178756807	C/T	0.31	0.34	0.494
rs2457099	62091	178757341	C/T	0.45	0.45	0.997
rs463901	62645	178757895	C/T	0.46	0.46	0.852
rs465621	62943	178758193	A/C	0.64	0.63	0.853
rs463724	63131	178758381	A/T	0.09	0.08	0.737
rs465242	63145	178758395	G/T			
rs467419	63406	178758656	A/G	0.64	0.65	0.694

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs456135	63427	178758677	C/G	0.79	0.76	0.339
rs464536	63554	178758804	C/T	0.36	0.34	0.553
rs461898	63661	178758911	A/G	0.31	0.33	0.727
rs389558	64093	178759343	A/G	0.27	0.28	0.762
rs466752	64153	178759403	C/T	0.34	0.38	0.223
rs455655	64409	178759659	C/G	0.87	untyped	NA
rs463435	64544	178759794	C/T	0.65	0.65	0.973
rs2174971	65257	178760507	C/T	0.49	0.51	0.476
rs1979979	65626	178760876	A/G	0.08	0.07	0.579
rs411804	65739	178760989	A/G	0.77	0.79	0.420
rs1623885	66392	178761642	C/T	0.81	0.78	0.451
rs1643811	66720	178761970	C/T	0.26	0.25	0.715
rs434430	69177	178764427	A/T			
rs187538	69336	178764586	G/T			
rs252067	69636	178764886	A/G	0.22	0.22	0.978
rs459319	69823	178765073	A/G	0.19	0.22	0.245
rs467289	69928	178765178	C/T	0.26	0.29	0.377
rs462644	70547	178765797	C/T	0.58	0.56	0.637
rs458752	70633	178765883	C/T	0.18	0.23	0.129
rs708320	71805	178767055	A/C			
rs457954	72181	178767431	C/G	0.69	0.73	0.143
rs2411810	72200	178767450	C/T	0.28	0.23	0.083
rs3084687	72474	178767724	-/AT	0.12	0.13	0.767
rs69638	72567	178767817	C/G	0.53	0.49	0.157
rs455452	72973	178768223	A/G	0.58	0.61	0.313
rs464850	73468	178768718	A/G	0.13	0.10	0.171
rs431472	73889	178769139	A/G	0.32	0.39	0.048
rs2411809	75730	178770980	C/T			
rs2457094	75970	178771220	A/G	0.70	0.75	0.157
rs2457095	76114	178771364	A/G	0.74	0.75	0.707
rs2261740	76342	178771592	C/T	0.34	untyped	NA
rs1109180	76449	178771699	A/G			
rs1109179	76465	178771715	C/T			
rs1109178	76791	178772041	A/C	0.47	0.48	0.715
rs456909	78042	178773292	A/G	0.56	0.54	0.537
rs469124	80758	178776008	A/G			
rs468039	80778	178776028	C/T			
rs467017	81356	178776606	A/C	0.33	0.31	0.480
rs469290	81576	178776826	A/G	0.63	0.66	0.427
rs469090	81689	178776939	C/T	0.80	0.83	0.300
rs469568	81759	178777009	G/T	0.39	0.43	0.234
rs468386	81950	178777200	C/G			
rs469349	82562	178777812	A/C			
rs469099	83591	178778841	C/T	0.66	0.60	0.066
rs456868	83700	178778950	A/G			
rs465389	83821	178779071	C/G			
rs463892	83842	178779092	C/G			
rs468548	83923	178779173	G/T			
rs654612	83929	178779179	A/C			
rs468542	84021	178779271	C/G			
rs469262	84175	178779425	C/T	0.46	0.50	0.232
rs708323	84417	178779667	A/G	0.72	0.66	0.071
rs469089	84747	178779997	C/G			
rs469396	85746	178780996	C/G	0.37	0.35	0.522
rs468723	86129	178781379	C/T	0.39	0.41	0.495
rs467604	86335	178781585	A/G	0.33	0.30	0.303
rs338874	87315	178782565	C/G	0.44	0.46	0.628

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs338875	87648	178782898	A/G	0.49	0.54	0.106
rs1385803	87764	178783014	A/C			
rs1385804	87770	178783020	C/G			
rs338876	88221	178783471	C/T	0.38	0.36	0.609
rs189803	90474	178785724	A/C			
rs452215	91148	178786398	G/T			
rs641170	91150	178786400	G/T			
rs584398	91160	178786410	G/T			
rs385330	91733	178786983	C/T			
rs429538	91772	178787022	A/C			
rs371229	91785	178787035	C/T			
rs460874	93140	178788390	A/T	0.74	0.69	0.118
rs646121	93148	178788398	A/T	0.93	0.95	0.477
rs468262	96080	178791330	A/G			
rs467863	96157	178791407	C/G			
rs191434	96313	178791563	A/C			
rs2054782	96759	178792009	C/T	0.45	0.42	0.514
rs468499	97026	178792276	A/C			
rs180287	97320	178792570	C/G			
rs338877	97732	178792982	A/T	0.04	0.04	0.781
rs650665	98713	178793963	C/G			
rs193419	99707	178794957	A/C			
rs180288	99959	178795209	C/G			
rs186834	100009	178795259	A/G			
rs189266	100020	178795270	C/G			
rs189267	100065	178795315	A/C			
rs170937	100086	178795336	C/G			
rs463263	101270	178796520	C/G			
rs463262	101276	178796526	G/T			
rs460454	101371	178796621	C/T			
rs460455	101376	178796626	C/G			
rs460505	101439	178796689	C/T			
rs931316	101820	178797070	C/T			
rs463431	102392	178797642	C/G			
rs461542	102602	178797852	A/G			
rs463557	102604	178797854	A/C			
rs191453	102896	178798146	C/T	0.15	0.19	0.139
rs2271212	189104	178884354	C/T	0.64	0.58	0.072
rs462009	189134	178884384	C/T			
rs2271211	189205	178884455	A/G			
rs396474	Not mapped	Not mapped	A/C			
rs428901	Not mapped	Not mapped	A/T	0.66	untyped	NA
rs452300	Not mapped	Not mapped	G/T			
rs670256	Not mapped	Not mapped	G/T			

TABLE 15

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs2278221	210	178695460	C/T	0.64	0.64	0.837
rs1650358	3608	178698858	C/G			
rs1643818	3609	178698859	C/G			
rs3733916	4318	178699568	C/T			
rs1624933	5593	178700843	A/G	0.73	0.75	0.447
rs1624857	5629	178700879	C/T	0.78	0.81	0.289

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs1624832	5639	178700889	A/G	0.44	0.47	0.423
rs1624829	5640	178700890	C/T	0.90	0.93	0.294
rs2161171	8943	178704193	A/C			
rs1530499	17968	178713218	A/G	0.39	0.36	0.499
rs888764	19887	178715137	A/G			
rs873987	21034	178716284	A/G			
rs4078699	21085	178716335	C/T	0.57	0.54	0.316
rs870311	21596	178716846	A/G	0.52	0.50	0.579
rs1643817	23379	178718629	A/C			
rs1643816	23432	178718682	A/C			
rs1650355	24007	178719257	A/C			
rs888763	26121	178721371	A/G	0.40	0.44	0.264
rs1862212	26273	178721523	A/T	0.56	0.53	0.529
rs1110514	26755	178722005	A/T	0.30	0.27	0.381
rs3797600	27411	178722661	C/T	0.55	0.54	0.840
rs3797602	27710	178722960	G/T	0.68	0.65	0.534
rs3797603	27842	178723092	C/T			
rs3776819	28379	178723629	C/T	0.45	0.47	0.662
rs252076	29603	178724853	C/T	0.46	0.46	0.986
rs252075	31232	178726482	C/G	0.36	0.34	0.666
rs252074	31504	178726754	A/G	0.35	0.33	0.604
rs252068	32583	178727833	C/G	0.47	0.48	0.648
rs252069	32794	178728044	A/G	0.27	0.26	0.640
rs194040	32840	178728090	C/T	0.31	0.30	0.734
rs252070	33044	178728294	C/T	0.61	0.55	0.157
rs3797606	33150	178728400	A/C	0.91	0.83	0.005
rs171667	33218	178728468	A/G	0.51	0.52	0.674
rs187539	33513	178728763	C/T	0.32	0.33	0.836
rs3836834	33959	178729209	- /TATCA AACTAC CATGAA A			
rs252071	34486	178729736	A/G	0.30	0.30	0.942
rs252072	36289	178731539	C/T	0.50	0.49	0.684
rs252073	36570	178731820	C/T			
rs379589	38247	178733497	A/T	0.60	0.61	0.981
rs2052472	38477	178733727	A/C	0.06	0.06	0.856
rs2052471	38518	178733768	C/T	0.91	0.86	0.079
rs2052470	38529	178733779	C/T	0.82	0.83	0.828
rs2052469	38667	178733917	A/G	0.82	0.82	0.983
rs3797608	39781	178735031	C/T	0.06	0.06	0.969
rs3797609	39856	178735106	C/T	0.05	0.05	0.879
rs3822601	39927	178735177	C/T	0.07	0.08	0.838
rs153131	40506	178735756	A/G	0.76	0.76	0.981
rs751546	41869	178737119	C/G	0.91	0.92	0.526
rs2279979	42452	178737702	C/T	0.92	0.92	0.906
rs252060	44788	178740038	C/T	0.81	0.85	0.157
rs3797610	46059	178741309	A/C	0.18	0.16	0.593
rs194039	46846	178742096	A/G	0.39	0.49	0.005
rs168773	47712	178742962	A/T	0.37	0.43	0.098
rs252061	48796	178744046	C/T	0.19	0.15	0.164
rs187537	49441	178744691	C/G			
rs252062	49602	178744852	A/T	0.93	0.95	0.290
rs2431255	49723	178744973	A/C	0.23	0.19	0.201
rs3797612	50050	178745300	C/T	0.32	0.38	0.102
rs3797613	50171	178745421	C/T	0.23	NA	

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs614114	50477	178745727	C/T	0.48	0.51	0.423
rs252063	50818	178746068	C/T	0.60	0.51	0.011
rs252064	50833	178746083	C/T	0.51	0.56	0.265
rs252065	50881	178746131	A/G	0.22	0.18	0.175
rs450502	50882	178746132	A/G			
rs439252	51386	178746636	C/T			
rs252066	51534	178746784	C/T	0.18	0.16	0.451
rs457957	52317	178747567	A/G	0.67	0.68	0.728
rs3797614	52368	178747618	C/T			
rs423552	52970	178748220	A/G	0.89	0.91	0.398
rs398829	53023	178748273	A/G			
rs416646	53356	178748606	A/G	0.54	0.55	0.643
rs187450	53882	178749132	G/T			
rs337807	54553	178749803	C/T	0.49	0.59	0.009
rs337806	55475	178750725	A/C	0.11	0.10	0.889
rs1396438	55530	178750780	A/G	0.61	0.50	0.007
rs1396437	55691	178750941	C/T			
rs2411811	55848	178751098	A/C			
rs2898813	55879	178751129	C/G			
rs189256	56316	178751566	A/G	0.17	0.17	0.923
rs173072	56911	178752161	A/C			
rs337805	57320	178752570	A/G	0.27	0.25	0.582
rs191415	57391	178752641	C/T			
rs180045	57437	178752687	C/T	0.56	0.48	0.115
rs189255	57478	178752728	C/G	0.16	0.12	0.168
rs652766	57500	178752750	C/T	0.55	0.61	0.231
rs466750	59111	178754361	G/T	0.31	0.28	0.473
rs442406	59333	178754583	A/G	0.58	0.63	0.209
rs662407	59715	178754965	A/G	0.30	0.28	0.449
rs592971	59804	178755054	A/G			
rs457187	59851	178755101	A/G	0.23	0.21	0.402
rs459490	59929	178755179	C/T	0.20	0.19	0.708
rs459668	60052	178755302	C/T	0.21	0.20	0.821
rs462646	60240	178755490	C/T	0.44	0.41	0.460
rs458272	60359	178755609	G/T	0.22	0.20	0.524
rs463455	60381	178755631	A/G	0.23	0.22	0.629
rs675880	60456	178755706	C/T	0.65	0.67	0.564
rs810617	60724	178755974	C/G			
rs464156	60875	178756125	C/T	0.37	0.34	0.439
rs458083	60968	178756218	A/G			
rs467333	60978	178756228	C/G	0.11	0.11	0.902
rs465381	60998	178756248	C/T			
rs466363	61557	178756807	C/T	0.32	0.34	0.547
rs2457099	62091	178757341	C/T	0.43	0.43	0.974
rs463901	62645	178757895	C/T	0.39	0.43	0.342
rs465621	62943	178758193	A/C	0.59	0.64	0.195
rs463724	63131	178758381	A/T	0.09	0.07	0.539
rs465242	63145	178758395	G/T			
rs467419	63406	178758656	A/G	0.66	0.67	0.752
rs456135	63427	178758677	C/G	0.79	0.85	0.029
rs464536	63554	178758804	C/T	0.36	0.32	0.332
rs461898	63661	178758911	A/G	0.28	0.31	0.423
rs389558	64093	178759343	A/G	0.20	0.23	0.311
rs466752	64153	178759403	C/T	0.36	0.35	0.781
rs455655	64409	178759659	C/G	NA	0.72	NA
rs463435	64544	178759794	C/T	0.72	0.68	0.230
rs2174971	65257	178760507	C/T	0.56	0.51	0.142

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs1979979	65626	178760876	A/G	0.05	0.05	0.993
rs411804	65739	178760989	A/G	0.80	0.77	0.343
rs1623885	66392	178761642	C/T	0.84	0.84	0.819
rs1643811	66720	178761970	C/T	0.22	0.23	0.847
rs434430	69177	178764427	A/T			
rs187538	69336	178764586	G/T			
rs252067	69636	178764886	A/G	0.21	0.24	0.369
rs459319	69823	178765073	A/G	0.18	0.15	0.353
rs467289	69928	178765178	C/T	0.27	0.22	0.179
rs462644	70547	178765797	C/T	0.60	0.61	0.609
rs458752	70633	178765883	C/T	0.18	0.15	0.271
rs708320	71805	178767055	A/C			
rs457954	72181	178767431	C/G	0.72	0.72	0.882
rs2411810	72200	178767450	C/T	0.29	0.30	0.630
rs3084687	72474	178767724	-/AT	0.13	0.11	0.509
rs69638	72567	178767817	C/G	0.54	0.57	0.440
rs455452	72973	178768223	A/G	0.60	0.58	0.499
rs464850	73468	178768718	A/G	0.10	0.09	0.839
rs431472	73889	178769139	A/G	0.35	0.27	0.025
rs2411809	75730	178770980	C/T			
rs2457094	75970	178771220	A/G	0.71	0.70	0.792
rs2457095	76114	178771364	A/G	0.75	0.76	0.602
rs2261740	76342	178771592	C/T	0.36	0.36	0.924
rs1109180	76449	178771699	A/G			
rs1109179	76465	178771715	C/T			
rs1109178	76791	178772041	A/C	0.45	0.42	0.420
rs456909	78042	178773292	A/G	0.53	0.51	0.598
rs469124	80758	178776008	A/G			
rs468039	80778	178776028	C/T			
rs467017	81356	178776606	A/C	0.34	0.35	0.762
rs469290	81576	178776826	A/G	0.49	0.44	0.223
rs469090	81689	178776939	C/T	0.83	0.84	0.883
rs469568	81759	178777009	G/T	0.36	0.30	0.115
rs468386	81950	178777200	C/G			
rs469349	82562	178777812	A/C			
rs469099	83591	178778841	C/T	0.65	0.67	0.560
rs456868	83700	178778950	A/G			
rs465389	83821	178779071	C/G			
rs463892	83842	178779092	C/G			
rs468548	83923	178779173	G/T			
rs654612	83929	178779179	A/C			
rs468542	84021	178779271	C/G			
rs469262	84175	178779425	C/T	0.45	0.43	0.762
rs708323	84417	178779667	A/G	0.74	0.74	0.899
rs469089	84747	178779997	C/G			
rs469396	85746	178780996	C/G	0.39	0.42	0.569
rs468723	86129	178781379	C/T	0.36	0.34	0.573
rs467604	86335	178781585	A/G	0.35	0.36	0.763
rs338874	87315	178782565	C/G	0.42	0.40	0.564
rs338875	87648	178782898	A/G	0.46	0.45	0.701
rs1385803	87764	178783014	A/C			
rs1385804	87770	178783020	C/G			
rs338876	88221	178783471	C/T	0.41	0.44	0.580
rs189803	90474	178785724	A/C			
rs452215	91148	178786398	G/T			
rs641170	91150	178786400	G/T			
rs584398	91160	178786410	G/T			

dbSNP rs#	Position in SEQ ID NO: 1	Chromosome Position	A1/A2 Allele	F A2 Case AF	F A2 Control AF	F p- Value
rs385330	91733	178786983	C/T			
rs429538	91772	178787022	A/C			
rs371229	91785	178787035	C/T			
rs460874	93140	178788390	A/T	0.73	0.75	0.550
rs646121	93148	178788398	A/T	0.93	0.92	0.697
rs468262	96080	178791330	A/G			
rs467863	96157	178791407	C/G			
rs191434	96313	178791563	A/C			
rs2054782	96759	178792009	C/T	0.43	0.40	0.473
rs468499	97026	178792276	A/C			
rs180287	97320	178792570	C/G			
rs338877	97732	178792982	A/T	0.04	0.04	0.928
rs650665	98713	178793963	C/G			
rs193419	99707	178794957	A/C			
rs180288	99959	178795209	C/G			
rs186834	100009	178795259	A/G			
rs189266	100020	178795270	C/G			
rs189267	100065	178795315	A/C			
rs170937	100086	178795336	C/G			
rs463263	101270	178796520	C/G			
rs463262	101276	178796526	G/T			
rs460454	101371	178796621	C/T			
rs460455	101376	178796626	C/G			
rs460505	101439	178796689	C/T			
rs931316	101820	178797070	C/T			
rs463431	102392	178797642	C/G			
rs461542	102602	178797852	A/G			
rs463557	102604	178797854	A/C			
rs191453	102896	178798146	C/T	0.06	0.06	0.929
rs2271212	189104	178884354	C/T	0.66	0.56	0.012
rs462009	189134	178884384	C/T			
rs2271211	189205	178884455	A/G			
rs396474	Not mapped	Not mapped	A/C			
rs428901	Not mapped	Not mapped	A/T	0.61	0.72	0.002
rs452300	Not mapped	Not mapped	G/T			
rs670256	Not mapped	Not mapped	G/T			

[0239] Allelotyping results were considered particularly significant with a calculated p-value of less than or equal to 0.05 for allelotype results. These values are indicated in bold. The allelotyping p-values were plotted in Figure 1 for the discovery cohort. The position of each SNP on the chromosome is presented on the x-axis. The y-axis gives the negative logarithm (base 10) of the p-value comparing the estimated allele in the case group to that of the control group. The minor allele frequency of the control group for each SNP designated by an X or other symbol on the graphs in Figure 1 can be determined by consulting Table 13. For example, the left-most X on the left graph is at position 178695460. By proceeding down the Table from top to bottom and across the graphs from left to right the allele frequency associated with each symbol shown can be determined.

[0240] To aid the interpretation, multiple lines have been added to the graph. The broken horizontal lines are drawn at two common significance levels, 0.05 and 0.01. The vertical broken lines are drawn

every 20kb to assist in the interpretation of distances between SNPs. Two other lines are drawn to expose linear trends in the association of SNPs to the disease. The light gray line (or generally bottom-most curve) is a nonlinear smoother through the data points on the graph using a local polynomial regression method (W.S. Cleveland, E. Grosse and W.M. Shyu (1992) Local regression models. Chapter 8 of Statistical Models in S eds J.M. Chambers and T.J. Hastie, Wadsworth & Brooks/Cole.). The black line provides a local test for excess statistical significance to identify regions of association. This was created by use of a 10kb sliding window with 1kb step sizes. Within each window, a chi-square goodness of fit test was applied to compare the proportion of SNPs that were significant at a test wise level of 0.01, to the proportion that would be expected by chance alone (0.05 for the methods used here). Resulting p-values that were less than 10^{-8} were truncated at that value.

[0241] Finally, the exons and introns of the genes in the covered region are plotted below each graph at the appropriate chromosomal positions. The gene boundary is indicated by the broken horizontal line. The exon positions are shown as thick, unbroken bars. An arrow is placed at the 3' end of each gene to show the direction of transcription.

Example 5

Effect of ADAMTS2 Polypeptides on Biosynthesis of Type II Collagen in Patients with OA

[0242] To investigate the effect of *ADAMTS2* polypeptides on Type II collagen biosynthesis and processing, human articular cartilage from OA patients undergoing joint replacement is harvested, dissected and maintained as described by Nelson *et al.* (1998) *supra*. Type II procollagen levels in osteoarthritic patients and autopsy controls is determined by radioimmunoassay (RIA) as previously described. Allelic variations (*e.g.*, rs398829) are determined for the OA patients and controls by genotyping (See Examples 1 and 2). As type II procollagen is processed by *ADAMTS2*, increased levels of Type II procollagen in individuals with the allelic variation associated with OA demonstrates that this variation leads to reduced procollagen processing activity and ultimately to OA.

Example 6

Effect of ADAMTS2 Polypeptides on Type II Collagen Processing Activity

[0243] To investigate the effect of ADAMTS2 polypeptide variants on ADAMTS2 collagen processing activity, recombinant polypeptides encompassing the ADAMTS2 variation of SEQ ID NO: 2 at position 733 and a wild-type ADAMTS2 polypeptide are expressed in cell lines such as chondrocytes. Since the allelic variation of ADAMTS2 at position 733 of SEQ ID: NO: 2 will prevent the conversion of the ADAMTS2 pro-enzyme to the catalytically active enzyme, processing of ADAMTS2 pro-enzyme is monitored by SDS-PAGE analysis followed by Western Blotting using antibodies to ADAMTS2 and

methods common to someone skilled in the art. Reduced levels of pro-enzyme cleavage are apparent by the increased levels of immunopositive protein of higher molecular weight than of the cleaved active protein.

Example 7

In Vitro Production of Target Polypeptides

[0244] cDNA is cloned into a pIVEX 2.3-MCS vector (Roche Biochem) using a directional cloning method. A cDNA insert is prepared using PCR with forward and reverse primers having 5' restriction site tags (in frame) and 5-6 additional nucleotides in addition to 3' gene-specific portions, the latter of which is typically about twenty to about twenty-five base pairs in length. A Sal I restriction site is introduced by the forward primer and a Sma I restriction site is introduced by the reverse primer. The ends of PCR products are cut with the corresponding restriction enzymes (*i.e.*, Sal I and Sma I) and the products are gel-purified. The pIVEX 2.3-MCS vector is linearized using the same restriction enzymes, and the fragment with the correct sized fragment is isolated by gel-purification. Purified PCR product is ligated into the linearized pIVEX 2.3-MCS vector and *E. coli* cells transformed for plasmid amplification. The newly constructed expression vector is verified by restriction mapping and used for protein production.

[0245] *E. coli* lysate is reconstituted with 0.25 ml of Reconstitution Buffer, the Reaction Mix is reconstituted with 0.8 ml of Reconstitution Buffer; the Feeding Mix is reconstituted with 10.5 ml of Reconstitution Buffer; and the Energy Mix is reconstituted with 0.6 ml of Reconstitution Buffer. 0.5 ml of the Energy Mix was added to the Feeding Mix to obtain the Feeding Solution. 0.75 ml of Reaction Mix, 50 μ l of Energy Mix, and 10 μ g of the template DNA is added to the *E. coli* lysate.

[0246] Using the reaction device (Roche Biochem), 1 ml of the Reaction Solution is loaded into the reaction compartment. The reaction device is turned upside-down and 10 ml of the Feeding Solution is loaded into the feeding compartment. All lids are closed and the reaction device is loaded into the RTS500 instrument. The instrument is run at 30°C for 24 hours with a stir bar speed of 150 rpm. The pIVEX 2.3 MCS vector includes a nucleotide sequence that encodes six consecutive histidine amino acids on the C-terminal end of the target polypeptide for the purpose of protein purification. Target polypeptide is purified by contacting the contents of reaction device with resin modified with Ni²⁺ ions. Target polypeptide is eluted from the resin with a solution containing free Ni²⁺ ions.

Example 8
Cellular Production of Target Polypeptides

[0247] Nucleic acids are cloned into DNA plasmids having phage recombination sites and target polypeptides are expressed therefrom in a variety of host cells. Alpha phage genomic DNA contains short sequences known as attP sites, and *E. coli* genomic DNA contains unique, short sequences known as attB sites. These regions share homology, allowing for integration of phage DNA into *E. coli* via directional, site-specific recombination using the phage protein Int and the *E. coli* protein IHF. Integration produces two new att sites, L and R, which flank the inserted prophage DNA. Phage excision from *E. coli* genomic DNA can also be accomplished using these two proteins with the addition of a second phage protein, Xis. DNA vectors have been produced where the integration/excision process is modified to allow for the directional integration or excision of a target DNA fragment into a backbone vector in a rapid *in vitro* reaction (Gateway™ Technology (Invitrogen, Inc.)).

[0248] A first step is to transfer the nucleic acid insert into a shuttle vector that contains attL sites surrounding the negative selection gene, ccdB (e.g. pENTER vector, Invitrogen, Inc.). This transfer process is accomplished by digesting the nucleic acid from a DNA vector used for sequencing, and to ligate it into the multicloning site of the shuttle vector, which will place it between the two attL sites while removing the negative selection gene ccdB. A second method is to amplify the nucleic acid by the polymerase chain reaction (PCR) with primers containing attB sites. The amplified fragment then is integrated into the shuttle vector using Int and IHF. A third method is to utilize a topoisomerase-mediated process, in which the nucleic acid is amplified via PCR using gene-specific primers with the 5' upstream primer containing an additional CACC sequence (e.g., TOPO® expression kit (Invitrogen, Inc.)). In conjunction with Topoisomerase I, the PCR amplified fragment can be cloned into the shuttle vector via the attL sites in the correct orientation.

[0249] Once the nucleic acid is transferred into the shuttle vector, it can be cloned into an expression vector having attR sites. Several vectors containing attR sites for expression of target polypeptide as a native polypeptide, N-fusion polypeptide, and C-fusion polypeptides are commercially available (e.g., pDEST (Invitrogen, Inc.)), and any vector can be converted into an expression vector for receiving a nucleic acid from the shuttle vector by introducing an insert having an attR site flanked by an antibiotic resistant gene for selection using the standard methods described above. Transfer of the nucleic acid from the shuttle vector is accomplished by directional recombination using Int, IHF, and Xis (LR clonase). Then the desired sequence can be transferred to an expression vector by carrying out a one hour incubation at room temperature with Int, IHF, and Xis, a ten minute incubation at 37°C with proteinase K, transforming bacteria and allowing expression for one hour, and then plating on selective media. Generally, 90% cloning efficiency is achieved by this method. Examples of expression vectors

are pDEST 14 bacterial expression vector with att7 promoter, pDEST 15 bacterial expression vector with a T7 promoter and a N-terminal GST tag, pDEST 17 bacterial vector with a T7 promoter and a N-terminal polyhistidine affinity tag, and pDEST 12.2 mammalian expression vector with a CMV promoter and neo resistance gene. These expression vectors or others like them are transformed or transfected into cells for expression of the target polypeptide or polypeptide variants. These expression vectors are often transfected, for example, into murine-transformed a adipocyte cell line 3T3-L1, (ATCC), human embryonic kidney cell line 293, and rat cardiomyocyte cell line H9C2.

[0250] Modifications may be made to the foregoing without departing from the basic aspects of the invention. Although the invention has been described in substantial detail with reference to one or more specific embodiments, those of skill in the art will recognize that changes may be made to the embodiments specifically disclosed in this application, yet these modifications and improvements are within the scope and spirit of the invention, as set forth in the claims which follow. All publications or patent documents cited in this specification are incorporated herein by reference as if each such publication or document was specifically and individually indicated to be incorporated herein by reference.

[0251] Citation of the above publications or documents is not intended as an admission that any of the foregoing is pertinent prior art, nor does it constitute any admission as to the contents or date of these publications or documents. U.S. patents and other publications referenced herein are hereby incorporated by reference.

Nucleotide and Amino Acid Sequence Embodiments

[0252] Table A includes information pertaining to the incident polymorphic variant associated with osteoarthritis identified herein. Public information pertaining to the polymorphism and the genomic sequence that includes the polymorphism are indicated. The genomic sequences identified in Table A may be accessed at the http address www.ncbi.nih.gov/entrez/query.fcgi, for example, by using the publicly available SNP reference number (e.g., rs398829). The chromosome position refers to the position of the SNP within NCBI's Genome Build 34, which may be accessed at the following http address: www.ncbi.nlm.nih.gov/mapview/map_search.cgi?chr=hum_chr.inf&query=. The "Contig Position" provided in Table A corresponds to a nucleotide position set forth in the contig sequence (see "Contig Accession No."), and designates the polymorphic site corresponding to the SNP reference number. The sequence containing the polymorphisms also may be referenced by the "Nucleotide Accession No." set forth in Table A. The "Sequence Identification" corresponds to cDNA sequence that encodes associated target polypeptides (e.g., ADAMTS2). The position of the SNP within the cDNA sequence is provided in the "Sequence Position" column of Table A. If the SNP falls within an exon, the corresponding amino acid position (and amino acid change, if applicable) is provided as well. Also, the

allelic variation at the polymorphic site and the allelic variant identified as associated with osteoarthritis is specified in Table A. All nucleotide and polypeptide sequences referenced and accessed by the parameters set forth in Table A are incorporated herein by reference.

Table A

RS_ID	Chromosome	Chrom Position	Contig Accession No. [1]	Contig Position	Nucleotide Accession No. [2]	Sequence Position	Amino Acid Position	Locus	Locus ID	A [3]	Allelic Variability	OA Assoc. Allele
rs398829	5	178748273	Hs5_77500_34:3	1729878	NM_014244	coding-nonsynon	V245I	ADAMTS2	9509	R	[G/A]	G

[1] Contig Accession Number which can be found in the NCBI Database:
http address: www.ncbi.nih.gov/entrez/query.fcgi

[2] Sequence Identification or Nucleotide Accession Number which can be found in the NCBI Database:
http address: www.ncbi.nih.gov/entrez/query.fcgi

[3] "A" column is the sequence orientation ("F" is forward, "R" is reverse).

[0253] The following is a genomic nucleotide sequence for an *ADAMTS2* region. The following nucleotide representations are used throughout: "A" or "a" is adenosine, adenine, or adenylic acid; "C" or "c" is cytidine, cytosine, or cytidylic acid; "G" or "g" is guanosine, guanine, or guanylic acid; "T" or "t" is thymidine, thymine, or thymidylic acid; and "I" or "i" is inosine, hypoxanthine, or inosinic acid. Exons are indicated in italicized lower case type, introns are depicted in normal text lower case type, and polymorphic sites are depicted in bold upper case type. SNPs are designated by the following convention: "R" represents A or G, "M" represents A or C; "W" represents A or T; "Y" represents C or T; "S" represents C or G; "K" represents G or T; "V" represents A, C or G; "H" represents A, C, or T; "D" represents A, G, or T; "B" represents C, G, or T; and "N" represents A, G, C, or T.

ADAMTS2 Genomic Sequence (SEQ ID NO. 1)

```
>5:178695251-178884700
1      gggcctcggg ccagcactgc ccagcgctgg gaagacagga gaccacaccc caagtggctt
61     tgacacaggg cgtgtccctc ttaaggcaca gaggagaagt gggcagccag ggctggggat
121    cctagggtgg cccctctgtg ccccacccctt ccccaggccca cttacacgtg gccagtctca
181    tgggccacca caaacgtga ggagaagccR tcctcatgtt tcagggtgca gctgcggacc
241    gnatggcaca tgccggtgac aggagcatag cctggggagga gacaagaggc ggctccagat
301    gctgccatag cttggccggg aaggtaggc ctggcttaac tccccaggcgc tgcttctct
361    caaggccccca atgcccttc taccacaggc aactgcccccc ggctggcaca gctcagaaga
421    caccacagca gacagctcat agcctgtgac atctggctga cagcaggccc ccagcccgcc
481    accacacaag ccccggtggc gttctgcctg taacagccac actcgagctg gggccctctg
541    cttagtcaga tgtcacctgc tatggcttgc ctgacacccctg actttctgc ctgcccgttct
601    ctttcacggc acctgcctct gccccctggc tgcctcactg agtggccctt gaggcagcacc
661    tgcttcaca cctctctctg ctagaggcat cctggcccttc gtctgcctgg tatcacaccc
721    tccaagccca cctccctctgg gggcggttcc ttgggtctcc ccgtgtttct ctgggggtct
781    tgagacccta gctagacactg tttccataat gccgcagaag gctgcaaagc tgttcagccg
```

841 atgggccaca ctaccctgca gaatatccca gcagggggct ggctggtgcg gactgggagg
901 tcagagccgc cgtagaagat gaggccagtgc gcctacgaca gcccaggccc aaaaaaaaaaaaa
961 tggcagaagt tcatgacgca gagaccccac gtcaaaactga ggaagatgga taatgagacc
1021 tattcaacttc cccagctccct gtctcagcag aaaaaaaaaaaaaaaa
1081 cctacaggc tatgggtgcc acacgaggc tctgcttgc cccctggag tcttcctaga
1141 ggccctgccaa gcatggagcc ctgactttca gaaccccaac ctgcctcac tcctgcccatt
1201 ccccaacttag agacccttag gccacgcgtt ccacagagaa gggaggagg gccactggga
1261 ccccggtgaa gctggcggtg tacgcgccta aaaatagaag catcgatc taacccttgt
1321 ctttccctgt tgataaaac agaaaaatct gcatttttgc ctctgcagat tttgagacga
1381 gcgtaggtc tgggtgcctg agtggaaacgt tgccatctcc tcttgcctt ttgtatgcca
1441 ggcttgcaga tgcatctgcc tccgtggag gctttccatt catccactc agcattacag
1501 gaggctgcga gatctgaaag cgcatctta tgaaaaatct tgaaaaatct ccttttattt
1561 tactttgtgg ctgttttctc tctccggaaat cttatttagat agatgtgccc tcctcgatgg
1621 agggctgtc tcctaaatct tcttcatgt taatctttt gtctttgtc cccattggga
1681 gatggcccttgc acttttattt tcagtttcg atttttttt tttttttt agatggagtc
1741 tcactctgccc gtccaggctg gagttgcgtg gtgtatgcggc ctgcactgc aacccccc
1801 tcctgggttc agtccatctt actgcctcgtt cttccgtat agctggact acaggcaccc
1861 gcaaccatgc tcagctaatt tttgtatccc tactagagac gggatttcac catgttagcc
1921 agggatggctc ccattctccgc acctcggtac ctggccgcct cggccctccca cagtgctgg
1981 attacaggcg tgagccaccgc cgccccgtct acctttcgaa ttttttactt ccccccattct
2041 atccataattt ttatacaaaat ggtttggatgt tctctaattt ttcatagaaaa actcttaggg
2101 tttatggatg tatttttctca aacattctgg gaataactact tttaaaaaca tgcttttctt
2161 gtctctaaat tatctctattt ttctctttaga gcccatttttca aaaaaaaaaaaaaaaa
2221 catcttggtc catcttttgc atgctgtaaat gatttttttt gttttgggtt tttttttttt
2281 tctggtaacc ctgggtgtc ctt
2341 agtcttgc tggcccgatggatgtgc agtggcacaat tctccgtca ctgcaccc
2401 tgccctccggg gttcttagtgc ttt
2461 acctgcacttcaactggctaaat ttt
2521 cgaactctgc acctcaagtg atccggccgc cttggcctcc ctttttttttttttttttttttt
2581 agtgagccac cacacccacgc caatttcaca ttttttttttttttttttttttttttttttttt
2641 taaaagctgt gtcgggttcc cttccctaggg gatagctcgtc ctcccaatttttttttttttt
2701 caagacaaaaa cagccaaacag cactctcatc acatggtcag ggcaacaccc ggctgcgcctg
2761 tggttggaggg gagctatcca ctccctccccc agacatggta gttttagtct tttttaaccta
2821 gctatgttatgatgtgc ttt
2881 ttcttggatg acaaggccctc gctctgtcac ccaggctggatggatggatggatggatggatggat
2941 ctcacttccctt gggctcaaac aatccctccca cctcagggttc ccgagttggctt gggactacag
3001 gcatccacca ccatggcccgatggatggatggatggatggatggatggatggatggatggatggatggat
3061 tttagtgcct ttt
3121 ctccctggccca ttt
3181 ttccacatctc tcaatataaaat ttt
3241 cttaatgc caaaacttttgc aatgtgtca ttttttttttttttttttttttttttttttttttt
3301 ggtttgttttgc ttt
3361 ggctggagca aagtggatggatggatggatggatggatggatggatggatggatggatggatggatggat
3421 attctccctgc ttcaggccatcc cgggtatgtgc gggactacagg cggccggccac catggccctgc
3481 taattt
3541 tctccctgacc tcgtgtatcttca cctggccctccgc actcccaaaatg tctggggattt acagggtgtga
3601 accaccgSSc cccggccctttt gtt
3661 gagccatggccca cctacgttat ttt
3721 ccatgtgaga tgggttt
3781 aattggccccc acaccatggatggatggatggatggatggatggatggatggatggatggatggatggat
3841 tgacacatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
3901 gatgtatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
3961 ttccctggccca tggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4021 caggggttccca ttccctggatggatggatggatggatggatggatggatggatggatggatggatggat
4081 tgccggaaagg cccaaagtcc tggatggatggatggatggatggatggatggatggatggatggatggat
4141 gggccgtgtc tggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4201 aggggttccca gatctcgatggatggatggatggatggatggatggatggatggatggatggatggatggat
4261 agagggttccca gctgggtggc ccagggtgg
4321 atccacttggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4381 ctccctggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4441 gtggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4501 tcatctaaagg cctcgatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4561 tctatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggatggat
4621 ccccaaagag ctcacatggatggatggatggatggatggatggatggatggatggatggatggatggatggat

8521 cgggaggatg ctagaaaccc aagcgcctac aggagcaagg caggtgacaa gtcaatgagg
8581 caggctggtt gcacgaaaag taagtccatc ttgtgtttc ccagtttga aggagaaaagg
8641 gtacagagga atatttcctt attagaatag agtgggggtc ggtgataagg agtggcgagg
8701 actgtggcaa acccaggtgc ccagggcacag ctgaaggagg caacatccgc ccagtgtgg
8761 caggaacaga ggcggcagac tgctggatca gatttctcag gtcaatcgtg aatctggat
8821 tctacagaca cctacccat agtaaacact ggctcaattt gaaatcgtt atgcagacaa
8881 aacaacgcat cctcccccgc accactttt tccagaaccc tggataaga gccctgcgt
8941 ggkagcccc ttcttccatc cctcgacat ggtccaccc tggccgatca cctctctct
9001 cccagatgtc ggcttctgtg gttcagcctg gttccaccc cgctcttagc agccaaatgt
9061 atcttgcgtc tgcggcaaga caatttattt aatattgtat ttgtgtttt gttcttgctt
9121 cgctttgttc tcggcccaat ccaagaaggc agcctgccaac ttctgttctc caaccccaag
9181 gaggttgtgc tgcagggtcc agagctaaag gggtctatga ccccttctg gcttgggt
9241 tctgaggaga ctccctgagg agggggcaga ggggagggtt ggggtgcatt ggcacaggga
9301 gggaaagctg cactggggcc aggggagccc tggggaggcag gacttcagga gacatgagag
9361 tggcttagac cctggggagcc tgggtccctt caggggggtac cccaagaatg agaggagagg
9421 gttacccatc tggccggca cccaggact caacctgcca ctgggagctt aactgacaag
9481 ccacagatct gcttgcgtt cctctctc tctgccaacatc tccaagggtcc
9541 cagccatctc ctgacggcagc cagaggagcc cagggggcaga gatctgttcc ttgctgggtc
9601 tggagcattc aagggtctatg gggatccat gggccctt cattgacattt gtgcccagag
9661 gccaggccaa ggtctgtgtg cattttttt aacggccctt ggtcagtga ggaaggatgt
9721 gggatagaag gggacagtgt ggacttgaga tgcattgcagg tttgtgtgtt ggcacatc
9781 gagggtcagg acctgggtgc aggagcttag gggattggta gcaaggcaga agaggcggc
9841 aggcaagac ggcaccatc tctggtttgc gggatggta gcaaggcaga agaggcggc
9901 cggaaagggg acggcaatgt ccagaggaag agcgtgggtt ccgcgttgc gaaacatgtt
9961 tcacggcaat gtcttctc gccagcttgc tgcggggaa gagctgggtt gtttgcatt
10021 gggagctctc ccacttctgg ggggtcagcc tttgtgggtt atcagtcctt aacccgtatgt
10081 gggacccatg ttagggccat ggagcacagg ttcgaaagga ctgaaaactg gctgaagtgg
10141 gtttgcctgg tggcagcacc caaaaacaacc atccgcaccc tcaggtcat gcaccccaaga
10201 gcccccttc ctccacccac ttctccctact ccatgagac tacaggcagc cttgggttct
10261 gcatgcctt aaggactctt cacagaaagaactt aactgtatc caggcagaga catggggca
10321 gctggacagg tctggggccc aggagggaaatg tctgggttcc cctgggacag ggcaaggccc
10381 tcgctactgg aggcaatgtt aacccaaatggg aagagccaaatg ctcaggttcc tccgctgaga
10441 cctccagccca aggataactgt cctgacatgc agtgaacttcc cctgtgggtc acttgggtc
10501 cagggggacc acctgttggg atgcacccctt ctttgcctt ctgcacccctg gcctgcattc
10561 aggaggccag atgggtccct gctgcctggg gcaccccccgc cccacccatc ctgtgcctt
10621 gctatgtatc aagccctgggaa actgtgttcc ccctgagcga gaagaagaca catttctcat
10681 atatggatct cctccagaag tgagggaggg tgcactgtt gtttccactg aggagtctt
10741 caccagctcg ccctggatcat ctacgttccctt cccagtcctg aatgcacccctg acttccatgt
10801 gctgtctcggt ctctgcacgg ctcttcattttt aaagtctgtc tttgtgtactc cacctgttcc
10861 tagctgtgtc gaggggggggaa ccaggagtga gccgttagcact cctgggtctt gcaaagggggg
10921 tggctgcagg accaggcagg gacttttacag ggcaggccatg ccctcccttccagg ggcagcccg
10981 ggcacccaggc ctccagagca gggggcggtt gatgggtgtt tagtggccggg gatggacatt
11041 tcgagggccctt ggggtgtcat ggttagctgc ggttccacccctt cctgagtgag gcaaggccctc
11101 tgagggcaga ctcttcacag cggcagcagc tcccaagaactt cccaggatc tccctaggccc
11161 ccagaagagc caggcgggag aagccctgcag tagggctgtt gatgaagtcc agggggccat
11221 ccagccctagg atgcaggagg agtctgtatg gggctgaccc tagtcagag cacgggaaca
11281 gatgagtttcc caagaggctg atccggatccctt ctacaggggc cccaggacag tctgtcacccc
11341 tcatggagggg ctctgcaccc cctgtttggg ggtgacatcg accactgcag acatgggttc
11401 ccaactggggc tccactgccc gagtgctctg gggccctggg ccaggctggc tttttccagag
11461 tgcagggtcc ttcttggccat tcatgatgtc ccacccatgtt ccacatggag accctcttgc
11521 ctatgtgttcc tcaagagat gcccagatgc aggaggcaga cactcttccca gggccctggg
11581 gcctcccttcc acgaggccatc ggggtgttcc cccaaaggatggt gatgggtttt cttccgggttc
11641 agccctgtttt gctcccttgg cccgggttgg aaagggtctt gggatgtcc tggaaagaccc
11701 agggatccca ccatgaggtt gggggggcag atctgagggtt ctttagggagg caagagctt
11761 atggccctca ctttgggtca gaaggttactt ttgtgttgc tttttccagggtt ctgtcaggag
11821 gcttggccag ggcaagggtt agggaaacactt gcccggccctt gaaaccttgc cccaggcttc
11881 aggggtctgg gtaacccac gggcccttggg gaaacaggccag gagcttaggg gggccctggg
11941 ctttgggtgg acgagtaggc tgcgtccagg tccaaatgttcc agcccatcc tggccgggg
12001 accctggctc tgagctgccc gccgggtttcc ttcttccctgc tgcgtatgtt cacctgcaccc
12061 atggggcacc tactggggat tgcgttgcgtt ctgtgttgc cctctgtatc actaaagctt
12121 aactgttccctg agggccgggtt ggttgcgttggg cccggatgtt gggcccttgc ctggccaccc
12181 ctttggccatc ttagcccttc acggagcaat cccggcttcc gttttccatg
12241 ccaggatgtt gcaaggccatc cggccaggagg accccggcttgc ctggccgttgc agtgtatgt
12301 gaaatgttgcac gaggccatcc tttttttttt gggcccttgc gggcccttgc

12361 gacgttctcg ggaggcctgg ggaagtgagc ccaaagggcc gccccggcag atgctgaccc
12421 cagcaggaag tcaccgtccg caaggagcgc cccgctaggc tcaggtttgg cacacgcac
12481 ctcgcttcca cttcatttc ctaccttcg gatgacgaac tgctgtctcg acaactgaaa
12541 ggactgcct gagtccaca gcccggaaaga ggtcggggtc ctgcctttcg cgcggggcgg
12601 gcagaggaag ggccggggcc gaggcgccac cagggtggcgc tgctggcg agaacagcgg
12661 cccggggccgg ggacgcaccc ggcgcccaga ctccggggcc gcaccggc tccggggcc
12721 ccagcggccc caagacagcc tctgggcctc accctaaata catcaattat gacctgagca
12781 aaaagttctg ttccaatctg tgctctccga cattttcatt gtttgcctg gaaggagctg
12841 aattatctat gctcttcctt cttcagtca aggagacgtg ggaggaaacc gggatgggga
12901 tcagcagcct ggaggccgcc tccgctggaa cccgcggcc cccggccagga ggctctgcct
12961 gctgggcaag ggcgcactcag ccagccccgc agggccgac ggcacccgagg ctcaccaagt
13021 ccactgcagg tggcagggtga ggtcacctgg gcagctctag gcccggccga aatatctcat
13081 ctgctctgtt ctggggcaag ttacccatc tgccccacc tgcaaaatgg gcacaactgc
13141 agtccggcgc ttggagctgg ggggttccg cccatgcacg ttccaggcagg gtgcagtcag
13201 cggccacaaa tggcccttgc cttgttctc gccgtgtgt tgatactgtt ggagtataac
13261 accgtccct ggggactggc ctacccgcgt gggctggc atgcctttca gggatgcgg
13321 cttcagcaaa gtttctcaac cgtccccatc ccagggggc cctctgcct cagaccagcc
13381 tcctaaacag gtgcaggata ggacagcagg gaggttgggt tctgttgagc agaccacatt
13441 tctcaacctc agcactccag atattttggg ccagataatt cctgttgggt gaggcgggca
13501 ccctgttcat ggcaggatgt tgagcacacc cctgggcaact ccttgccaga accccagtgg
13561 accctcccccc tagtcgtgac aaccaaaagt ctctccagac actgccaaat gtccccggg
13621 tggggggagg ggtggcaaaag tcactttgg ttgggagca ctgaccctca ggggaccagg
13681 acaaggagcc tgaagctgg gctctgtacc agccgggatc acagagtcca gcccctcc
13741 ccagagcaga gtggctccac cagcgtgtgg ccccgccggc gccgctcgcc ccctggagcc
13801 agggctctca ctgtcaaatg gggatgatca cagcgcctac tccacagggt tgctgtggg
13861 gtgagggcat aaagtccatc aaagggttcc agacgggtcc tgcccaagaa gaagctctac
13921 aaacagtcatc ttgcacgaac gcctttatga ttgtcgcat tcctttgtg tgctggggtt
13981 tcacagacct cctcttatgg gggaaactaa ggccccatga tgtaaatttgc tcaccaaaag
14041 gtcccacgag tatggacaaa gccagaatga atggcaggga caagtcctca ccatccctgc
14101 tctgtgagca catgttctac cgtcccccc agctgatgc aaagtggct ccccaaggc
14161 tggaggtctc ttgttccagg cagggcttac agatcaaattc tcattacgac agagaaccac
14221 gagagctggg gcaggaggcg tgacacccat ttctctgcca gaactcccat atcggtccag
14281 cattttgttt ccagccatct tccccaaagc ctgggaagct attccagag agagccaagc
14341 tgccagaaca ggattctcaa cttaggcctt cccaggcatg agccagtgca ggcctgtgg
14401 gaggcagaag aggggcctcc tgctagaatc tgaatgtgt gtccccaca tttgaaagg
14461 tgaagactga gaaccaatgt tatgttatta ggaagtgtgg tctttgagag gtcattaggt
14521 catgaggggtg gagtctccat aaatgagatc agccacccat caaaagaagc ctgagggagc
14581 ctgttccacc tccatcatg cgagggcaca gctagaagg gccctctagg aggaatggg
14641 ccttacgaca catcgatct gctggcggtcc tgcttttgg cttccagcc cccagaacag
14701 ttagtaacac aattccattt gtatataatt actcagtcttta agtattttct gttattgcag
14761 cccaaacaga ctaaggcacc tcccaaggc agtgtccagc cttatgtccct cctatgttc
14821 tgacccagg taggtctggg tgaggagggt gatggaggat gatgtgggt ggcacatcatg
14881 cttgcaccc ctatcaggtt ggggttggg acccagatgc tcaggaggac aggggctgt
14941 ccctggggtg aggcatgggg tgggttccc acctcatccc ctgtccaga tccccaggc
15001 ccttgtata tccctccctt accttactt cctggcccttc ctgcaccatg gctggccac
15061 tctaaatctt ctaccctata ggtgggtggg tgggcacacc aagcccccac cccacggacc
15121 tctctctcg tgctttccac taagagactc acatgcagaa ttctcagac ctttaccc
15181 caatgtgaa aaatccagc aaggatccaa cactttgtc tgactgtgg tttataaca
15241 agacactta tgccttctc tgatgtctcc caagtctctg attttccattt gctttgattt
15301 tcatcatctt agggaaatatt taaaatgaga acagttgagt agtttggta ctttctcaaa
15361 aaatcaatttggaaagccagt tgctatgca cctcaagtttgc tgccatgtc ctgctccctg
15421 gctgggttta tattgtataa aataagatca tctttttct tctgttttt ttaagaat
15481 ggagaaaaat gtttttttag gaaaaacttg agataactca gaggttctc ataagctaga
15541 agacaaacat gtcactcaaa caagtgtctac caattttatc cccactggag cctgggtgagg
15601 cctgggggac aggcaatggg ggagcggcag gtggggagct ggtctatttc tgcaccaatt
15661 tggatgtaa aacaggaacc gagatctgg gccacttctt gcccaagtct gggtcatgt
15721 ctcacatccc ccagagttcg tccccaccgt gggggggaca gtcagcccc ctccgtactg
15781 ccatcgccctt ggttttgcctt tgctaaaattt cttctagaga cggggccctc attcccttgac
15841 ggaaggctgt tggttccctt aagagcaggt catcagaatccat cccatccacc atgtgcaaaa
15901 cttgtcccccc agagccccatc cgagaatccc tggctgtgt tctctgtgag caaaagggt
15961 ctgttccctt ggacacagga gctaggcctt ttggcccttccat atctttggctg ggaagtc
16021 atccctggctg ctccatccat ggtttccat tgcctgcac cctgtgtat tccttgccgg
16081 tgctcaccac tctgtcgctg tctgtctgc tgctactgccc tggacacagg gtcctctcc
16141 ctcctcggtt catgcacccctc cctggattt aacagcagct gtcgggaag ccagaggctc

20041 ggcactatctt taattatctt cactttacaa gatgtttgga ggaagtctct tacttgcttg
20101 ggtcccacag ctgtctcgcc cattcttgac cgttcatgtt cctttggagg aagtctcttc
20161 cttgcttggg ttccgcagct gtctcagcca ttcttgacca ttcatgttcc ttggaggaa
20221 gtctcttccct tgcttgggtt ccgcagctgt ctcagccatt ctgaccattt catgttccctt
20281 tggaggaagt ctcttccttg cttgggctcc gcagctgtct cagccattct tgaccgttca
20341 tgttccttgc gaggaaagtct ctcttcctgt tgggttccgc agctgtctca gccattcttg
20401 acgcttcatg ttcccttggaa ggaagtctct tccttgcgtt ggttccgcag ctgtctcagc
20461 catcttcgtac tggtcatgtt ccttggagg aagtctcttc cttgcttggg ttccgcagct
20521 gtctcagcca ttcttgaccc tccatgttgc ttggaggaa gtcttccctt tgcttgggtt
20581 ccgcagctgt ctccagccatg ctggaccgtt catgttccctt tgaggatgt ctcttccttg
20641 ctggggttcc gcagctgtct cagccattct tgaccgttgc tgttcttaga tggtgcttag
20701 aatcaattca taacatttcc aactatgaat ctgggaaagg ccaacctctc gattatacc
20761 agcttcccat gaggacagca tttgtgtt catttgcattt cacttcttc ctatcattaa
20821 tcaggtacaa ttcccttcca atgggtccat tgcattgtca ggactattcc aggtattct
20881 cattttggt tactaccata atggaaattt tctctccctt ttttccccac taccaggct
20941 gttgtttttg gttcacacag aagctactga ttttttaaac aatgtctga tatttggcca
21001 catcaccaga ctctctcttca aactctaca gttRtaccgtt ggatctttt aggttttccc
21061 gacacatgt taacagcaaa caatRagaat ttgtcttgc tcttcccaa tactagttt
21121 atgtcacata caagtatcta ggatttcag aaccacagta actatttat gggatctttt
21181 tggttgttgc ttccaaagac tatttccagg gcagtgctcc ccagagcagg ttcagcaggc
21241 tgcggatctg ctgagcaaga agttccgtg gagaaaggtt tcagagacca ctgtactgc
21301 tcggactctc ggaggtacac catgcacagc tccacagggaa agtctccggg aaatttcc
21361 cccaggaatg cccattttcc tttgttgc cagcattttc cagacttctt tgaccttggg
21421 acccctctat agtccctgtt aacatctact catatcctaa gaattcgtc tgcagaacac
21481 ttttagggaa atgtgttctt tttccgcct ttaaatacaa tcttgggtt ctgttgc
21541 tctgttacta gttttcttggg gatctggaaa aggaggagtg ccctgtgagg ggctaygggg
21601 ccgtcaegcc ctggccctgc cagaggcttc aacactggag ccctgaggcc tctctcc
21661 gctcccccta ggcagcaagc tccatgc tgcagttgt tctgttgc
21721 accccgcagg gctccgacc cacatccaca tcttcttgc ctccctccgt gggatggcac
21781 caggatcc ttaactgcaca tctcagctgc ccttcagttc ttccttcctg tgctccccaa
21841 tctcagggggt tgataccatc atctaccagg ctagaggtt ctccgccttc
21901 tgccacatcc tctcgaagtg gcctcctctg tcttcctgtc tgcacttgc
21961 tggccccagt ccagctgcac gcacccccca tttgatggca gtgactgtct cctaaggcc
22021 tgctccacc tgcccctct gcacacagga gcaagtgtac ttcttagaaa tgcacatgg
22081 atcggtcac tgcttaaagc tgccctcatg ggcaagccaa accccttggc
22141 ggtctgtct gtccttgcg atcggtctt tccgacgtct ttggatttg
22201 cctgtccctg tgctcgctcc tctgggttca gctgcccctcc
22261 ctcagagcat ctctatgtct gtgacttcatc
22321 cacttccccc ctgtgtttt cctgacccctt
22381 ccatccagcc ctgagccctg gtacaattgt
22441 gtccccctgag gacagagact atggcgttgc
22501 agccccctcaa acatgtttt ttagaggatg
22561 actgtatgaa tagatttccct gatattaaac
22621 tgatcacggt agaagttct ctttatacat
22681 ttttacttct attttttagaa gtgagacagg
22741 gcatcttgg gtataagggt
22801 acatgagttt acagggtatt gtattgtct
22861 atgcactggc aaaacttgg
22921 ttatggcata ttctccatct ttggagtca
22981 tcaatttccc caggatctcc gtgtccctgg
23041 gtttgcattt ctctgtcaaa tggttgcatt
23101 gcagtttaagg aaaaaaaaaa
23161 atagaggctg ctaaggagta
23221 gggaaagagc agacacttt caggccaaat
23281 caattaaccc tagtcaatta caaaattctt
23341 gaaaatgca gcccaccc
23401 tctagccccca ggaccaggag
23461 gtccatctct catgccccaaag
23521 agggacagggc tggaaagacc
23581 aggcagccag ccacatggga
23641 gagagcttgg
23701 caaagcccccc
23761 gccagcattc actggcagag
23821 ctccgaagtg gccggctcc

23881 catgcttcc tttctgccag gagaagtata tttttgtat cacattacat atactcttc
23941 tcatcttta gtttgcct tctcttttt tttcttagatt aaataggta gaggggttgc
24001 tttccMaag ctctcttctt cattgattct atgtgtttt tccatttct aatttattga
24061 ttctgtttt ttcgtacta tttcttatt tttgttttcc ttaagttttt gttttgttg
24121 ctgtgaaat tcattcaaat gtactgagtt gaaggcaggg ctaatgtgtg tcgaacatata
24181 cacccaagga agaagctttt ggaaaacatc tttgtttttt tttgtttttt gttttgttg
24241 cacattccaa aagatttgac agtagtgctc ttgtttttt tagtgttcca aatagtctgt
24301 actgcagtcc taatatttc tttcttgct ctgttaccca ggctggagcg cagttgttg
24361 atctcagctc actgcaaccc tttcttcccg gttcaagca attgcacccac ctcagctcc
24421 caaatagttt ggactacagg cacatgccac cacacccggc taattttttt atttttttgg
24481 tagagacagg gtttccaccac gtttagctagg ctgttctcaa actcctgacc tcaagtgtac
24541 taccacccctt ggcctcccaa agtgcgttta ttacagggtt gaggcaccat gcctggcccc
24601 tagtaggtt tttttttttt taatgttttca aatgtattt gatttttttta gttttataaa
24661 ttctgtgcc cccaccctt cttttagca tttcatcagc gaagatggac aaaatcgtt
24721 tagtgtata aaatttccaa tttttttttt atgacccaaa acacttctgt aatttttttaag
24781 tttctatgtt ttcctcgaaa agaaggttca tttttttttt tttctgttagg gcaaggggaaa
24841 cagtgtata actacttaat tagtttact ctttgcgttca ttcaaaaattt ctatgcctt
24901 tttagcatcta atctgtgaaa ggctttaaa agtgtattttag agactctcat agtttagttt
24961 ttgccaattt cccctttgtt ccaaggattt gttttggat gttttgtgtt ctcttgggg
25021 acacgaaggc ctgcaactgg catccgcctt gttttggat gttttgtgtt ctcttgggg
25081 tgcttgggtgg gtgttagggaa gtggcccaa atctacttag ttttcttggg atcccttctg
25141 ccacccggagt ctttgcgtcat ctttttaca tttttttttt tttttttttt atgcagttt
25201 attttatattt ttgagactga gtttctttttaa gtttgcgttca aacatccat atattatct
25261 gatgtatttgc atccattttt gtttgcgttca tttttttttt tttttttttt atgcagttt
25321 tctgtgtctt gggtaagaag ctttgcgttca tttttttttt tttttttttt atgcagttt
25381 gggcatgtca cttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
25441 cttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
25501 ccacacggctt ggtacaggca ctttgcgttca tttttttttt tttttttttt atgcagttt
25561 tcctctgtctt gtttgcgttca tttttttttt tttttttttt tttttttttt atgcagttt
25621 acccatgtcac accggccagga aaggacgtcc tttttttttt tttttttttt atgcagttt
25681 gcaagagagc ccacccggat gtttgcgttca tttttttttt tttttttttt atgcagttt
25741 acggggggcag aagtccaaagg ggggttgcgttca tttttttttt tttttttttt atgcagttt
25801 cgagccttgc tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
25861 gaaacaactc atccatgagc acatccat tttttttttt tttttttttt tttttttttt atgcagttt
25921 cccacccac tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
25981 cccacccac tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26041 gccaacccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26101 tcaggctgtt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26161 gggcccccgtt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26221 gtgaacaata gtttgcgttca tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26281 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26341 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26401 cccggcttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26461 acgttgcact tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26521 gggcaccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26581 cccacccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26641 cacccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26701 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26761 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26821 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26881 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
26941 attacccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27001 atgttttaac gtttgcgttca tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27061 ctgttttgcgttca tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27121 tacacgtgtt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27181 agcagatata aagggttgcgttca tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27241 cacccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27301 gggcccccgtt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27361 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27421 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27481 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27541 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27601 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt
27661 cccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt atgcagttt

77721 cttcccgag cctgctgcca cgtcaggcca gcacacactc cctgcactcc aatctgtaga
77781 gcctgcatt gagcaacagt gattgctacc tcaaaacagt gggaggcac ctcaggaaac
27841 cYgagggttc acaaggagaa tgacatcatg atggatgggt ggacaggcat acagggcgtg
27901 caagacaagg atcccgaggc ccgctggcat cggtctggg aacaagatg gcaccgatcg
27961 tggggcagag ttcatgacat gtggaccctg ctgagggtac catccagccc aaacgcagct
28021 cctcttgca actgctgccc agcaaatcta catctgattg taaatgggt ccccacaact
28081 cccaccccttc tttcttatag gcaagggaca actcataga cccacggag cgtggctgg
28141 caccgtggct ccgggtgtg ggcgtctgg gagggtgggt cagcaacccc ttagggcgt
28201 gagggttac ctctagaccc ccagtgaccc atctgcctt tgggtctggc aagatgggc
28261 tccgaggagg gcaccagggt cttctgtaaa tgaggattgc agtccccca tcacaaagct
28321 atgcagggtgc aatggaatgg tgcttgca aacaatgaaa cgggtttca ttgctgtaa
28381 accatagtgc cctgcagtc cctgtgaggt cctggggta gggatgcac ccctaaacc
28441 cagaagtct tgcccgaccc tgagggtcag actagattgt ttagtccacg ctggcacagt
28501 agccttaaaa gccagtttt ctttctctat cacgacaaag cttggccagc ttggctcatg
28621 cccactgcag ctgaagggag cagaatagga gagaggagaa aggccaggga tgaggggca
28681 ggcttctctt catcctcaac cccaaacctca caggtcatac agaacagtcc tgacatctga
28741 gaaggaagga aatgcggaa agcttccatgc agtaggagtg gcttccaggg cccaaacctt
28861 gagagggtgg cccagctccc agctgtgtg agcagatgcc agggtccccct
28921 gacacatggg caagatagtt ggggactggc ttgcagggtt acctggctt
28981 accaggttc agggcaagcc cagggggca ctggctaca ggagaggagg
29041 ttgcaaggct actcgaggg ggactcatcc ctactgcctt
29101 aatggggctt ttgggaggtt attaggggta gatgagttca tgggggtggg
29221 tagggttagt gtccatagg aacagacacc agagaccc
29281 ggaggaccca gcaagaaggc ggctgtctgc aaaccaggaa gagaatcc
29341 gaccagctg gcaacatgat cttgaaattc ccagtttca
29401 ctgtgattt aaccctggg tctatggcat tttgttatac
29461 aaaggcttt tgggaaagag actgagccac
29521 tattctgggg ctgagtgc
29581 ctggccaggc gcagtggctc
29641 atcacctgaa gtcagaagtt
29701 taaaaataca aaattagcca
29761 gctgaggcag gagaactact
29821 tattctgact ccagcctggg
29881 aaagaatgaa agaaagttgc
29941 ctcaccgtcc acacagaccc
30001 ttctcaaact aaactgaccc
30061 ggctggcg agcctgaccc
30121 gaccagcg aaccactgccc
30181 tcctgcccagg agcgaggag
30241 cctcgaggga aaggcaggga
30301 ggaaggacgt ggcattgtcat
30361 gatggcgctc ctggcagagg
30421 gcaccccttca agcacagagg
30481 agcaactgagg ccagaccacg
30541 ggaggacatg gaggaaaggat
30601 ggaaaatgaga tggaaagggt
30661 cagagaaggg acggatgtga
30721 gaggcaggag aggtggggc
30781 ggagatgcgg ggctggccct
30841 atcttccac tctcttagcc
30901 ggaatcttgc tgccttctga
30961 gaggtgacca accactccaa
31021 tcagcctcac attctgttgc
31081 gctaggcgt ggccttgc
31141 ccaccccttgc cgctgggtgc
31201 taactggggc tccctggctg
31261 aggttagccag ggagaaggag
31321 gtagccttca actgtgggtc
31381 ctcccttcca caccagcaca
31441 gcctgagcaa ggcgtgggt
31501 ggcYtggat cctqctccqg
31561 ggccttgc
31621 ggccttgc
31681 ggccttgc
31741 ggccttgc
31801 ggccttgc
31861 ggccttgc
31921 ggccttgc
31981 ggccttgc
32041 ggccttgc
32101 ggccttgc
32161 ggccttgc
32221 ggccttgc
32281 ggccttgc
32341 ggccttgc
32401 ggccttgc
32461 ggccttgc
32521 ggccttgc
32581 ggccttgc
32641 ggccttgc
32701 ggccttgc
32761 ggccttgc
32821 ggccttgc
32881 ggccttgc
32941 ggccttgc
33001 ggccttgc
33061 ggccttgc
33121 ggccttgc
33181 ggccttgc
33241 ggccttgc
33301 ggccttgc
33361 ggccttgc
33421 ggccttgc
33481 ggccttgc
33541 ggccttgc
33601 ggccttgc
33661 ggccttgc
33721 ggccttgc
33781 ggccttgc
33841 ggccttgc
33901 ggccttgc
33961 ggccttgc
34021 ggccttgc
34081 ggccttgc
34141 ggccttgc
34201 ggccttgc
34261 ggccttgc
34321 ggccttgc
34381 ggccttgc
34441 ggccttgc
34501 ggccttgc
34561 ggccttgc
34621 ggccttgc
34681 ggccttgc
34741 ggccttgc
34801 ggccttgc
34861 ggccttgc
34921 ggccttgc
34981 ggccttgc
35041 ggccttgc
35101 ggccttgc
35161 ggccttgc
35221 ggccttgc
35281 ggccttgc
35341 ggccttgc
35401 ggccttgc
35461 ggccttgc
35521 ggccttgc
35581 ggccttgc
35641 ggccttgc
35701 ggccttgc
35761 ggccttgc
35821 ggccttgc
35881 ggccttgc
35941 ggccttgc
36001 ggccttgc
36061 ggccttgc
36121 ggccttgc
36181 ggccttgc
36241 ggccttgc
36301 ggccttgc
36361 ggccttgc
36421 ggccttgc
36481 ggccttgc
36541 ggccttgc
36601 ggccttgc
36661 ggccttgc
36721 ggccttgc
36781 ggccttgc
36841 ggccttgc
36901 ggccttgc
36961 ggccttgc
37021 ggccttgc
37081 ggccttgc
37141 ggccttgc
37201 ggccttgc
37261 ggccttgc
37321 ggccttgc
37381 ggccttgc
37441 ggccttgc
37501 ggccttgc
37561 ggccttgc
37621 ggccttgc
37681 ggccttgc
37741 ggccttgc
37801 ggccttgc
37861 ggccttgc
37921 ggccttgc
37981 ggccttgc
38041 ggccttgc
38101 ggccttgc
38161 ggccttgc
38221 ggccttgc
38281 ggccttgc
38341 ggccttgc
38401 ggccttgc
38461 ggccttgc
38521 ggccttgc
38581 ggccttgc
38641 ggccttgc
38701 ggccttgc
38761 ggccttgc
38821 ggccttgc
38881 ggccttgc
38941 ggccttgc
39001 ggccttgc
39061 ggccttgc
39121 ggccttgc
39181 ggccttgc
39241 ggccttgc
39301 ggccttgc
39361 ggccttgc
39421 ggccttgc
39481 ggccttgc
39541 ggccttgc
39601 ggccttgc
39661 ggccttgc
39721 ggccttgc
39781 ggccttgc
39841 ggccttgc
39901 ggccttgc
39961 ggccttgc
40021 ggccttgc
40081 ggccttgc
40141 ggccttgc
40201 ggccttgc
40261 ggccttgc
40321 ggccttgc
40381 ggccttgc
40441 ggccttgc
40501 ggccttgc
40561 ggccttgc
40621 ggccttgc
40681 ggccttgc
40741 ggccttgc
40801 ggccttgc
40861 ggccttgc
40921 ggccttgc
40981 ggccttgc
41041 ggccttgc
41101 ggccttgc
41161 ggccttgc
41221 ggccttgc
41281 ggccttgc
41341 ggccttgc
41401 ggccttgc
41461 ggccttgc
41521 ggccttgc
41581 ggccttgc
41641 ggccttgc
41701 ggccttgc
41761 ggccttgc
41821 ggccttgc
41881 ggccttgc
41941 ggccttgc
42001 ggccttgc
42061 ggccttgc
42121 ggccttgc
42181 ggccttgc
42241 ggccttgc
42301 ggccttgc
42361 ggccttgc
42421 ggccttgc
42481 ggccttgc
42541 ggccttgc
42601 ggccttgc
42661 ggccttgc
42721 ggccttgc
42781 ggccttgc
42841 ggccttgc
42901 ggccttgc
42961 ggccttgc
43021 ggccttgc
43081 ggccttgc
43141 ggccttgc
43201 ggccttgc
43261 ggccttgc
43321 ggccttgc
43381 ggccttgc
43441 ggccttgc
43501 ggccttgc
43561 ggccttgc
43621 ggccttgc
43681 ggccttgc
43741 ggccttgc
43801 ggccttgc
43861 ggccttgc
43921 ggccttgc
43981 ggccttgc
44041 ggccttgc
44101 ggccttgc
44161 ggccttgc
44221 ggccttgc
44281 ggccttgc
44341 ggccttgc
44401 ggccttgc
44461 ggccttgc
44521 ggccttgc
44581 ggccttgc
44641 ggccttgc
44701 ggccttgc
44761 ggccttgc
44821 ggccttgc
44881 ggccttgc
44941 ggccttgc
45001 ggccttgc
45061 ggccttgc
45121 ggccttgc
45181 ggccttgc
45241 ggccttgc
45301 ggccttgc
45361 ggccttgc
45421 ggccttgc
45481 ggccttgc
45541 ggccttgc
45601 ggccttgc
45661 ggccttgc
45721 ggccttgc
45781 ggccttgc
45841 ggccttgc
45901 ggccttgc
45961 ggccttgc
46021 ggccttgc
46081 ggccttgc
46141 ggccttgc
46201 ggccttgc
46261 ggccttgc
46321 ggccttgc
46381 ggccttgc
46441 ggccttgc
46501 ggccttgc
46561 ggccttgc
46621 ggccttgc
46681 ggccttgc
46741 ggccttgc
46801 ggccttgc
46861 ggccttgc
46921 ggccttgc
46981 ggccttgc
47041 ggccttgc
47101 ggccttgc
47161 ggccttgc
47221 ggccttgc
47281 ggccttgc
47341 ggccttgc
47401 ggccttgc
47461 ggccttgc
47521 ggccttgc
47581 ggccttgc
47641 ggccttgc
47701 ggccttgc
47761 ggccttgc
47821 ggccttgc
47881 ggccttgc
47941 ggccttgc
48001 ggccttgc
48061 ggccttgc
48121 ggccttgc
48181 ggccttgc
48241 ggccttgc
48301 ggccttgc
48361 ggccttgc
48421 ggccttgc
48481 ggccttgc
48541 ggccttgc
48601 ggccttgc
48661 ggccttgc
48721 ggccttgc
48781 ggccttgc
48841 ggccttgc
48901 ggccttgc
48961 ggccttgc
49021 ggccttgc
49081 ggccttgc
49141 ggccttgc
49201 ggccttgc
49261 ggccttgc
49321 ggccttgc
49381 ggccttgc
49441 ggccttgc
49501 ggccttgc
49561 ggccttgc
49621 ggccttgc
49681 ggccttgc
49741 ggccttgc
49801 ggccttgc
49861 ggccttgc
49921 ggccttgc
49981 ggccttgc
50041 ggccttgc
50101 ggccttgc
50161 ggccttgc
50221 ggccttgc
50281 ggccttgc
50341 ggccttgc
50401 ggccttgc
50461 ggccttgc
50521 ggccttgc
50581 ggccttgc
50641 ggccttgc
50701 ggccttgc
50761 ggccttgc
50821 ggccttgc
50881 ggccttgc
50941 ggccttgc
51001 ggccttgc
51061 ggccttgc
51121 ggccttgc
51181 ggccttgc
51241 ggccttgc
51301 ggccttgc
51361 ggccttgc
51421 ggccttgc
51481 ggccttgc
51541 ggccttgc
51601 ggccttgc
51661 ggccttgc
51721 ggccttgc
51781 ggccttgc
51841 ggccttgc
51901 ggccttgc
51961 ggccttgc
52021 ggccttgc
52081 ggccttgc
52141 ggccttgc
52201 ggccttgc
52261 ggccttgc
52321 ggccttgc
52381 ggccttgc
52441 ggccttgc
52501 ggccttgc
52561 ggccttgc
52621 ggccttgc
52681 ggccttgc
52741 ggccttgc
52801 ggccttgc
52861 ggccttgc
52921 ggccttgc
52981 ggccttgc
53041 ggccttgc
53101 ggccttgc
53161 ggccttgc
53221 ggccttgc
53281 ggccttgc
53341 ggccttgc
53401 ggccttgc
53461 ggccttgc
53521 ggccttgc
53581 ggccttgc
53641 ggccttgc
53701 ggccttgc
53761 ggccttgc
53821 ggccttgc
53881 ggccttgc
53941 ggccttgc
54001 ggccttgc
54061 ggccttgc
54121 ggccttgc
54181 ggccttgc
54241 ggccttgc
54301 ggccttgc
54361 ggccttgc
54421 ggccttgc
54481 ggccttgc
54541 ggccttgc
54601 ggccttgc
54661 ggccttgc
54721 ggccttgc
54781 ggccttgc
54841 ggccttgc
54901 ggccttgc
54961 ggccttgc
55021 ggccttgc
55081 ggccttgc
55141 ggccttgc
55201 ggccttgc
55261 ggccttgc
55321 ggccttgc
55381 ggccttgc
55441 ggccttgc
55501 ggccttgc
55561 ggccttgc
55621 ggccttgc
55681 ggccttgc
55741 ggccttgc
55801 ggccttgc
55861 ggccttgc
55921 ggccttgc
55981 ggccttgc
56041 ggccttgc
56101 ggccttgc
56161 ggccttgc
56221 ggccttgc
56281 ggccttgc
56341 ggccttgc
56401 ggccttgc
56461 ggccttgc
56521 ggccttgc
56581 ggccttgc
56641 ggccttgc
56701 ggccttgc
56761 ggccttgc
56821 ggccttgc
56881 ggccttgc
56941 ggccttgc
57001 ggccttgc
57061 ggccttgc
57121 ggccttgc
57181 ggccttgc
57241 ggccttgc
57301 ggccttgc
57361 ggccttgc
57421 ggccttgc
57481 ggccttgc
57541 ggccttgc
57601 ggccttgc
57661 ggccttgc
57721 ggccttgc
57781 ggccttgc
57841 ggccttgc
57901 ggccttgc
57961 ggccttgc
58021 ggccttgc
58081 ggccttgc
58141 ggccttgc
58201 ggccttgc
58261 ggccttgc
58321 ggccttgc
58381 ggccttgc
58441 ggccttgc
58501 ggccttgc
58561 ggccttgc
58621 ggccttgc
58681 ggccttgc
58741 ggccttgc
58801 ggccttgc
58861 ggccttgc
58921 ggccttgc
58981 ggccttgc
59041 ggccttgc
59101 ggccttgc
59161 ggccttgc
59221 ggccttgc
59281 ggccttgc
59341 ggccttgc
59401 ggccttgc
59461 ggccttgc
59521 ggccttgc
59581 ggccttgc
59641 ggccttgc
59701 ggccttgc
59761 ggccttgc
59821 ggccttgc
59881 ggccttgc
59941 ggccttgc
60001 ggccttgc
60061 ggccttgc
60121 ggccttgc
60181 ggccttgc
60241 ggccttgc
60301 ggccttgc
60361 ggccttgc
60421 ggccttgc
60481 ggccttgc
60541 ggccttgc
60601 ggccttgc
60661 ggccttgc
60721 ggccttgc
60781 ggccttgc
60841 ggccttgc
60901 ggccttgc
60961 ggccttgc
61021 ggccttgc
61081 ggccttgc
61141 ggccttgc
61201 ggccttgc
61261 ggccttgc
61321 ggccttgc
61381 ggccttgc
61441 ggccttgc
61501 ggccttgc
61561 ggccttgc
61621 ggccttgc
61681 ggccttgc
61741 ggccttgc
61801 ggccttgc
61861 ggccttgc
61921 ggccttgc
61981 ggccttgc
62041 ggccttgc
62101 ggccttgc
62161 ggccttgc
62221 ggccttgc
62281 ggccttgc
62341 ggccttgc
62401 ggccttgc
62461 ggccttgc
62521 ggccttgc
62581 ggccttgc
62641 ggccttgc
62701 ggccttgc
62761 ggccttgc
62821 ggccttgc
62881 ggccttgc
62941 ggccttgc
63001 ggccttgc
63061 ggccttgc
63121 ggccttgc
63181 ggccttgc
63241 ggccttgc
63301 ggccttgc
63361 ggccttgc
63421 ggccttgc
63481 ggccttgc
63541 ggccttgc
63601 ggccttgc
63661 ggccttgc
63721 ggccttgc
63781 ggccttgc
63841 ggccttgc
63901 ggccttgc
63961 ggccttgc
64021 ggccttgc
64081 ggccttgc
64141 ggccttgc
64201 ggccttgc
64261 ggccttgc
64321 ggccttgc
64381 ggccttgc
64441 ggccttgc
64501 ggccttgc
64561 ggccttgc
64621 ggccttgc
64681 ggccttgc
64741 ggccttgc
64801 ggccttgc
64861 ggccttgc
64921 ggccttgc
64981 ggccttgc
65041 ggccttgc
65101 ggccttgc
65161 ggccttgc
65221 ggccttgc
65281 ggccttgc
65341 ggccttgc
65401 ggccttgc
65461 ggccttgc
65521 ggccttgc
65581 ggccttgc
65641 ggccttgc
65701 ggccttgc
65761 ggccttgc
65821 ggccttgc
65881 ggccttgc
65941 ggccttgc
66001 ggccttgc
66061 ggccttgc
66121 ggccttgc
66181 ggccttgc
66241 ggccttgc
66301 ggccttgc
66361 ggccttgc
66421 ggccttgc
66481 ggccttgc
66541 ggccttgc
66601 ggccttgc
66661 ggccttgc
66721 ggccttgc
66781 ggccttgc
66841 ggccttgc
66901 ggccttgc
66961 ggccttgc
67021 ggccttgc
67081 ggccttgc
67141 ggccttgc
67201 ggccttgc
67261 ggccttgc
67321 ggccttgc
67381 ggccttgc
67441 ggccttgc
67501 ggccttgc
67561 ggccttgc
67621 ggccttgc
67681 ggccttgc
67741 ggccttgc
67801 ggccttgc
67861 ggccttgc
67921 ggccttgc
67981 ggccttgc
68041 ggccttgc
68101 ggccttgc
68161 ggccttgc
68221 ggccttgc
68281 ggccttgc
68341 ggccttgc
68401 ggccttgc
68461 ggccttgc
68521 ggccttgc
68581 ggccttgc
68641 ggccttgc
68701 ggccttgc
68761 ggccttgc
68821 ggccttgc
68881 ggccttgc
68941 ggccttgc
69001 ggccttgc
69061 ggccttgc
69121 ggccttgc
69181 ggccttgc
69241 ggccttgc
69301 ggccttgc
69361 ggccttgc
69421 ggccttgc
69481 ggccttgc
69541 ggccttgc
69601 ggccttgc
69661 ggccttgc
69721 ggccttgc
69781 ggccttgc
69841 ggccttgc
69901 ggccttgc
69961 ggccttgc
70021 ggccttgc
70081 ggccttgc
70141 ggccttgc
70201 ggccttgc
70261 ggccttgc
70321 ggccttgc
70381 ggccttgc
70441 ggccttgc
70501 ggccttgc
70561 ggccttgc
70621 ggccttgc
70681 ggccttgc
70741 ggccttgc
70801 ggccttgc
70861 ggccttgc
70921 ggccttgc
70981 ggccttgc
71041 ggccttgc
71101 ggccttgc
71161 ggccttgc
71221 ggccttgc
71281 ggccttgc
71341 ggccttgc
71401 ggccttgc
71461 ggccttgc
71521 ggccttgc
71581 ggccttgc
71641 ggccttgc
71701 ggccttgc
71761 ggccttgc
71821 ggccttgc
71881 ggccttgc
71941 ggccttgc
72001 ggccttgc
72061 ggccttgc
72121 ggccttgc
72181 ggccttgc
72241 ggccttgc
72301 ggccttgc
72361 ggccttgc
72421 ggccttgc
72481 ggccttgc
72541 ggccttgc
72601 ggccttgc
72661 ggccttgc
72721 ggccttgc
72781 ggccttgc
72841 ggccttgc
72901 ggccttgc
72961 ggccttgc
73021 ggccttgc
73081 ggccttgc
73141 ggccttgc
73201 ggccttgc
73261 ggccttgc
73321 ggccttgc
73381 ggccttgc
73441 ggccttgc
73501 ggccttgc
73561 ggccttgc
73621 ggccttgc
73681 ggccttgc
73741 ggccttgc
73801 ggccttgc
73861 ggccttgc
73921 ggccttgc
73981 ggccttgc
74041 ggccttgc
74101 ggccttgc
74161 ggccttgc
74221 ggccttgc
74281 ggccttgc
74341 ggccttgc
74401 ggccttgc
74461 ggccttgc
74521 ggccttgc
74581 ggccttgc
74641 ggccttgc
74701 ggccttgc
74761 ggccttgc
74821 ggccttgc
74881 ggccttgc
74941 ggccttgc
75001 ggccttgc
75061 ggccttgc
75121 ggccttgc
75181 ggccttgc
75241 ggccttgc
75301 ggccttgc
75361 ggccttgc
75421 ggccttgc
75481 ggccttgc
75541 ggccttgc
75601 ggccttgc
75661 ggccttgc
75721 ggccttgc
75781 ggccttgc
75841 ggccttgc
75901 ggccttgc
75961 ggccttgc
76021 ggccttgc
76081 ggccttgc
76141 ggccttgc
76201 ggccttgc
76261 ggccttgc
76321 ggccttgc
76381 ggccttgc
76441 ggccttgc
76501 ggccttgc
76561 ggccttgc
76621 ggccttgc
76681 ggccttgc
76741 ggccttgc
76801 ggccttgc
76861 ggccttgc
76921 ggccttgc
76981 ggccttgc
77041 ggccttgc
77101 ggccttgc
77161 ggccttgc
77221 ggccttgc
77281 ggccttgc
77341 ggccttgc
77401 ggccttgc
77461 ggccttgc
77521 ggccttgc
77581 ggccttgc
77641 ggccttgc
77701 ggccttgc
77761 ggccttgc
77821 ggccttgc
77881 ggccttgc
77941 ggccttgc
78001 ggccttgc
78061 ggccttgc
78121 ggccttgc
78181 ggccttgc
78241 ggccttgc
78301 ggccttgc
78361 ggccttgc
78421 ggccttgc
78481 ggccttgc
78541 ggccttgc
78601 ggccttgc
78661 ggccttgc
78721 ggccttgc
78781 ggccttgc
78841 ggccttgc
78901 ggccttgc
78961 ggccttgc
79021 ggccttgc
79081 ggccttgc
79141 ggccttgc
79201 ggccttgc
79261 ggccttgc
79321 ggccttgc
79381 ggccttgc
79441 ggccttgc
79501 ggccttgc
79561 ggccttgc
79621 ggccttgc
79681 ggccttgc
79741 ggccttgc
79801 ggccttgc
79861 ggccttgc
79921 ggccttgc
79981 ggccttgc
80041 ggccttgc
80101 ggccttgc
80161 ggccttgc
80221 ggccttgc
80281 ggccttgc
80341 ggccttgc
80401 ggccttgc
80461 ggccttgc
80521 ggccttgc
80581 ggccttgc
80641 ggccttgc
80701 ggccttgc
80761 ggccttgc
80821 ggccttgc
80881 ggccttgc
80941 ggccttgc
81001 ggccttgc
81061 ggccttgc
81121 ggccttgc
81181 ggccttgc
81241 ggccttgc
81301 ggccttgc
81361 ggccttgc
81421 ggccttgc
81481 ggccttgc
81541 ggccttgc
81601 ggccttgc
81661 ggccttgc
81721 ggccttgc
81781 ggccttgc
81841 ggccttgc
81901 ggccttgc
81961 ggccttgc
82021 ggccttgc
82081 ggccttgc
82141 ggccttgc
82201 ggccttgc
82261 ggccttgc
82321 ggccttgc
82381 ggccttgc
82441 ggccttgc
82501 ggccttgc
82561 ggccttgc
82621 ggccttgc
82681 ggccttgc
82741 ggccttgc
82801 ggccttgc
82861 ggccttgc
82921 ggccttgc
82981 ggccttgc
83041 ggccttgc
83101 ggccttgc
83161 ggccttgc
83221 ggccttgc
83281 ggccttgc
83341 ggccttgc
83401 ggccttgc
83461 ggccttgc
83521 ggccttgc
83581 ggccttgc
83641 ggccttgc
83701 ggccttgc
83761 ggccttgc
83821 ggccttgc
83881 ggccttgc
83941 ggccttgc
84001 ggccttgc
84061 ggccttgc
84121 ggccttgc
84181 ggccttgc
84241 ggccttgc
84301 ggccttgc
84361 ggccttgc
84421 ggccttgc
84481 ggccttgc
84541 ggccttgc
84601 ggccttgc
84661 ggccttgc
84721 ggccttgc
84781 ggccttgc
84841 ggccttgc
84901 ggccttgc
84961 ggccttgc
85021 ggccttgc
85081 ggccttgc
85141 ggccttgc
85201 ggccttgc
85261 ggccttgc
85321 ggccttgc
85381 ggccttgc
85441 ggccttgc
85501 ggccttgc
85561 ggccttgc
85621 ggccttgc
85681 ggccttgc
85741 ggccttgc
85801 ggccttgc
85861 ggcct

31561 cccctcccag cagtcaggaa ccccatgggg cactgtggcc cagagaccac tgaccactgg
31621 cctgggtgg ttcctgtccc ctgcgtgtgc tatggcaaag tccaaccac agtccggggc
31681 cgggtctctt ctgctgtcca gcctctcagt cccctgtaggt taatatgata catcaggaac
31741 agacatgggg ggcaggcagg gtttgcggg catgtgagag gcagggggtgc tccacagtgt
31801 cctgtcttc cgtgggcctg aggagtgagc cccgtctgc cccctctacc atcccagggc
31861 tctacctgtc tttcaggagg ctgcaaaattt gccaaaattt cctgcccgc cctggccaga
31921 ggcctgcagg gcccacccgg gcatggaaac cactgggagt aatcgtgta atccccgaca
31981 aaacactggc gtccctca gacacacagc ggcacattt ctgcagagca gagagtgcac
32041 ttagtggca aaaagagcaa ctgaagacag aaggcgacct ccacatgcct gcctcctgca
32101 catccccctc ctccccccggc cccacccact ttctctgcca gacaggagac aggcggtagg
32161 gctccccaaac ggtccccctc gtgtcctccc cccccccca cccacacaca ccattcttca
32221 ctacgatcac caagcggaaat agatctcacc ttcccccttcc actgtctaaa accctcaacg
32281 gctctccagt gccttcggaa gcagggccca gccccctcgcc tggcattcgg agccctctcc
32341 acgctggccc tggctggctt ctccatgcgt cacttcagat acctcccccac atggcaccc
32401 tgctcctgac agcccagcca gcctccccca gagccggctg ccctctcctg ctgcctgtgc
32461 tttggttcag gcctggaaatc ctcaactctcc ctgtgcagcc cctcaatttct ttagatatct
32521 caggagcatt tgaaaaaaa gactcatct aaaaaatata tctcaaagga aagaggcagt
32581 gaSctccttg cttaaaaccc tcttacccca aggcatgaga cccgacttcc tggcgtgacc
32641 tccaggccca gagggtctgg ccctgctgag tcttctcgcc ctgcgtccct
32701 gtgctccagc ggctagcccc gctgctcctt gcacaggccag cctgtctcca ctcaggaac
32761 tttggacttg ccgtgcaact gctcccgagca gtgyctagcc catagttagt gtcagtaaa
32821 catttgcgtga atgaatggaaR tgaatactt tgaagatata gataacagg aatggggcaa
32881 aatgtatgac ccagcgtagg cctgtgaccc ctctcatggg gaggccccca gctaaggggcc
32941 tccccctcccc tccccccagc agccctgggg gcctcctccg catccacccct acccaaggcc
33001 tgcgtgtgct ggggagaagc agctctcctt tcccagggtt cagRgggagg ggaagcccg
33061 ggacaatgtc cttagtact gtctgagaaa ttgatcctgg aatctttaaa cttgggggg
33121 aaatgttcaa agccgcagcc atctctgtgM ggagagaggc caagggtctct ttgtttggg
33181 gaaacacatt gtaatgcgcc ttttgcttat gcaaagaYgc agccaagttt ctgttctgga
33241 atagacaatg aggaaggaggc ggctctgcat ggcaatgtaa agttgcctc actgggtggca
33301 gagttccacc caggggatgg tgagccctgg gaggtggct gcccgtctg ggcagagggt
33361 actttgtcct ctgcctccagg gggggagggg tgcaaaaagg gggaaaccgg tgaggctcc
33421 ctactgggaa ggcctactgg cctgcccagcc acagaggaga caggcagggg ccctggaaaca
33481 gcagccaccc caaccttcag gaaagttccc atRtccttcg ctcagctgag ctttgggcca
33541 ccagaggcag cctgtggccc acctggcaaa accatgttca ggagaagcc aggctgaaa
33601 agtctgtcag aggcctgggg gaggggggcc tgctgctctg tggcttctct gggacccct
33661 gaaataagtg aggagaaggc ttttctctct gtcccccttc ggaggccagg cttggaccac
33721 caggatggag gcagagaaga gagtgcagcc aggagcaggg gacagaggc tgctggccct
33781 cgtggaggaa gagtttaggc attgcatgtt gcctaaacgg ggctgccaga gcctgggctt
33841 atcatgagaa tcaacgttcc cattgcagat ctttttcacc ctcgctctc cagcagatgc
33901 ttcagagggg atgctagaag aaacgtgact ctgtctcaaa atatcaaact accatgaANc
33961 ggaatggcc aggtcagaa ttactaggct cagttcatac ataaaaagt gaggtggta
34021 gagtccccctc cttcaatacc cagcgcagga acactctgc caagccacc ccctcactcc
34081 tcaggcgcacg tctctgtgc ctgtccacac tctgtctgata cctctgcaga tgctcaggg
34141 tggggacggg gctctccac ttccaggcca gtcataat gcacagagcc cagcagggtc
34201 tcaagagatg tgctgcaccc ctcagtgtgg cactccagca ggcacgttga gaagacaggt
34261 cgcattacaa accttcccg gtttgcgtact acgcaggca gaggctcccc ctccccctt
34321 cctgaatttgg gggggtagc agagtgtggg ggggatattt ccactctgag gtcatattc
34381 atgggtgcca gcatgggctc tgccacaatc ctgtgcgtg acttggggcc agttacttaa
34441 cctgtctggg ctcagtttc ttatctata aaatggagat aataaYagtc cctgtgtctc
34501 aggggtgtt caggttgaag caacaatgaa aattatcagc tgcgtccatg tgaagagatc
34561 accaaacagg ctttgcgtga gcaataaagc ttttaatc cctgggtgca ggtgggctga
34621 gtccaaaaag agatcagca aagggtgtgg ggactaccat tgcgtgttat aggtttggga
34681 tagacgggtgg agtttaggagc aattttttt tttttttag gacggagtctc tctctgttgc
34741 ccaggttggc gtgcagttgc atgatctcag ctcactgca gtcacccctc ccaggttcat
34801 gccattctct tgcctcaagcc tcccgagtag ctggggctac aggcccgc cagtcgcct
34861 gttttttttt tttttttttt tttttttttt agtagagca gggtttccaca atgttagcca
34921 ggtatggctt gatctctgtc ttccatgatc tgccgcctc ggcctccaa agtgcgg
34981 ttacaggcgt gagccaccgc gcccggccag gagaattt ttgtgggctg gggacggatt
35041 ttacaaagta cattctcaag ggccgaagaa tattacaaa tatcttctta aggttaggggg
35101 ggacaatatt acaaagtatc ttcttaagga tgggggtggg gaagaatatt actaagtatc
35161 ttcttaagtt ggggggagag aatttacaa agtacatctt caaggggtggg gaggggtgtat
35221 cattacccca agattcaca gggcgggtcc ggcggggcgg ggtggcaata tcacaaagta
35281 cattacccca agggcggaga ggggttattt ttcacaaattt caattgtattt atcagctagg
35341 gtggggcagg aacagatcac aatgggtggaa tgccatcagt taaggcagga actatctatt

35401 ttcaatttctt ttgtggatct tcagttgttt caggccatct ggatgtatat gtgcagggtca
35461 caggggatat gatggcttag cttgggctca gaggcctgac attcctgtct tcttatatta
35521 ataagaaaaaa caaatgaaa tagtggtcaa gtgttgggt ggtaaaaatt ttgggggggt
35581 atatggagag ataatgggtg atgttctca gggctgctc gagcaggatt aaaaaacggca
35641 tggaaaccta gagtggaga gattaagctg aaggaagatt ttgggttaac aggtgatatt
35701 atgggggtgt tagaaggagc atttgcgtg tagaatgatt ggtgatggcc tggatgcagt
35761 ttggatgaa ttgagaaact aaacggaga cacagcgtcc gaataaaagg agaaaaacag
35821 gtattaaagg actaagaatt gggaggaccc aggacatcca attagagagt gcccaagggg
35881 gttcagcata attatttgcg tggggcga gttttggc tctatcctg agtttatgtt
35941 gtcatacacc aggccagact gat tagttaaaaacaacac cttagtgatt caaaagctt
36001 attgctaca caaaggctgg tgggtgtctc ttacacccgaa catgcgtgac aaaagtgaaa
36061 tccccagcac ctagtacagg ctgaatgaaa ctgtcatcaa attacaggag gttccaaac
36121 cccaaagctgt ttccctggaa ccccatgcac agaatggtc acctggcctt cggcccttaca
36181 cccaccctgg ctctccctt ggcacatcacc atcgggagag gtctgagtga acagcttgc
36241 catggccctg tggtttccag agctggagg gctgctgtc ccagcacRt ccgcgagtg
36301 gaccaggccc tggagcttc cccgtggct gctgccc tgggaaaca acagccatgc
36361 caccacttag ggactgaccc tccacccgc tgaccggat cctcatcaga aaggaaatg
36421 ctgcagaacg gggaggacc agtgcgtctg aggctgcagg acgcagaagg acacggccga
36481 ggcctcaggc cagagcccg tggcccccag gggcctctcg gccactgcga gccactgaca
36541 gggaaaggcc gagaaaagtca agggattctR attcttgcta gcagtggctg caggacggcc
36601 ctgcctccct ggaactctgc tgagcttgc ggtgtccct ggccacagag ccctgggggg
36661 ctcagtgggg agtttccctt caaagagggg ccctaagtgg ccaggcctcg tgccacccccc
36721 ggcctggca tccccccaca cggccgtctc agaggctgtg tggcccgcc catccctgt
36781 ctgagctcggt tcacctgggt cgggttgagc accaccatgt aatttgagaa caatgcatt
36841 ttatcccccc acacatcata ttctggcgtc gctctgtc acagtgtgacc taaggaaaga
36901 gggaggaaa atgcgtat gggaggagag agctgtggca tcaggggaca ggaacgggt
36961 ggggggggggg gcagcaagca gtcgggggg tgggggggg gctgctgagc ccacaccagg
37021 ctggagccg gaggcctatc cttaccgtcg ccccccgc tgggacttgc gatgagaccc
37081 cccgggggttc tgggctccac ttcccactga atggagaggg atctcatgtt aatgaatgg
37141 acccacatgg tggcaagca gttggtaga cctcaggcag cacaaggggg tggctggat gcagcagctc
37201 cctcaggcag cacaatggatg cccctcgctc ctgctggc tggggtagct ggcactggct
37261 ctgctggca gggccaggcc gttggtagct cgggggttca gcatgcctaa gtggcccagg
37321 caccatcaa ggcataaggcc ttggacttgg gaggaggact caggccagcc tccctactcc
37381 cgtcagaccc gaccacccca gagaaggact ccaggcatcc atgcgtatg aggccatcc
37441 ccaggcatcc atgcgtatg aggaagaagg tggggcttcc tggggcttgc gtcacaatcc
37501 ctcagagact gagaaggcat gacagaggcc gacggccatcac tggcccttc
37561 gacctggca gggggcccca aggactcag agcgcaggcc aagagtaagg tgaaggctgc
37621 aagaagggtc ctgcattaca agtcacccgc aagggtcgct tgctggcagc gatccctcc
37681 ctgaaagcgc agtcatgcag ggtgtttcc aacacccaga gcagatgtt cagccct
37741 tgggcttggc gggaaacggc ttggcccttc tggggcttgc gtcacaatcc ccctgcacca
37801 ccagagtctg tttatgtggc ttagctccct tgccagactc tggcagatgg aagatagat
37861 gaaatccctgc ccaccgttac acaggaaacc cagaacccaa ggaagagggg ccgaattatt
37921 ggaagcaca gggtccgtga tcacttctgc tcaggatc aaggccagc atggcagcc
37981 cccaggccag gtcggccatcc aggcggggg gggagggtt gcaggctgca gccaggttc
38041 ctccctctg tctggctgca gggaaatggc ctttgcctcg aagtttccctc actctgtgaa
38101 cattccacccg gggcaccata tgctggctcg ggtgtgtcc catctgttca acttccctg
38161 accatgtcg tctccagtc cttccgttgc tttagctgt gtcggctcc actaggcagg
38221 gactgttgc tattttgtc gatgcwcc ggtgtctcg tactccctg ttcccccagg
38281 cttcaggacc aaggccaaagc tcagccgcac ggccttctc ccacccagg gggctccca
38341 ggtggccag ggctggccacc tctttgcac aaggggctcc tctgtgtgg atgtgcct
38401 cccactttcc acttgggaga caccactt gtcacccaaa ccagtc aag gatccaccc
38461 ctgtgactat ctccacKacc agtggagac agtcgaccgt ctcccttggc tgccaagRcc
38521 ctgtcctcRc tggccaaagg caagcagggt gccccatga gaaaaaaagct tggccaggac
38581 gggagctggc tggggcttcc cccagacatc atggggcag tgaacaactg ctgcctcgc
38641 tggcggctc tgatcttctc cgccatYgc ggtacttcc cccgtgcga tatcttccc
38701 ttcccacacc ctgcgagtgat gtttatccc cgctgtgca gtaggaaagc cgaggcag
38761 agagattgag aggctcacat aagtggcat gggagtcgt acagaggctc tgaggagcaa
38821 ttggcaaac ctgctgcaac tagaaactgt atccccggac ctggccatcc agacgtc
38881 atggacgtg gagacacagc ctctgtcata gaagcgaagg cataaggaca cccagccac
38941 aggagttca caccacaga tagatccat tttatggga gtctgtgaga tcacagtgc
39001 ttatggaa ttcatatgt cacttattca ttcaaaagag attactgag cacctactac
39061 gtgccaggcc tttccaggt actcagtgaa aaatcagggt ggcagaccct ctctgggtcc
39121 gataaaagt caccttggc ggagtcctca accctgtca gacacaccac caaggagacc
39181 cctggactgg ggaggaagac ccaggattgc ttgactgca ctcagctcca gggcagcc

39241 gggaggggcc tcagggagtg agagcccacg ccaggtcagc ccgacagccc ggcgtggcac
39301 atcatcgctt ctgttcttgt ggttcagctg tcacccctt gctggagcct gcacaagaca
39361 agctccgagg ctgcctcaag ctgtcatccg ggtgtgtgga tggctggccc tcctcgctca
39421 cagggactt aactccatt ctgacaaacca tcagttcccc gggggggccc aaggacaggaa
39481 tgctgggagg ctccacatc agctatcagg aggtctgcgg aggagggagg agggaggagg
39541 tggggagatg tccactggtg ggggggtgc tcacatttc aggaggaagc agaggtgaga
39601 tccacccaca agacccctgt tcgagtgttc cccacctgtt caccatcaact gttctgtcg
39661 cctccccagc cctgtgtgaa catgtgtcc ctgcgtgtg gatcccgatc tcaccacgac
39721 atccccagca cctagggtcg ctctatccgg gtgcactaag ggagtggatg ggcaggcggg
39781 Yggcctcag aacaggagga cacagtagat ctatgcagaa gccaaggcaa agcaagaggc
39841 agagcggatg gcctgYgggg agaggcgggt gtggccaggg gactccaaat gctgtgggg
39901 ggtcagttagtgcgtgagatg agaaccYgcg gagcatgcta ggggatttgg gagctctcga
39961 tcttcaggcc agacagttagg ggaggaccag cacagggggcc accttcccac aggtatgtga
40021 ctccatctgc cgtgctctgg ccattgtctct ctcagtcata gtgacctgtat gcaggcaagg
40081 gaacctcaca gggccatcg ggcaaggtag tgagggtcaca ggtgtgcctc cttgcacagg
40141 gccagcactg gcaaaacccat caaatgttagt gttccctctt cagggtggga ggggtgtttc
40201 caaggataga aagcataacg cccaaacccat ctaagagaga ggagtctata ttgttagacc
40261 acaaatacAAC ctcgtcccg ctctccaagc cccacaagct ccagcaggc ccaatctcg
40321 cactgcgtt ctcgtgggg ccaggccttt ggcgcgcgt tgccaccacc aggagtcctc
40381 attagaggca actgcgggtgg cccttgcgtccg aggagccttc cctgaccacc cggcccccaggc
40441 acccttcctt gatgaaccaa ggttaatca cgtgtcctga tcccgtcccc cataactcctg
40501 tgctcYgagc tcccccaatg cagggatcg gaggccagga gtccaggag tgccgaacat
40561 gactgaggac agctcccaat cccagcatgc tcctcccaaca cccgtgtctt actgagact
40621 ttctctgggtgt tcaactcgat tgggtgtctcc aacagccccc ggagggtggca ctgaccagca
40681 caggcgcagc caggacaggc agtcgcctcc ttccctcttag gctgaaaaga acactcaggc
40741 caccacacaca ccagacttgc cctgcagccg tttctgtcg caccatgtca gtgtggcttc
40801 ttaatttcaa tctgtggccc acattgtaaaa ataatttagat ttccaaaaaa aagttagatt
40861 ccagttctc atggaaagagc gagtcggcag gtcgtgtcg tttatttcata cagaaacaca
40921 agcgagtggaa accacagggaa gctctgcagg ggggcgtggc ctctccggc gcccggatcc
40981 ccaccactcc caacagccct cagccacccgt gggccctccgg gcttgcgtac tttgtggc
41041 tgagggcact gccccttctt gagccttgcg tgcagcctcg cacacaccat tggccctcat
41101 ggctgtgtct cctgggtggca cacaggccca ggctgttaagg ccagcgggac aagctgtgg
41161 aacagaaaaca gtgccagcaa caccccccagg gcccacacac cactacgaga ccctgaaccc
41221 cgcttcgtctc ccccccactta agggaccctgt gtttctgtc cagtttcaga gatgttcttc
41281 tctttcccaag gaaccagagc cagcgactcg tgaactatga cttggggcga cgcctccgc
41341 ctggctgggtgt tgcattctcg cggccagttt acgagattt caccacgacc agctgaaaac
41401 actctgtcc gaccactgccc ttccccccagg ccaccatgcg gtctcgtac tcgtgaaaat
41461 tggtgagaaa ttgagcccat atgccttcgg attgttgcg aaccctggca aggtctgtt
41521 aagtccaggc caatttcgg attaaaattt aatgaaaag agggaaaata tctgaatct
41581 ggcatacgaga gaaatcatc attaaaaaaa aacggctgtta gaaatactg tacagagaat
41641 gttctcggtc tggggggggta caaaaggttt agccgcgtact gaaggcgcag agatccttg
41701 gattccacgt tctccatagg ccttaggagcg tgcgtgtccct cagcagaaga gatgtttgg
41761 ggctcaggc attctcccaag aacataagca gttAACACAG ctggggagaga ctattctgca
41821 tgccccggaaa cctgttcctc ctgtctgc gttctacacg gtttaagaSc agttcattt
41881 atccctttaaa aagaatcccc gaagtagccct caccggctt ttgagctgtat aaggctgtg
41941 tgggggtgggg ctggggctcg agcagcccccc tgcgtgtcg actccctaa tacgtacacc
42001 cacgtcact gatgtgtca aaggccatcg ctcactttgg aggctgggg ccatcacacg
42061 tcaaggcagg cactaagcaa gtacattttt gcacagctg gtggaaaaaa ttcttttgc
42121 acctcatagt gaatgttctc agctttgtgg gccatatgtt ttctgttgcactacccaa
42181 ccactgttgtt agcacaaaaaa tggccacagg caattcataa atcaataggc gtggctgtt
42241 tccaataaaaa ctttattttac aaaaacaggta gaaaggccag gtggccctgg ggccagagg
42301 tgccaacaca gctttagaat ctccagtttta ctttgacaaa ttccacgtgaa ttttgc
42361 atgcaagtaa tacgtccaaa ttactttaa tgtaaaactg atgtttaaa atgcttacca
42421 tccaaaaaaag gggccacttc agggggagat gYcttacatc tgcgtgtgg cctctggcag
42481 gcctgagagt acgtgttctt ggttagcaata ggttgcgcg tggcctgtc gcaggctgg
42541 tatacccccac tgcaatggtc tgccctctgt ctacaaggag tgcgtggga ccaggggctc
42601 acaaagacag ttcaaggctt ttgttagatcc tgatattaa gcaacacatt gaggccttag
42661 gcttctcggg aagagttaga ttgaaattag cgcttttagt aaatgttgcg agccacaaaag
42721 gaagcttgcgt cttggggccc aagttttata ttctgttgcg tcttggcaca gatagatttt
42781 actttttaaa atgtatctgtt agccaggctt ggtggctgt gcctgtgtatc ccagctactc
42841 aggaagctga gacagcagga tcacttaagc ccagggtt gatgtccacca tgagcata
42901 catgaacactg tctctaaaaac aaatttttaa aaaatgtgttgcg aggcatgggtt gttgtgtc
42961 gtagtcccag ctgctgggg aagttttttttt gtaggtgtca gtaggtatg attgtc
43021 tacgtccatc cctgggtgac tgtagttagatc ctttgatccaaa aatgcatata

43081 taaacatatt acttccacaa cggctctgat cttccaaggc attcatccct gcctcccatt
43141 tacctgagcc tgcagaagag tccctgtctg tacctgggga cgaacttga ggtgccacac
43201 acatctgagc tgccctcttag catggcagcc tgcctgtca ggccaagcc cactcttttag
43261 ggtgccccag gcccacacat atggccacag catctggtt gtgagcagag atagccccag
43321 gcgcgtggcag agcaagttt tgaaaatgtg agaaatacca aagccccagg gtcagtatca
43381 ggcattgtca gcaatgtcac ctgtgtccca gcctggcagc acccgtact tcagggagta
43441 tggttcccaa gcagggaaagg tcaaacatga cagtggtctc ccaatgcctt cggggccggg
43501 gggcgccct gggcagagga gagccctta tcctcccgcc tggggccagg ggaggcagca
43561 acgcaagggtg gaggctgcag gctgagccag agtagaaagc tgggaggagc aggagcagaa
43621 tgaaggcaga gggaaatagaa gtcactctgc cagtgcaggg gctggggggc cagcaaagct
43681 ggtatggccca cacatctgc cacggctctc actccatctt cctagcctca cagtgtttgg
43741 aaggggagacc cctctgcct tagacggggg aatgtggca tcccaaggg gcctcagcat
43801 ctctgaccag gctaaaggcc gctgagccctc aggagaccag actcatccca gggttgccag
43861 cagccaggag ggctacagct gctgtgtctc aaactccagt gtggccggg agcagtggct
43921 catgcctgtg atcccagcac tttggggaggc tgaggccggg ggtatcacctg aggtcaagag
43981 ttctagacca gcctggccaa catggtaaaa cccctgtctc actaaaaata taaaaatttag
44041 ccaggcatgg cggcacgtgc cagtagtgc aggtacttgg gaggctgagg caggagaatt
44101 gcttgaacct gagaggtggc ggttgcagtg agccgagatc atgcatttc actccagccc
44161 gggcgcacaga gcaagactct atctcaagga aaaaaaaaaaaa aaaacaaaac tcactgcaga
44221 gagcctctgt ggacaaggcc cggcccccctg cctgcccacag gctcagcaca caccctgtc
44281 cctcttagca cggctggctt cgcctggcc tcagagggtgt gtggacatgc ccaagcagag
44341 gctggggaaa ggccacagag aacggggatc tgaggtggca tccagggggc acatgcaggg
44401 cagcagggtt tccctcaggc tatggggtct gagcgcaggg ctcaggtttc tgggctcgg
44461 cttagggacag gctgacttca tagatgacca gggcctatcc tcagaaggcc cgcaccccttgg
44521 ggcttgaccc tctgcagctc tgctttaag ttcttcgtca tctcaccctt gcatgtgtt
44581 ttgttaagtg aaggctcccg gggcaatgca gcatggtccc atctcccccag gacaggctt
44641 cagctgcccc cagcaggggc aggttgcggc atgtattttcc cacggcatct caggccaggc
44701 gtgggtggcc ccatccggcc cacggctggc agggaaagggg catgtctgg gatggctgg
44761 ccagagcccg tggttcggca gaggtgatc tccctgtgtt gacacctgca tagagatgg
44821 attggccgtg gccatacgct ctgggctgga gcagtgcacc agtaggaagg gggcgtgc
44881 ggctctactt ccccaagacgc cttggccagg gcacagccaa tgggttctt caggggtggc
44941 aggaagctct cagaccccg tgggtgtgcc cttcctgtc ggggtgcact cactctgtca
45001 ggaccccgta cctgaggagc ctccccctgg caggattca ctctgtaaaa tccctctctt
45061 ttcccccag cttcccttag tctggctgtg cctgtcataa acttctggtc agcctgagc
45121 acccatcagg gatcagccac aaaatacaca ttgtttaat ttcaatgtacc ccacatagaa
45181 gctaaatgtc ctaatatttgc cattaaaat agccatcgca caatttaaag atgaataaga
45241 aattcatgtc aataattcaaa ggttccaatt ttgttcaact tagacaata taaaaaagca
45301 aataaaaaaaa acagcgatg gagagacaga gagacagaga ctaaggaaga aaggaaatgg
45361 ctaataatgc cttttgtatg gcaccccttgc ctgtcttttgc aacaacgcgc cccacattt
45421 cattgtgcgt tggggccctgg gagttactac tggctgtcc ttttagggccag tggggcc
45481 tggtatatac ctgacgatgttgc cagatattga gggaaaataa gaatgcattt
45541 catgtataac attggcttctt ttgaaatttgc tatctcccccgc ccacacccctt ctttcc
45601 tttttttttt ttttttttgc gagagaatct cactctgtcg cccagactgg agtgcagtgg
45661 cgtcacctca gtcacccgc acctccgcct cccaggttca agccatttcc ctgcctc
45721 ctcccgagta gctgggatta caggcacgtg ccaccacact cggcttattt ttgtat
45781 agtagagatg aggtttgtc atgttggcca ggctgttc gaaacttgcga cctcaagtga
45841 tcgcggccgc ttggccctccaa aagtccttag gattacaggt gtgagccact gcactaaggc
45901 tatctttctt cttacttgg gagaaattca ggtgggggc tgctatggct aaacccaaga
45961 acagtccgcg gttgggtggg aactggggatc tggggatggc agctgccaag tagggcagaa
46021 actcagaaga ttaacttctg gggggggcag gaggcatcMa acacatcacc caaggagaa
46081 gctttcccccc ttggggggaa aagactgcag gatctttcc tttgtgtcaca cacacaaaa
46141 tgtaggacat caaaaactat cccaggcggc aaaaaacaaa aggtcaacaa caggactgg
46201 gggaaatattt cccacacatg tgacagacaa aaagtttac tacttaagta cacagactt
46261 tcagatgaat aaaacacccccc caaatcccg cagaatcaag ggcacatgaa ggcac
46321 aaaaataaaaaa taatctctgt ttacaaatac acgtatattt ttaaatgcag gctcatt
46381 atcaaggaaa taacaactta caacaaaaaa acttatctcc gttgtattt aattaccact
46441 gctcaaaagg actcagtggt gtgaggaggt gggggagacag tcatttgc taatgaagcc
46501 gaatagatga aaccataaca gagaacatcc cagtgtgaa agctaaaaaa atgggcata
46561 ctgttggccca gagacttgc tttcagcaac tcagcttaag gaaataagta agcacqagcg
46621 atagattcaa ctctatgaaac gtgatcatgt tagtggcatg tctgacccctt aatggagaaa
46681 taagtttgc tatgtgaata ttt
46741 tcataatggtg cgtatgtatg caatcattaa aacaacgttag tagacaattt actgctgg
46801 gaagacattc acataccctac aggaattttt gctaaattttt catagYaaaaaaaatgtccc
46861 ggcacgggtgg ctcacgcctg taatcccagc actttggaaag gccaagggtgg gtggcac
ct

46921 gaggtcgagga gttcaagacc agcctggcca acatggtaa accactgtct ttactaaaaaa
46981 tacaaaaaaaaaaa aaaaaaaaaaaa aaaattagac ggccgtggg gtgcgtgc gtaatcccg
47041 ctactcgagga ggctgaggca ggagaatcgt ttgaactcgg gaggaagagg ttgcagtgg
47101 ccaagatcac accactgtac tccagcctgg gcgcacagagt gagactctgt ctcacaataa
47161 ataaataaat aaaataatc atctgtgtta aatatggact atttcaataa accaaaaaaac
47221 atgctttct agatgttaagg aggaagataa gaaaactgga cccagcagg gctgctggag
47281 tgggcagggt ggtgttgc taaaccaaaag agcccttc tggccatcgg tggccatc
47341 aagtgtccca tttccaagcc gttccatcgg tggcaagtct gagatgaaa gggcagcttc
47401 atcttccca tagaaaaaggc aatatcaatcgt ttgttctta acatagacag gaagcagccc
47461 ctccaggatgtat ttccactgtc cccggaggca caggcggtc ccctccaccc tggaaagact
47521 gcgccggccg gccttgcgg gggctgcctcc attttccatcggcc gggccatcgg
47581 ggctgcctcc attttccatcggcc gggccatcggcc tccctgcctca gggccatcgg
47641 ccctccccca aaccttggAAC aggcgtatccc tatcttaccc ttcccatcggcc
47701 tcgtgagccct cWgtccccgt gatatctcca gtgcaccaggcc ccttgcgttccatcgg
47761 cctgcctcc cctacccttc ttcccttc ttttcaac tattttattt ctttcatcgg
47821 atttgcattt atttggaaatg atcctgtttt ttttcaattt cagatcgtc tggcctcc
47881 ttcccagaat gcaaggtagc agggtaatcgt cctgtcatgc tcaacatcgtc accccatcgg
47941 tgacatataa tagacgcccc ataaaacaccg gccccgtat gaacggcagc caggggcacc
48001 agacagagga ggatggctat gccgagaatc caccatcgtc cagcagctga acacaataca
48061 cccgacacccg tggttccctt ctcacacccat ggcggggggt gggtcgggag gggccgagcc
48121 tatgttgcag ctgtacccatcgg gggacacat ggttcccttcaag gtttccgtgg caggggagac
48181 agatgttggag gggactccaa cttttccatcgg ctttccatcgg acagggttccatcgg
48241 agggtaatcgt cccggccatcgg ctttccatcgg acagggttccatcgg ctttccatcgg
48301 actggggagg ggagcacagg gggccatcgg ctttccatcgg acagggttccatcgg
48361 cccatatccc agcccaggct gggccatcgg ctttccatcgg acagggttccatcgg
48421 gtcaccccaa atgttgggg gggccatcgg ctttccatcgg acagggttccatcgg
48481 tgcactcagc ctggccaccac gggccatcgg ctttccatcgg acagggttccatcgg
48541 catcaggggc cccaccatcgt gggccatcgg ctttccatcgg acagggttccatcgg
48601 tggccacca ttctctgtat gggccatcgg ctttccatcgg acagggttccatcgg
48661 gaccccgggc tctggatgtg gggccatcgg ctttccatcgg acagggttccatcgg
48721 acctcactgg gagcccgatcgg gggccatcgg ctttccatcgg acagggttccatcgg
48781 tttcgttccca gccacRggga gggccatcgg ctttccatcgg acagggttccatcgg
48841 gccactggcc aggctttaga gggccatcgg ctttccatcgg acagggttccatcgg
48901 aagttcagag acagggcagc gggccatcgg ctttccatcgg acagggttccatcgg
48961 tcagcacagc agtgcggcc gggccatcgg ctttccatcgg acagggttccatcgg
49021 aagtactttt cgggggtggct gggccatcgg ctttccatcgg acagggttccatcgg
49081 tggagagact aagatccctg gggccatcgg ctttccatcgg acagggttccatcgg
49141 gaaacagcgt ggaaactctt gggccatcgg ctttccatcgg acagggttccatcgg
49201 tacttatggg catatgtca gggccatcgg ctttccatcgg acagggttccatcgg
49261 cagcactatt cacatgtcc gggccatcgg ctttccatcgg acagggttccatcgg
49321 aaaaaatgtg gccatccac gggccatcgg ctttccatcgg acagggttccatcgg
49381 ttcttacaca tgctgcaatg gggccatcgg ctttccatcgg acagggttccatcgg
49441 Sacacaaaag gacaattatt gggccatcgg ctttccatcgg acagggttccatcgg
49501 ctcagaaaca gaaatggag gggccatcgg ctttccatcgg acagggttccatcgg
49561 gaaactcaat gggccatcgg gggccatcgg ctttccatcgg acagggttccatcgg
49621 gatggtgcc cagccatcgt gggccatcgg ctttccatcgg acagggttccatcgg
49681 aagacgggtgaa ttttccatcgg gggccatcgg ctttccatcgg acagggttccatcgg
49741 tcttggaaaca aataagaat gggccatcgg ctttccatcgg acagggttccatcgg
49801 tcaagtgtc cagagccccg gggccatcgg ctttccatcgg acagggttccatcgg
49861 agcaccggcg gaagctctgt gggccatcgg ctttccatcgg acagggttccatcgg
49921 tcccactgtc tcaatggccc gggccatcgg ctttccatcgg acagggttccatcgg
49981 ctgtcctcag gacttccgg gggccatcgg ctttccatcgg acagggttccatcgg
50041 tcagggcaaaY gccatgtcc gggccatcgg ctttccatcgg acagggttccatcgg
50101 cttgcagttt gggccatcgg ctttccatcgg acagggttccatcgg
50161 cggctccca Ygccccggga gggccatcgg ctttccatcgg acagggttccatcgg
50221 tggccatcgt acaagcacac gggccatcgg ctttccatcgg acagggttccatcgg
50281 gcaacagggg acaacagaca gggccatcgg ctttccatcgg acagggttccatcgg
50341 aaacgggttc tctgttgc gggccatcgg ctttccatcgg acagggttccatcgg
50401 cttttctaga aacgaacctt gggccatcgg ctttccatcgg acagggttccatcgg
50461 tttgaaataaa gttgggYggc gggccatcgg ctttccatcgg acagggttccatcgg
50521 tggacagag agaccctggg gggccatcgg ctttccatcgg acagggttccatcgg
50581 aggactcacc acggggccca gggccatcgg ctttccatcgg acagggttccatcgg
50641 ctccctggact gtcactaaac gggccatcgg ctttccatcgg acagggttccatcgg
50701 aactgaaaac gtgttccatcgg gggccatcgg ctttccatcgg acagggttccatcgg

50761 tctaattcaca tcaaccccca cgatgaaaac actggccat tttacagatg agaaaacYaa
50821 ggctcagagg acRggaggcg cgttccaaac gacgcgcctg gaaaaggcga ggcctggagt
50881 YRccatcgga ctgttaattcc aagcccagtc ctccccccgc tgggtggaa ggcgacataa
50941 tcttagggga agaactata ttgtgaaggc agccaagatt ttataccctgc cagtctcaca
51001 gacctagcat gaggacttcc caagataatt tagcatggca agtgcgcagc atggggccgg
51061 cacagtccaa tagtaggggc tcgataatgt agccattatg gtttattgt tattattatt
51121 attattatta ttattatttt tgagacggag tctcgctctg tcactgaggc tagagtgcag
51181 tggtgcgatc tcagctcaact gcaagctccg cctcccaggt tcacgcatt ctccgcctc
51241 agcctcctga gtagctggga ctacaggcgc cggccaccac gcccggctaa tttttgtat
51301 ttttagtaga gacgggggtt caccgtggc tcgatctct gacctcgta tccgcccacc
51361 tcggcctccc aaagtgcgg gattaYaggc gtgagccacc gcaccggcc gttattatga
51421 ttattgcatt aaaggtacgt ttcaaaaata agatgagggt aagtgtgaca acgctctccc
51481 aaataaaaacg aattctggcg atgcagcgga cttcggcccc ctgtacggat aagRctgggc
51541 tccagagggc tagctgactc acccaagacc ggtcaagagg aaagtggca tgaagggtgg
51601 gtctctgtcc agtgttgcg tcactcacat cccctctgc ccctgaggta tctttcacc
51661 agggccctgg ggactctgc ccatgtgtca gcttggctcc tggaggggct caccctgg
51721 cggaaaagca gagctggca gcagatcctg acagacccctg cacaccctgc tgcctgcctc
51781 tagcccgccc ccagaggacc tcattcatcc acaggtgtgg acacgcagca cgggggttcta
51841 gaacttccca cctgccccgc ttccacacca cctccagccc tccctaagcc cccggttct
51901 cccacaaaata ccccccgtcc cctaggggccc cactggcagc atctcacatt ccaggccgtg
51961 ccctggctct ccttctcacc cccttcttt ccctgcagga ctcagccaag ccagtctgt
52021 cccctgggag cctgcatttt gaagactgga cgcggccat ccccacagtg gctctgacca
52081 catgaggcag agagaggaaa ggtctgcaca gcctccaccc acacacggtt cagcatctg
52141 gcacccctctg cttaggttgt tgggggtatg gaatgagggg gagggtgtt ttaatctct
52201 tagtgttagg cagaccatgg gcaggtggcc agaagacgaa ggtggcacaat agacacccct
52261 ttcaatagcc cagactcaca gggagaaaagg aattccctcc ccaattccctc ccactgYgag
52321 cttaaggag gggccctggg ttgggtgtctg gcctcgctc taatcaYgt gaatctctac
52381 tttaaacaga aaagggggtt ctgtttggag cggagaagaag gcagggttat ccagctgggg
52441 ctgaataacg tcactttatg tcttactatt atattagctt ttcaggtaaa ataagggtgc
52501 ctttttaat gattttagt taaaagtgg caaacatcaa gaaaacatata ttttcaaata
52561 acgggacatt gaatgacatt gtcattcaaa cgactggagt ttgcacaaac cccgccttagc
52621 ctgtgaagag ctcaccaag ttaccatcac ccacgatgtg cagacgagag aactgagggtc
52681 agggatggtc aacttgtctc acctggggac ccagcaagcc tccctgagac tgggtcactc
52741 acctccggct aacaaggaaa tcggcagagc ctcaggggac ctggcccagc tgggcctctc
52801 tggctgccc agcccctgg tggccctccc cgcccccaccc tgcccccctca gccacccac
52861 tcacaatgtt catgagtgtc agcaggactt tctgtacgtg ctccctcccg tggactgca
52921 ccacagatc atccacgccc agcaggaccc cgtatgttgc gtcatcgctcY gcaagcatgccc
52981 tgcgtgcctt cccgcctcgag ctgttggctg gtcctcttag gaYggccagg ggcggctga
53041 ggctgtccag gctgtccagg gaggcccctg caaggagagg acaccgtt cagcggcagg
53101 gcaaaccac ccggacaccaa acctaccagg cgccagctt gccatcctct catttaaaac
53161 tcatacgacc ctgaaccggg ggtattattc cattttacag aggaaagcga ggtgcagagg
53221 aagatggcag agacttgcca agctgtctca gacacagcag ggcccgagaca ggcacccctg
53281 tgacttccag gaccgctcg tccccagccc ctggtggcaa ccccagccac agcagggggc
53341 acagtggcct ccacaYgatg gatcagaccc gctgagactg tgagagaccc agcccgatcat
53401 caccgtctgc cttatggagc ccagggtctgg cattcagcca tggagaggc gggacaccta
53461 gcccgcactg cctgacgtg gagtgggcag agccacccct tgccccacact gcccgtatgt
53521 ggagtgggtt gagccaccc tttcccccc aagggtgtcc aggtggccaa ggactgggtt
53581 cccagggttc atcggccatg gtttactgt gggaaaccca ggcccatctt gggctgtca
53641 tggccccccat gtttcccttgg ggcctccccc agaactttct gctaacttcc ccactgaagc
53701 gaggccccac atctctggc cagggtcccgg gccccctccc caggtaacg gtaccgcctc
53761 tggcctgatt gaattgtgca gagaccaaga tgaacccctc tggcagct ccgtcgact
53821 cggccctggg caggcactga cctctggccc ccagggtgtg cccctggca cttggggctg
53881 cMatcctggg gagtctgccc cggatatcg cctgccttc tggcagtc tggctctgt
53941 gtgttctgtg tcctgcgggc ctggagacca ccctggacca ggcttcagtt cccagccctc
54001 cactgcccgt ctgaaggcca cagcaaggct ggccaggctg acctgcagca tcgatggcag
54061 ccccagacca cactgcccac cggcccccaa gccccagctt cctgaaagcc cccttccct
54121 tgcactggc tctgtgttca agccagggtcc cagccccagg gtctccatgg cattccccag
54181 gcagggtctc agagactctt ggccggggac agacccagggtc ctgcagggtca tcgtgacatc
54241 actgaccaccc agggcggtgg ccaggccccgg agggccctgc agctggggaa gaccagcg
54301 cctgctgcac cacctcttca caaaaggtct tccagaacaa cactttcac ccccaacgcc
54361 tctctctgc tggctcttcc aggaggggac aggactccc tccctgtgag ggtggccag
54421 gacaggccct ggaggcagaa caaggccccgt gcaggcgcc cggccactcg gacagtgggg
54481 cagcctggta ccaggccctc atccggcaca acgcttcctc acccaagtgtc gacagcggc
54541 cactcggtgg acRtggccat ttccgttttca cagatgggaa gaccatggc atcccgat

54601 ggccgactct cggccagaag ctctctcctt gcaccctgca gcctggctca gacaagacag
54661 actgaacatg aagtttcagg cacaacacgt cagcccggtc gtggcaaga ccaagacaga
54721 cagtggaggc gcgaggcggc ggggtgggc tggaaagag aagaggaga aatggggcca
54781 gggctgagca gctgctgggg ttcagtttccatc ttcgggggtc cttgtgcac ccccaagctcc
54841 acagttctgt gtccccctcgg cgacacacaca catgcacaca cacacatg cacacatg
54901 tacacacaca caagcacaca catgcacaca catgtacaca cacaggcaca cacacatgca
54961 tgtacacagc aaggacttc cagggccact ccagggacag ggtggggcc ggcaggcctg
55021 cgggcagggc tggggggcgc cgagcgtcc acttagctc ctggatgact cagggccatc
55081 catccgttc ccagagggaa cgccagcaac tcaagcctga caggggggtt gaggaaatcgc
55141 cactctatcc ttgtacatcc atttcttgc atttcaacg aacagagaca gtcacccctc
55201 agaattcacct tgggaaggag agtgcgtggca atttccatag gaaaactctt cctccctggg
55261 gaacaggccg ggcgttaccc tctgcccctg tcaaactagg ggtcacacac gggcggtgcc
55321 ctcggcaaaa ccagaccaca gaggcactcg ttgaggtcac gttggccat ctgggttgcata
55381 gtatggaaa actggggat ttcatgtttt aaaaatctag aacatccagc ttctcttgag
55441 gaattaagag atggggccac cccagggtt gcccgggtc gtgaatttgc gggccacacc
55501 tggagacaaa acacacaggc cttggctcaY caggccact gcctggccat gtcaatgtca
55561 ttctggcacc agaaggatc acagatgtc ctcctggccc taacccaga gtccccatgc
55621 agggaccctt ccagacattc cccgttaggag ggcgtgggtt ccgcattcggg acagagctgg
55681 gctggggcac Rttttggggc tgcgtctggc gaggaggcag agtttttaac taaaactgtgt
55741 gtttcaagcc cattaaaaac agcaaagggtt tctaaagatt tagaatctga atttcaccc
55801 aaatggaaatt attattgttgc ccatcattat ttaatctgta ataaatttKgg ggtgaaattt
55861 gggaaattatg ttcttagagSa tccctccacc caggaccgt gcctagagag acggcccaag
55921 gcccaaaggc aaagtgggtg aggagaggaa gacagggggcc tggggccacct ggcagggtgac
55981 agccacgccc tgcgtctggc ccctggaaagc ctcagtgggtt ctcaggctgg acaggacaag
56041 gggagaagcc ctaagagcag gggatctgc aatgcccctca gacctggggc aacaggagct
56101 ctggcccaagc cccctctgt tccctctgt tcccaacaag accccggcgt caggctgaaag
56161 ccccaagtttcaatcaca gttccacccatc agttttccccca acaaataagat tgaccctgac
56221 cctgtcaatc acgagtggca ctcctgtttt tcccaatccatggcttaaccc agggcatgaa
56281 gagactctga ccacatgtc gcccctgtcag acctgYtccc caaatagagc cttgtatag
56341 ggagctctgg ccagtggcc tggcgtggc tctgatgtc ttccttagtga tccctttgaa
56401 gtcaacccttgc cttttggggcc tgcccaccc tcaatgggttgc ctaccctggc taacagcccc
56461 tggccactt ggtccctcca aggagaaga gggctatccatggctctcccttcccttccct
56521 gggagctccc tggtagccc agccctgtc agctgtgggtt actggggagct cacacagcct
56581 ctgctgtatc ctcggcact caccctggcctt ggtatgatgtca tcagcgcacc catctcctgc
56641 agaggcagga ggtatgacact gcccctggcc ttcctttccatgtgtcag cttcccccac
56701 aagaaggcac tggggccccc tgggggtgtc attgaccaag ccccaagaatg cttttccagg
56761 tgggtgtcagc ctacccctgaa gggagggtgtc tggcgtggc tggatgttgc gggcgtgg
56821 acacagact ttgcagttcc tggcattttcc tggcgtgttgc gggatgttgc gggatgttgc
56881 ggagatctt tggcgtccat ctttttttttggccaaatggccaaatggccaaatggccaaatggcc
56941 atccctgtttt agagtctta gaatggaaaca aaaaagactt atcgaagagtaatcaataaa
57001 acaggggagag gatggaaatgaa gggggggcag cagttctgtc cagggaaattt catcagggg
57061 acgggggggt cacagtagcc acgggctcat ccacagtgtcc acagtgcaca gggcacgtgg
57121 gcaagggctg caactgtccag catcccttaggc acaccccgag tctccaggca ggggtgtgt
57181 cacagccctt cacagtggca gtcctccatacc cccagcagcc atccatccc ctcgccaagg
57241 tggaggcgtg tcaccatcag catatgtcc tatttcagca tcaggaaac aaaccaagaa
57301 gcaggaaat tacatgtctY ggacaagcca caccaccaga gaggaggagt gggcacgcgc
57361 ccaggccctt ggttccaaacg ttt
57421 tgagggtgtt tggcgRgaa tgagaatttgc agaaaacaatgtttagatgc tagagaaSag
57481 aaaacccctggg actgagtcR caacccctggg agcatgttgc gatgggtgcgg gctctgagg
57541 tgggtacagt gggcagggtgtt gggatctgtt ggcagggtgtca gtggccaggc acgggctctg
57601 tgggtcagggtg tgggtctgtt gggcagggtgtc agtgcaggcagg cgtggggccctt gaaaggcagg
57661 gcaatgttgc ggttgcggcc ctgagggttgc gttcagggtgg cacgtgttgc cccctgagg
57721 ggggtgtcagg ggcaggcatg ggctctgtgg gcagggtgtgg gctctgttgcaggcgt
57781 gggcaggcgt gggcccttgc ggtgggttca gtggccacgt gtggcccttgc agggcgggg
57841 cagtggcgttgc gcaatggccctt tggggcaggc tggggctcc gaaaggcaggcgt
57901 ggcgtgggtc ctgagggtgtc gtgcagggtgg caggcgttgc cccctgagggtt ggggttgc
57961 ggcagggtgtg ggcctgttgc ggggtgtgg tggggcagggtt gggcccttgc gggcggttgc
58021 agtggggcagg tggggccctt ggggggggtt gcaatgttgc ggtgtggcc ctgaggggcc
58081 gtgcagggttgc cagggtgtgg ctcgtggccgg ggtgcagggtt gcaatgttgc gtttgc
58141 agtgcagggttgc gcaatgttgc gtcgttgc gtttgcagggtt gtttgcagggtt
58201 ctgggtgttgc gtttgcagggtt gtcgttgc gtttgcagggtt gtttgcagggtt
58261 tccacctgtca tggccctttt gtttgcgttgc ctttttgcagggtt gtttgcagggtt
58321 gacccagaag gaaggggagcc cgtgcctcc catgggactc agacttcttgc aaagacag
58381 gcatgttgc gccccatctg ctcctgtcacta agccacactg cgtgccacta ggggacgaca

58441 gggacagggg ccggggcagg gatgctaaa acctgaggac cacactgttc agtgacacgg
58501 ccgactgctg tcccctctcc atgggatggc cgccccctca ttgcctctt ctttcagggt
58561 tctgctgaaa tgtcagctcc taagggagaa ctttccttat ttcatcccaa attgaaatca
58621 gcccctccct gatttctccc gacagcaccc cgtgetcttc cttctgtga cactccactg
58681 caggcaggtc ttgtctcatt tgtgaatttg cttggcatt aactgacttt ccctctcaga
58741 tagagaaccc tggggatgg agaccatggg gtctggtgg cctcagtgtc cccagtgccc
58801 cacaggtAAC cgccaggctg tgaggggct ggagccatgg cagagaggtg ctctggaaac
58861 agagggccca gcagaggcga gctggggcc tctggggagt tgggactgg gatagaagga
58921 gaggcagggtg cagcaggccc ggagggccca cactgggggt ggggagccga gaacaggagc
58981 aaaagtgtgg tggcagttgg agaagcatga gatggaaacaa aatccagcta caaattactt
59041 gcatatggca taaccaagtc caaatgacca ggaggagttt aaacaagtgg ggcaaaagaaa
59101 cgtaccatgt Mattgccaac caaggcattt aaggagataa actgataaaa caaacaactc
59161 atggaaaaaa atacaaaaga tacgaaactt tatgctccca aagcttcaac ctggtgcaag
59221 gaaggagaga caaggccaca gtgataggag cactgtaata catttattcc agacaagtct
59281 gatacagcat tagtagggg tagaaactat ttgaattaaat agggaaaccc aaygttcaaa
59341 cccaaacagcc agaacacgtg accttgcattt gcacacacgg gagaagttcc acattttacc
59401 acattaggac acaactaaaa aactcaaaaag ccgtgcccac agtcaccattt actgagacac
59461 attaggacac aactcaaaaag ccgtgcccac aactcaaaaag ccgtgcccac agtcaccattt actgagacac
59521 aactcaaaaat tcgtgctcac agtcaccattt actgagacac attaggacac aactcaaaaag ccgtgcccac
59581 tcgtgcccac agtcaccattt actgagacac attaggacac aactcaaaaag ccgtgcccac
59641 aatcaccattt actgagacac aatcagagat aacaataaaa ccctaaaccc taaacatctg
59701 aaattaaaaag caccRttcta ataggcctag actaaataga aaatatacat tccactcatg
59761 gctcaagtag aaaacctgaa gaaaccaata acctcagaag aaaYtgaag agcagtcaaa
59821 gaaatgcttc catagaagag tttaaacaaa Yccacaagga acagatactc ctcatctcac
59881 ataaaataat gcaaaagatca agacttcttgc aacataggaa taaccgcRa gaaagcagag
59941 tggaaaaaaag agctttagc ctataacagc aaaactccca agtactaag aacaaacaaa
60001 aactaatgaa tggtaacacg ctacacaaaaa agtactaag aatagtctaa gRtctccaa
60061 aacacaaaaag aagacctcag taaatgaagc tcatatggaca taatcctgga ctggaaagtt
60121 gtcctcctcc aaatgaatca agaaatttgg cataatctcc atcaaataat tggtaaaaata
60181 attgttaaaa ttattctccg tcaataatc tccgtcgaat aattgttaaa attattctc
60241 gtcataataat ctccgtcgaat taattgttaa aataattgtt aaaattatttc tccgccaat
60301 aatctccatc aaataattgt taaaacccaa caaagtatttgcattt ccaacattca tccggaagMc
60361 cacaccagac agaaaaataa Yaaaaagaa tgacaatggag gaggcatatt ttttcaat
60421 taatgcagtg tattataaaa taatattaat gaaaaYgttag ttgtgtcaat gtcataag
60481 aaacagatca atggagctga ataaaaacttc caaaaacagg ctgggtgcag tggctcacgc
60541 ctgttaattcc agtacttgg gagggcggagg cgggtggatc acctgggggtt gggagtttga
60601 gaccagctg accaatatgg agaaaacccctaa tctctactaa aaataaaaaa ttagctggc
60661 atgggtgtc atgcctgtaa tcccagctac tggggaggtt gaggcaggag aatcgcttga
60721 accSgggagg cggaggctgt ggttaagctga gatcacgca ttgcactcca gcctgagcaa
60781 caagagtgaa actccgtctc aaaaacacaa aacaaaacaa aaaaacttcc aaaaacagat
60841 ccaagaatat gtggggtttc caggttaaaa tggcRgattt aacacagata tctgattttgg
60901 ctcccttctca gaatcccatt aaaagttcag taaagaaatt taaaaaaat taaaagtcac
60961 aagcctcYaa ggataggSag agcaggaggg gaagaaaYaa caagggact gtgggaggt
61021 gggaaacagat gggcaagtgg taacagactt ggtacatcaa gaaagctgaa tcccaggctg
61081 gccatgaaga cagccacattt ctacaaagtc tcccggagaa taagaagggg gaaaatcagg
61141 ttacaggaga ggtcatagac aaagaattgg aatcagaatg actcagagtt ctcaaaaagca
61201 gcatcgatc cggaaaaaca gtggggggaa gccttcagaa ttctgaagga aatattttgt
61261 ccaactggaa ttctgcattt agacacatc cccatcaatg atgtaacttgc aataaggaca
61321 tttcttagaca tgcattttt caaaagattt atgtgacaatg cactccttc aagaagctac
61381 tggaaagggtgt gcaccatcaa aaacaaaaaa ggcaacaaag aaagagtaag acacagat
61441 agaaaaacggg agccccacac agatagagaa aacggggagcc caacacagaa gacatggct
61501 gggaggccca tggagggtgg cgagaagtga ccctgagggtt atggctctgc accagaYgtg
61561 gagagcgact gagccatactt gagcagcgtg acccacgggg tgaactgtct tcaccaagac
61621 cccaccttca tcaggccatc ttttttttgggggggggggggggggggggggggggggggggggg
61681 gttcttggca gtacttggct tggccatgtg ccttccctt cctctgtctg
61741 ggacgcacaa cattcacaga agttccagc ttttttttttttttttttttttttttttttttttttt
61801 gtggcgagct tagaaggcagg acgtacaggt ctttttttttttttttttttttttttttttttt
61861 gcagggtccag cgcgtggtcc ccacccggc ctttttttttttttttttttttttttttttttt
61921 agatccctc gagacccatgc tcacacttc cccaggaggg gccttgcag ttcccgagaa
61981 agcagaagtc agaccacgac ctggagactg atctgctcac ctccatccag
62041 cggggcggcgt gcccggctt ctt
62101 taatcgtctt ttt
62161 tggaaagggtt tagaaatgaa tacaggtagc aaacgggtgtt agggaaacggc ggagggtgg
62221 caggagggga caacctggca gtctggcactt actgagggga tcatgaggaa gaggcaccatg

62281 cggtctat cctaaagata caggatgtct atcgatagc ccagtgcct cttggactg
62341 acccttggcc catggccat tggtcgccc catggactgg ctgcagatg gcaaaacttg
62401 cacaggctg taaggaggca atggggact gccccttgc gcattgttgg gttggagtga
62461 gggagctgg aaacaacacg ggggtcatca gtgggtgaga ggagaagcaa atgtgggg
62521 ggcattccac aaagtgcac caaggttgc aatggatctt ctacatagat ggatggatct
62581 taaaaacaga gtgccaatgt caaaaggtaa gaaacagaat gagacacaat tcagagc
62641 ttacRtaaat tatggataca cagacgcac acagcaacac tcatgttgc aaaaatgtaca
62701 ctaaggaaag gatacggtt gatcacctg aatggttgtc cactgcaggaaatcaga
62761 aggaagagag caggctgggg agataaaatgg cttttgttcc ttctttgtt ttaatgtat
62821 taggacaact ggttagaggg agggaaaggt caaattttgc cctcatgcct taagcaaaaa
62881 cagattccaa gtggatgaga tgcataaaag gaagtcatgg aagtgttgc agaaaaatgt
62941 gckaggcacc ttttatcat cttgtgttgc ggcgggctt ggttccaag cctaggc
63001 tttcccaagcc ctctccctag ctgcggccatc ccctgtgagc agttccac tctgtggac
63061 tctgtggct gaatgcacgg gcacatggca cacttgctag gggatgggtg gagggggggat
63121 gggcacactc Wctagggat ggcgMaagg gggatgggc acactca gggatggcc
63181 tgaggcaga caggcacact cactgttgc gggatggct gaggcagac ggcacactca
63241 ctatgttgc gatggcttgc gggcagacgg cactacttgc gggcagacgg cactac
63301 gaggtgtgt gctactgcct caacctgcctt accatgttgc tggaaacaag tcatcc
63361 tccatgtgtt aggagtcccc aaaaacgtaaatc tccatgttgc cggccYgcag agccagaact
63421 gccacaStgc ccagaagagg agagggaggc tcaggaaattt agactaaggc catgtgttgc
63481 gcaaatggcc aggccagaat gccaggccatc cactacttgc gggcagacgg cactac
63541 agggggccacc accRggcata gggggacca accatgttgc tggaaacaag tcatcc
63601 catgaggagc cccacccaaagg ggaggtcaac ggggacaagg tcatccctc catttcttac
63661 Yaaccaagag agagtcgtc tggatgttgc tattcccttca aagataatca ttaagatgaa
63721 atatgtttat gtggatgttgc aatcggaca cagcagaaatc cctgtgttgc aagcaggc
63781 gcttttgc ggtctgttgc agcagaaggc aggttcagcc ccacggggc catcagcaca
63841 gagcccaact ggtgtactt attaaaaatgc gtcattttt attattatcat cccagcc
63901 tataactttt ttaatgttgc tggatgttgc ttttgcattt caacagacac agtcatcca
63961 atgcattttt tttatgttgc ggtggatgttgc ggggtgggaa ggggtccctg gggccggc
64021 ggcattcagg aqgcattcagg gaaatgttgc gggcaatctc agggcagtc ctgacagtc
64081 tctaaactcc caYgggatgg gctggccgc gggacagatgg acgttccagc ccaggc
64141 tcagcctcagg ccRtgcttca gggagaaaaa ggaagcacta aaggagagaa ggcctctc
64201 ggcagtccatc cagaacatac cccgcacag cagaggacaa aggacacccc tcaatgttgc
64261 acacagaagg tccatgttgc cccagcacctt gcaacccctc acagagccac ctgggg
64321 acagcacggc ggcctgcctt gtcgttgc ttttgcattt ctgttgc ttttgcattt
64381 cctatttgc cccatatttgc ctcatgggaa gccaatccca ctgcacccca gtc
64441 tgcccaagg gtcctgttag gccactggaa cctgtatgtc tggatgttgc tgc
64501 gactccctgtt ctttgcattt tggatgttgc atgttgcattt gggRgttca agtac
64561 tcccccaagg gcaatgttgc gggcagggc gggcagcccc gggcagggc
64621 aggtccccaa atccatgttgc ggtgttgc gggcagggc gggcagggc
64681 gtcatttgc ttagcttgc ttttgcattt gggcacttgc ttttgcattt
64741 acagacacag ccaatgttgc tggatgttgc gggcacttgc ttttgcattt
64801 gtcatttgc acgttgcattt ttttgcattt gggcacttgc ttttgcattt
64861 tccccatgttgc gggcagggc aatgttgc gggcagggc
64921 caggctctgg tccatgttgc agatgttgc gggcacttgc ttttgcattt
64981 aggtctgttgc ggttgcattt gggcacttgc ttttgcattt
65041 gcccctgttgc ggttgcattt gggcacttgc ttttgcattt
65101 tcccccaagg aatgttgc ttttgcattt gggcacttgc ttttgcattt
65161 cagagggttcc caaacacaac ttttgcattt tccccccatgttgc
65221 tccatgttgc ttttgcattt gggcacttgc ttttgcattt
65281 attcactgggg gtcatttgc ttttgcattt gggcacttgc ttttgcattt
65341 gcccctgttgc agatgttgc ttttgcattt gggcacttgc ttttgcattt
65401 ggctccaaggc ttttgcattt gggcacttgc ttttgcattt
65461 ttttgcattt gggcacttgc ttttgcattt
65521 aggttgcattt ttttgcattt gggcacttgc ttttgcattt
65581 cccaaaggaa ggggaaatcc gggggatgttgc ttttgcattt
65641 caatgttgc gggggatgttgc ttttgcattt
65701 ctcagcattt gggggatgttgc ttttgcattt
65761 gatggaca ttttgcattt gggcacttgc ttttgcattt
65821 tcagaaaggc gggggatgttgc ttttgcattt
65881 aggttgcattt ttttgcattt gggcacttgc ttttgcattt
65941 aacatgttgc ttttgcattt gggcacttgc ttttgcattt
66001 ctttgcattt gggggatgttgc ttttgcattt
66061 gggccccc catgttgc ttttgcattt

66121 acctcagttt cccttgttgc ggccttcacg tcctttgatg ttgagccctg cgttcatgca
66181 gggggggcgt gggccctgca ggggtgaggt cctggtcccc tggaaagagc ttgcagccaa
66241 cacaagcggg aggtctcaga tgctgcccga ccctgtgcaa atgaggccct tccttacccg
66301 gccatgagcc acgtgcaggg actcagcacc tgccctgtct ccctcttct tcctgacccc
66361 tctaggtcag gagtccaggc acacagcagt gYtgggggtc tgccacggcag cacaggctct
66421 tcctagctga ttgtgggacc tggggcagcc ctgcacgggt ggccacactg tgccaccaag
66481 ctgccttcct aggaggaaga gttcctcaga tgcccaggca ccaggactt cacaacaccc
66541 ctgttttttc ttcatggtag ccgtggagt gggcacggga ccctcttac gcaaattgagg
66601 gaacaagccc tggggccagg caacaggcac ccctcggtga ccccacatc tggctctgc
66661 ccccgcatcc cgagcttcca atggcccatg gtggtgattt caccctggcc agcagccaaR
66721 agggagctga aagtaccagg gccttggccc agtggaggac ctgtgtgca tcacccacca
66781 tgacccttgg gcacaaagac ccccaactt cagtcgtggc accaagcaca gtccatgtct
66841 gaccaggacc tgctcaagga gcaggagtga ccgaggacaa ccccccggac caccggcaggc
66901 ctccccatg ctgggggtgg aagggtgggtg aggccctgggg cctcttgcgt ctccccatgcc
66961 ctgatgtccc atcctccagg acgctccat gcccctggcgc ctccctgggg ggcaggggaaa
67021 cccatgtgg gccccggcga gccaggctcc ctggatctgc ccagagaaga gccccccgca
67081 gaggtgtgc aatgtcacc acggggggcc cagtcgtca cccttggact tgccagaccc
67141 tcagccctct tccttcgtga gtgtcaggga ctcccttttc ccctcaggct gctggggcccc
67201 caaaccacat gtcccttcctc cctctgtcc agccccccat ggggctgagg agcaggccctg
67261 cccaacccctt gtttctggtc tctctgtcc ttacgcctg gctgtggat ctctctcag
67321 acctgcctct cccacgggta aatcccaagg tgcaactca gagacagcac cgagaggccc
67381 ccagtgcagc cgccactctg agcccagagg ccaggccatc caaccctgca gggacggggg
67441 ttccctccat ttgttttcct gtgtgaactc cgtgggtcca gaagctgag tttgggggtg
67501 gtgacaattt gcccctgggg accccacaca ctcctgtccc atgatgttc ctgcccctaga
67561 atatcccagc tgcaaggtag gagggaaagg gctcctcata ctccccacac agcaccac
67621 ccacgggttt gacgggttt aatttgcata gcccattttc gagaaggag gaaatcaga
67681 atcagagtga gtgtctgatc ctgtttttttt aatccccaaag gcagccctac agggcccttc
67741 ctcccccaacc gggggcagggt gcagggtgc actacaagcc cagatcccag gcccaccc
67801 agaaccagga gggggaggag ggcacccctg ctgcagaga ggatggcaaa gggccctgctt
67861 gcccccccccc agctgcccctc aacactgca gggctcagaa gactggacca gcagctggcc
67921 gggcagaaac tatagaaatc atccaaattc tactttaaaa ggctgggtt tccttttctt
67981 gctttaaatc ttgtgtgacc ctccctggta gcagccagcg gcagggctgt ggctactgta
68041 gatgggctgg gtgggtggcc ctctggctt tgctccaaac cagctgccc tttgtctctt
68101 cctgccttc agaggtgacg tggctgccc acagcatgg catgttgcata actgactctt
68161 gccaaggccct gagagggtcat caagtctggc agcagccct gcaggggccca gtcgcctccg
68221 aacctccagc atgttttcc cagggtggcaga gcaaccctccc cagagcaccc agtccctgtt
68281 ccacttctg ccaggcAAC ccccccctgt ctccctggc ctcctcaggct cagcttgcact
68341 ttgcaacagt tcctacctgc ctggccctggg cccatgcctt ccacaggac aagtcaactgt
68401 ctctttctc ggtttttttt accttcattt ttcattttt gtttattgtt catttactcg
68461 tcaagtattt tgcaactac catttgcag ctttgcgtgg caccacctt aggagagcgc
68521 tctgggggtgt caccatcaca ggctggctt ctcagtgatc actcctcaga cacaatgcaca
68581 cacacacatg cacgcagtc aatacaca tgcacactca cacgaatgca ctcatacaca
68641 cacacacgaa cgcactcaca tacacacatg cacactcaca caaatgcact catatacaca
68701 cgaatgcact cagacactca caaacacgca cacacgaatg cactcacaca cacgcac
68761 gtcacatata cactgcact cacacgaacg cactcacaca cgcacactca cacacgaatg
68821 cactcacaca caaatggact cacttcaca tgcacactca tacgaatgca ctcacacaca
68881 tgcaactcaca ctcacacgaa tgcaactcaca cacacgcggaa tgcactcgca cacgcac
68941 ctcacgcgtg aatgcactcg cacttcaca tgcacactca catgaatgca cacacacata
69001 cactcacaga cgcacactca cactgaatg cactcacaca cgcacactca cacacgaatg
69061 cacaacacgca catgcataca ttcatcacat gtgagtgtat gtgagtgcac gtgcgtgtat
69121 gtgagtctat ggatgtgtgt gcatgtcaca cgtgtgtca tatgtgacat gcacacWcag
69181 gcacacacat gcacacacac aaacgtgcac atgcacacac aggttctaca gtgaactcct
69241 ggaagactga ggtggccctt gacccttc taaatccccca ggtacccaca tggggcttgg
69301 caaaatgaat aaataaaacgg gccaaaaacgg cctatKggat aaatggaaaa cttagttatc
69361 cttatgtctac ttctgagcag gtggagacag gacagggttag gacgaggcgc agcgtggatg
69421 cggcggatt gtctgtatct ctttgggggg agcagttgc cgtggagtct acatcggtt
69481 ctttccttgc cgttacttac agggagagca tgagggcggc gtgagggtcag cggggcagg
69541 ggtgtctgtg cgttacttgc agccatgcgg tgggtgcacg ctaccacccgt ctctcttct
69601 ttttcttggg agctgtcgcc atgctcccg gcacacYctg acatccgtag ggcacatct
69661 gacaacacgc tgccggccgc aggccctcaca ccacagcaat ttcactcg gcttccctga
69721 ccttcgaccc ttggggccctt gcttgcgtgg gctgtttcc cgttgcacca ttcactcg
69781 ctagacatata ttgttgcata ttttgcacag agagaaacgg tcYgcatttc cagaaagaaa
69841 tatactctcc caattttctt tggagcatgc ggccttc ttttgcaccc ttgttattcc
69901 ctcttcactg agaaatattt tgctcccRtg agaaaagcca ttttttttgcagg gggatgagag

69961 ggcacactgc ctccagccca aggtggccag tggtgactag gagggtgcaag gtccatgtt
70021 ctgggtctta tttttaaag gaagttagaa atctggatt gcatgtgaag tctctgatct
70081 ctaataactg gcaaaaagca atttaaataat aatgttaggtg ctgtgtgtc tttgaaatgt
70141 accaaagctg ggtccccagg tctgtctgca acctcagotc caccggcaga ccaaagctgt
70201 gtcctcaggc ctgtctgca cctcggtcc acggccctgag caaccgttcc cctgtatcc
70261 cctccgtctg gcctggagag gtttgagca cagtaggttc tggccaacca gagtgagttc
70321 acctgcctct gcctcacagt ggctgaagct tcccgccggc cagttcacgc cccacttgg
70381 tctccacatc ctttccac cttgaaggac agtcctgtat ggtatgtttt tatgttgaa
70441 tcctcacgca ggggcctgag gaacactccc tggttatcca cacggcaact aacactcagc
70501 acgcaccagg ctccctccctt ctctcatgga ctctcaattt agcccccRcac agccaagggc
70561 tcacccacat catgtgcgt tcagacaaag gactaatttc ctaatacat aaagcgctct
70621 tacaatcaa caRgaaacaa tccagcaatc caaaaggaa atggacaaac ggtattgata
70681 caaaagtgtt gggtagagaa gggcatgtc cctttaatg atatggaaagc agggaaagtgc
70741 atggccctgt gctaagggtt ccacccatc cggacatgtt gaggacaggc actcttgct
70801 ttgtggccaa atgtcacatt tcccaagacc accctgggtcc accatgtccc catctgtgc
70861 ctataaaaac ccgagacccctt aacaggcaga caccaggcgc tggacgtcga gaggagcga
70921 tgagggggagg aacacacagg cggctggacg tcgagggaggc cgcaccaacg agcaccagca
70981 cgctgcaggc caccgaccgg cagaagcaga acgacacggg gttggccgg ggcagtcaga
71041 ggagagccca ggctgcttag cggcccgact ccaggggaaag cccttgac cccatccctt
71101 ttctggctt cccatctgc tgagagctac ttccactcaa taaaacctcg cactcattt
71161 ccaagcccac gtgtgatctg attttccag gacatcaagg aagaacccga gatacagaaa
71221 gccctctgtc cttgcacaa ggtagagggt ctaactgagc tggtaacac aagccgccta
71281 cagacagcta aagtaaaaga gcacatgcagc cacacgccc ctggggcttc aggggctgca
71341 aacattcacc cctagacact gctgtgggtt cggagccccc cagctgtccc gtctgtatcc
71401 tccccccagag gtttgagcag aggacactg aagaaggaag ccacaccccc atagcacgccc
71461 ctggaggag gacaagagaa cttctctcat ttcataatgaa gggacaattt gtcagaaaaag
71521 aaaagacagc agctttttt ttctttttt tctctttttt cttctttttt tttttttttt
71581 ttcccttcctt cttttttttt tttttttttt tttttttttt tttttttttt
71641 gagacagagt ctctgtcacc caggctggag tacagtggcg tgatctcagc tcaactgac
71701 caccgcctcc cggattcaag cagttttctt gcctcagcc tccaagcaga tgggattaca
71761 ggtgcctgtt atcataactg gttatttttt tttttttttt gtagtttag tagagacagg
71821 atttcacccat gttagccagg ctggttcaa actctgtacc tcaggtgatc catccaccct
71881 ggccctccac agtgttggta ttacgggtat gagccacca gcaattttc agtgtatgag
71941 aagacgctcg acctcaccct taattaaaga aacaacctgc atcagattgt ccaaataaaa
72001 atgtacggat caggggtaca tgcgtgagaga aacggatcca gccaaccatc ctaggggtt
72061 ggtcatctt atcaaagtgtt aaaatgcaca aaccttttga atccacaattt ctatgtatca
72121 aatttaatcc tacaatgtc ctatcaatc tagccaagga aataagtgtt agatatacc
72181 Sggctgcatt ataagaaaacR gtggaaaagaa gtaacgtccc catcgtcaa ggtctggta
72241 agcaagtgtat tcacaggatc gaatgcctt cggaggagaa tggcaggcgc tggaggggt
72301 gctgtggacg acgtccaaaga catttccctt gataatcgca aatgcagggt agcacacggt
72361 gtagtctaca gtgtgcaggaa aaaagtcaaa aaaaacgaaaa cacagtatctt acaggacaca
72421 aaatccctt agccagagat tctatccca ggatttatat atgtgtgtt acaNatgtgt
72481 atatatatat acttgtgtt gcacaggaca tcctgaaagg acacagaaga aaggtgtgca
72541 gtggctgccc tgcagaaagg agctgatcc caggacagcc aatgggagggg ggtgaggac
72601 agcaatgagc atttcatatg gtcataatcc ttatgtccagc caaaaagcaa gcccacgcaca
72661 tgcaggagag gccaggactc tccctggc cccctgggg gtcaggggca gagggagccc
72721 ccaggctggc ctgtctctgtt acgactctac acttggcgc tgaagggggc caccctgaca
72781 gtcaggcccc agctgtgtt tgggtggaa ctgtctgtt accgatctgc ttggctgt
72841 tctgggtgtt ggcacggcag tatctgggtt gtcaggggc cccctgggg ggccttt
72901 gtgtatgtt ggcacggcag ctggggaccac agatgtgatc ggaccacat cccctcaacc
72961 ccagatgccc tcYaggactg caggccccag acacagagag ggaacctgac gtcatgggg
73021 agggctgaga ggcaggcaga gggggaaaggg tggccctgtac cacggccac aggaccagca
73081 gtgcagaggg cctggggatg agggaaagccc ctgctgtgcc aaggaggaggg ggcaggaga
73141 ggagagatgg cccaggccgg gaggaggcaga aagtgcaaa gagaactagag gggcaggagc
73201 agccctggct tggggctggaa gagggagcaca ggaaggaggg tggaggcag gggaggcagc
73261 gtgtggacaa agactgagag gggaggatc ac gtcgtgtt cagaaagtgg ggcaggaggg
73321 gattccgggt ttctgaccctg ggcacccggc caccctggaa agccctccctt gcaaggacc
73381 ctcggggagga gcccggtggg aggaggagaa ggcgtgtgg ggcgtgtgg gtcaggatt
73441 ctgtggggac acaaggacag acacactcYga gacactcagg caggatgtt ctggagcaca
73501 gagagagggt gggccgggg cccctgggtt gggcggcc caggatgtt cagctgcaga
73561 gacccgcagt ggcgcacaca gatcgtgtc ctgtatgtt aagtggcat aacgatgt
73621 gccacagccc acaagtaaga cacatagaaa acctgaggcc cacagaggc acaggaaacgg
73681 gccagggtca cggacaggcc tggccctgtac tcagctcaact ccaccagaac ccagtctgg
73741 caccagcctg ttttttttgc ctctccagcc agcaggccag aattgggggt ggacttgccc

73801 cagcctgaag acctccgggg ccctggctcc tccctgctcc acctgccata gccccaaaacc
73861 agtgtgggtg tgaagcgaa ggagactcYg cagcaaggcc cagctttat gccggccact
73921 gcctgcctc ctgcctgatg cagtcctcg gcgcgaaggc aggtgcctg agacctggag
73981 gtggcccccag ccccagaacc caccatgcgc ggctggcccg actgtgcctg cccttaaggc
74041 aggcagaaca ctaaccaaag ccagcggaca tccactgcgc tgggagcatc tggggaaaggc
74101 tcctgtgggg ctccagaccc ggggcgggtc cttcaccacg gcctcctcat ccagcatcca
74161 caactctgga gcttaggaagc ccgggtgcctc ttcccagagg agggagccga agctctgcca
74221 gtctgcactg aagtctgtgg tgcgtgcata cctgagaaca gctcgtcag tctggctgga
74281 tcctgagctc ctccccccgc ctgtgcctga gaggtgacag ccagcacgtg agcaagtggc
74341 ctgggttctg gtcccagcaa agctacctcc agctgtgcac ctcgtcagg cacctccagc
74401 tgtgcacccct ggtcaggcca ccctctctcc gtcagacccct cagtgcctg atcagtgtcc
74461 acaagtaaga cacatagaaa acctgaggcc cagagaagcc aaggaagtcc ttacaggctt
74521 ctgtcagaga atcggagaa aggaggggac gccagagaat ctgggcttaa gtgacttggc
74581 cgtgatcaa acacaggcg agtcacaaac acgagacccc gctgcccact cccgacggag
74641 aggttaattcc acaaacacga gaccccgctg cccactccac aaacatgaga ccccgctgccc
74701 cactcccgac ggagaggtaa ttccacaaac acgagacccc gctgcccact ccacaaaacac
74761 gagaccccgcc tgccccactcc gcacggagag gtaattccac aaacacgaga ccctgctgcc
74821 cactccacaa acatgagacc ccgtctccca ttcccacgg agaggtaatt ccaggtcagt
74881 ggcacatccgc ctccccccgc cccaggccc ccagctgcca ccaagaaaaca ctctttgttag
74941 gggtcctgcc ccactgggt gcagaggtac atcccccaag gcccagcccc gcaggaagcc
75001 cttcctctgc agccattctt gaaatcacct ccaagaaaaaa agaaatgctt cagttccaa
75061 agatataccccc aggcaggaaa tggccgcag gcagcatgaa tggtaattt cgttaattt
75121 ccaagtccag cgcacatcat ccctcctaag taccttatgg gaaatcgtaa ttaggcgtga
75181 aatggctcat tttcacaact ccctttctc ggggttctcc agggcgcatg cccctgtcag
75241 ctggccggac aggcctctct tgcacaggct taccctccctt gtttcaatt taattttgt
75301 acctttctc tgcacatccct gacccgtac atccctgcgc cttggcacac tgcacccaaag
75361 caccatgaa ttactgagct ataagccctc catggaaatc tggttttgac tttgttagaa
75421 aacactataa tcaaaatccct gagagtcagg agggatgggc ttggcctgccc agaggaaaca
75481 tatcaccgga ttaagtgtatt tagcagaggt ggtcccgccg ggaggaggc agggcaggt
75541 gggcagggtc gggcgtgagg tggcaggca ggttgcctcc gggggcaagg gggggagggg
75601 tgcgcagagg cagaggatgg gcaatgtggg attaccagaa agtgcggctc ggacatccca
75661 gggcctgcag gcttccttag tgcttacccgc gcccctggca ctcacaggc attgtgcgc
75721 agatgctcaR ctgtgcagag ggtgtcagg tctgggtgtc acttgcgc tccaggccct
75781 gcttctgctg atgccaggcc aagaccacgc ctcaaaacaca catcaaatac atacgcttga
75841 cgttatgccc gggagggtc tgacacacagg cacacagaga cggtgagact tggggatact
75901 tgggtccagg tactgtcacc ttgggtctca cttctggag cgtgatgggactt gctggcacca
75961 ctgcactgcR gtgtgtctgc gctatacag acttccctca ttacacgcgt gtacctaataaa
76021 cataccacca ttcatgtact gtcacggact ctttcatttt gtaaaacaat agggttataca
76081 aggccgcgc agtggctcat gtttcaatc ccaRacttt gggaggccga ggcaggcga
76141 ttgcctgagg tcaggagttc gagaccaggc tggccaaatc ggtgaaaccc catttctact
76201 aaaaatacaa aaatttagccg ggcattgggg tgggcgcctg taattgcgc tactcaggag
76261 gctgaggcag gagaatggct tgaacccggg aggcggaggt tgcaatgcgc cgagatcg
76321 ccactgcact ccagcctggg cRacagagcg aaactcagtc tcaaaaaaaaaaa aaagccgggg
76381 ggcttaccaa aagatgagag ggacccaggc ctgtattgca catccacatc agtgcacagt
76441 taatggtaYg cagacccctt ccccRcatgc acacgcattc tgaataaagc caggcccaga
76501 aggacaaaata cggcactctgt ccactcacat gaggatctgt aatcaaacgc atgaaagcag
76561 atgacacccat agaggctgc agagctgggg gagecggggaaa tggggagttg ctgttcaatg
76621 ggtttaaagg tttagtgc tggacgact aagtactaga ggttgcgtt acaacgtt
76681 gcttgcgtact gaccatgtgg cactgtgcac ttgcggaaatc ttcacggact ctgagctcac
76741 gtttaagtgtt ctttccacaa aagcaaaacaa caacagcaac agaaatgaag Kgacagaagg
76801 aaaccgtggg agaagacccag tgcacccgc ctcgcgttgc tgatggcgcc cccgtgtctg
76861 cacaatcca cacttgcgtga actgtaaaggq gcccgtgacc tctacagtc cttaccatgg
76921 cgagcataaa cttgcagaga agaggatgag aattctgata ataggacaaa tcaaagctt
76981 acaagtaatt aaaggacaaa ttgggtcata taacaagtc ttccctgtct cgcagctgac
77041 atggatcaat gtccaaaatt ttatccaaa ttgttataaa tacacatgag agtcttctcg
77101 gtgcagtgaa tagtgaagtc agcagaggca gtggctcacc cctgcagtct cagcacttta
77161 ggaggcccgag ggggttaggat cacttgcgtgc ccagacttgcagg aggctgcagt gagccatgat
77221 tggccactg cactccactg gggccacag agcggacccc tggctctagg aaaaaaaaaaaa
77281 agaaaaaaa aaaaagaaaaaaa aaaaagagg aaatttagcca atatcccaga ggtgaaaggc
77341 agaaccgcgtt ctagcttttgc cccaaatgaa gaactccaca gttgcctccg cattctgtct
77401 tttaaaaatgt gtcaatttttgc cattatgaaa tagagtgcattt cttttaaag taaaatcgat
77461 gctccaggaa gatattccac gtttgcata gactttgggt ccctctcgac acttgggttt
77521 gattaaatta atccaaactc cagtttgcata agccagtgca cctgtgtgcg gctgttacat
77581 tgccaccaatg ttttatcaaa tctccgacta tgcccaagtg cggcgccatg gaagccacac

77641 gggatccctg acagacagaa acatccatac tgctcttaag gtggctcagg cactgttcca
77701 agcacctcggt ctatagtgc ccactgattc ttgcagcagcg ctgtgtgagt tagctgtgat
77761 gcttatcttc attctgcaga tggggaaact gagaaggct atcccaattt cacactgctc
77821 ggaagtgtca gaaccagat atgaaccctg gcatggctac caagagtctg tgctcttga
77881 cgtgtgcta ggcactcct tctgggctg ttacattttta actctgacat gtcaagcaaa
77941 tcactataag ttatttgagt catttcttag ctgcttcattc tgtaaagtctg ggtgacaatg
78001 gctgcagggtc ctgccactca gacgattccc acgcgtgtct gYatcaggat gaggatgagt
78061 agatcggtaa agtgccttgt agactgtgat gatcatattt ttgtcttga ttccactgcc
78121 agcacaatac ctttttttt ttaataaagg gctgttgaac tgcaattccc atgtttgtat
78181 acattcttct tctgtttctt tggtaaagt ttcaagattc tcttagggtt caaatgttta
78241 aatttcaaattt ccttggctc atctgactaa ttacaagcat aaaatatggc atttccaaca
78301 agtctggaga atggaagcac atgaaattat gcacgaccat gagcatctgt gtcgggaggc
78361 gggaggcgt tcaccctca aactcaagtg aaaaagggtt gccgttagtta aaggctgctg
78421 acaaataact actgttctga gaaatcacca ctgtttaactg ggagaatcgt ttttcagcaa
78481 atatatcaag aaaagtaat atcaagtata atttgcagag ttgcagataa ctccacatt
78541 tggataaaaa aacttctgt tctgtgtaca agtgtgaaa acacagcaga gacattttc
78601 ttccaatcc tgcctaaatc ctgactgaac atcatcgtg ccacatccc tgactgtgac
78661 agtgtatctt gtgtgtatgt gtgttatcat attatctgt ttgttaaatg ctatgttgc
78721 taaaatgtgt cacattaaaa aacaaaaaca gcccggcat ggtgctcac gcctgtatc
78781 ccagcacttt gaaaggctga gggggggg gggtggatca cgaggtcagg agttcaagac
78841 cagcctggcc aacatggcaa aaccctgtct cctctaaaaa atacaaaaat tagccaggcg
78901 tggcaggcagg caccgtata cccagctact cgggaggctg gaggcaggag aatcgcttga
78961 acccgagggg agaggttgcg gtgagaggag attgtaccat tgcaactccag cctgagtgtat
79021 agagtgagac tccgtttcaa aacaaaacaa aatgaacaaa caaacaacaa aaacaaaaac
79081 aaaaaaacag aaacacacac tacactgact acactgaagc cctcaagccg ctgagcagcc
79141 atctccaggc ccccaaggac caggcacca ggtctgggg tggccagca tccattctcc
79201 ctttctcg agcagcagcc cagtgttattt tcccttgcattt ccttgcaccc tgcatgcaca
79261 cagccctccc caagccaaac atctctccc tcacagatg tggatttga gccgcaggag
79321 ccagaagagg aaaaggtagt ggttgcacta aacacctgtt cacaatgtt aagaccctcc
79381 tggcaggcagg acccccgtc ccaggccctt ccacagccc actccccgtg gactctgcag
79441 gtttcttaat tccctccctt taactcttcc tggctcaggg cagctggact tcatgcaagc
79501 tctctgcagg aagagaccct ctctgcaccc aggcgcctc cccatcagat gccagagata
79561 tcaccagccc tcgaggctta acccctgtct tggggggat tccctgtct ctgcctgtat
79621 tcaccctagg gggcagtcct cagtgactt ctccagctt gcatggagaa ggcctcacca
79681 tgcattctcg agagaagtgg aggtgcacc cccacaggaa gtggggccca gtccaccgtg
79741 ccctggacgc tgctcatcca ctaggactgg gtttccgtt gcagggttcc accctcgctc
79801 tccctctgc ctgtccaca cctgtgttcc ttacccatc gaccatggac ctgctgacag
79861 gtggccccc acccacctcc agctgcacc tcccccaggct ccagaccctgg cccctgtctg
79921 cctgcactt cccctgggtt gtcacaaaggc accttcatgc caacaagtcc caaacaaccc
79981 tggcacctt cccttacccca acccatcagc cattgtctgt gtgcctatct catctccaca
80041 tcccaaggagt caccgcattcc tggcacctt cccatctccc cgtccatgtat gagctcagcc
80101 cttccctcta cctggatgca gcagccttcc cccagaccctg gccccatccg ctgctgctcc
80161 ctggccctca ctccctgttag ctgcagtcct cacctgagct tgccccatt aaaatccct
80221 gtacccctt cttcccaaggc ctgcagacc cgtggggag tgcagcaca ctggcttaggg
80281 cttccctgtatg ggcctgaccc gcctgcaac cctccctggg acctgtctat gttcccgcaa
80341 cggcccttaca gccatgggtc cgagaaaaca ctgctactc tggccagaat gcctgcccctg
80401 cccttctgg cagactccata ttcatgttcc aaaaccctgc tcccaactcg ttaggcccgc
80461 aaagagagca agttacttcc tctcttagac tcaagcacc tggcttcct tttttaaac
80521 cactgtatc gcagaaggat aagtcacca gtttccaatg ccccttaacca gaccatgagc
80581 tccagggttta aatcatgca tcagattcat ctctgggtca cttgccttgg ctgagaggag
80641 gctcatgaag gtttggcaca atgggatgaa ggaatagaca aggagcaaga atacgagctc
80701 atccctatgc ctcagaatag catgaaatgc tcaggggtgt tgggacagaa ctgacgcYtt
80761 cacaccaatg gagccagRtg ccagcctatg tggccaaatg tccttaccaag tcccaggctg
80821 catggaaatc agagggaccc caaatcgaat gagcgagggg cccttaaaga aactcaccctg
80881 gccccttgc ttcaggtcctt aggggttggt gtcggcaggaa acttcatag gagagggct
80941 tggcccttgc tagtcccaag catctgagca gggccaaacgaa aagtgttggt aggccaggcc
81001 tggcccttgc gaggaaaggc agagaggaag gagaggggaa gcgggggttga ccacccctgc
81061 tcagacccaa ggcagaatcc agtgcgtatg tggccaaata gggcccttc tggctgtgg
81121 ccccccattaa ccatgtgaccc cctgcacaga gtcctgtctt gatctgggg gtccttgc
81181 actgggatttgc tcaccaatgtt gccccccaccc tcagggcattt ggttgccttgc tgcattctgc
81241 caagtgcctt cccagacacc ctgcggcctt acgcctctgt gaccactcat gtccacccat
81301 cttggccttgc gttccagggtt cccttgcgtt ttagtgcaca ctaaacatg gagaakctcc
81361 ctcccatccca agccctgaaa tatgtcagc cttcaagat gatatttgcacat ctcagcttcc
81421 agatgtcttgatgatatttgcacat acactctgtcc tagcccttc ccatgaggc

81481 agctccgctc ccaggcaggg ggaagagctg ctttgggagc aatgatgggc atcgtccctc
81541 tggctgtgt ttggggctt ccctccctcc aagtcYtgg a ctttgggccc agaaatcact
81601 ttccctccct cctctctgag cacacaaagg gcaggacttgc tttcaggtg ctttgggaaag
81661 aggacgcga attgttccag ccactcccRt aagggtgaac caggagacta accatcaaat
81721 tcaccaggaa atcccaacccct cccaggccctg actgaggcMc taagacccaa gcaagcaata
81781 tcaatgaaag ccagagggtgc ttaagggtggg gaacaagaat gagctgtcag aggccctctga
81841 taaaagaatcg tttaaaaga ctttcttgc tgccgctcat gcctgtatac ccagccctt
81901 ggaagtctga ggcggtagga tcacttgagg tcaagaattc aagagcagcS tggcaatata
81961 ggtaaaaccc tgcctccata cacataaaaa aaattagcca aacgtaatgg ggtgcacctg
82021 cagtcggcagc tactcgggag gctgaggtgg gaggactgac tgaccctgag aggttgaggc
82081 tgcagtaagc cgagtccatg ctgctgcact tcagcctggg tgacaaagca agacctggg
82141 tcagaaaaaaa gaatttcccc cttcgatgt tgctatggac tgaatatttgc taccggccaaa
82201 attcatatgt tgaacccctaa tcccccagg gatgattttt ggagggtggg ctttgggggg
82261 gtaatttagt catgagggtg gggcctcatg aatgggat tgcgccttat caaagaagcc
82321 ccatggccag gtgcagtgcc ttacaccgt aatctcagca ctttgggggg ttgagacggg
82381 agatagctt gaggcagaaaa gtacaagacc agcttgggtt acacagcaag ccctcatcac
82441 tacaaaaaact aaaaataaaa aaaaatatgt tgcatgtggt ggctcacatc tctagcccc
82501 gctacgtgag aggctgaggc aggaggatcg cttgatccca ggaggtaaag gacacagtga
82561 gMtaggatcg tgccactgca ctccagccctt ggtgatgagt gagactctgt ctctaaacat
82621 ttttttaat taaaatgtt gaaataacat aaaagaggcc ccagagagct ctcttgc
82681 ttgcaatgca tgaagacaaa gtgcagaag gtcgcattgt tgaaccagaa ggtaggcc
82741 cagcagacac aaaaatctgcc agcactttga tcttggactt cccagccctc agaaccatga
82801 gaaagaata aacactatgt aagccacccctg gtgttgggg tgcttttgc ggttagcagcc
82861 tctactgact aagacagtgt cactcagct actctcaaga aaggcttcgt caccctggatc
82921 cagtcgctc agttaagcgg tgctgcccag ctctggggagg ctgggggaga tgaggcgt
82981 tggatttgc aaggctcaga ttttggggaaatcttgc ttttgcgggggggggggggggggg
83041 aggagacggg gcctgatgag gggctctggg cctctctgttccctgtctg ctttgc
83101 aaaaatggtga aaggaaaggag gcatcttggaa gcatctgtt cctctgtttt ccttgc
83161 ctggattcac caggacacaa aaacccctgtt ctttgc tgcagggtgc ttgagaaagg
83221 aagagcaaaac ccacaagctg aagatccca ggcagccatc gctccgcaca cgcacgc
83281 agtgtagctg tggctctgaa gacggcggt gttaaaggac agttacttac ccagaacttgc
83341 gggccccctt gccccggcccc acggaggccct tgaacatctt acaataaaaca cacaccgaag
83401 ccatgttctt ggagagactt tggggaggct gtcactctg gaaacagccca agctgttctg
83461 tggcttggaa gaaacaagca gttccatcca ctctgggtctt acagatattc ctccctgagct
83521 tgaaggaagc cacagcgaa ctggagctg ctcttagtttctt ctggaaacatg cagcagggt
83581 aaccccgagac Rtcctctccag ggagctgatg cccgggtttt acctgtctgg tgcgc
83641 ttccccccca gctactgtt agggccagc tccctctcagg gactgtctt gggagaccg
83701 gggagtcacc gcaatccctt gctctgttgc gcccggccacgc tagcagaagg aacagagggt
83761 gcccgtctc tgatgtatggc ggagggcagttt ggtgtctgc ggaaggggct ggagggcaca
83821 Sggctgcga gtgcaggggc aSgtggtgcg gggggaggct tctacaaagc cttagagcgc
83881 cagggttagt cccactgaa gggaaacatgc aagcaaaagac tcKaatgaKg tgggagggt
83941 agctgagggt gtctagaaaag ggcattccagg cggaaaggagg accccatgtg gggttt
84001 aagaaggcga aggaggccca Sgatggcagg aatcaagtga gtgagaagga aatggagc
84061 cacgggggtcc caggcgagg cgctgggtcg ttttttttgc ggttaggtggc cgggggtct
84121 ggtgtact tctgagctga acgaaggcagg agccactgtg ggatttccag cagaRgacag
84181 acatgatcca gcaaaaggca tcaaggatc cctgaccacg gaccggccca ggacccttcc
84241 accatgtgc aggattcttc ttacaggaaa tgccctgttgc ggcacatcta gagaggcagg
84301 aagtggatc atgggttgc ggaagggtgtt gggggaggaa ggacacagc taaggggt
84361 ggggtctttt gggaggggaga agatgttgc aatataataa aaaccattga atcgtaYact
84421 taaaatgggtt gacctgtata gtatgtgaat tatatctca taaagctgtt agagaaaaga
84481 atccctgtc ctgtgttgc gacacatggg ggtggggagg caggagggtc tgctggggc
84541 tcccaaagtc atcagaagag gacaaggct tgcacgttgc gacaaccgtg gagatggt
84601 gaagtgtatca gggtcgggggt ggattttgaa agaaaaccta aaaagatttc tcaacagg
84661 tctcatcgt gtgagaggaa gagagggtc aacccttaact gcagagctt ggctgt
84721 atggaaggaa ggatcagccg tgccacaSgac tggggaaaggc cgagggtggaa gtgcggag
84781 ggtgagcgcg agttcagtga gggcggtctt ggggtggatc ttccaaatttggc
84841 gtagagaaat gctttggaaac ttggatttgc agagtgcaga gacagatgag gtgcagatc
84901 tgcggagtc aggacgttgc gcaatacaga gacatggaa ggtgggggg cagttggat
84961 atgagtcttgc ggtgcaggag agagatctgg gctggggacg caaatctggg agccatttca
85021 tggatcataa agcaacaaga ggaatggat gcccacaga ggggtgcaga gggagac
85081 ggacgttca ggcacagagcc ctggcgcat caacccca ggggtgcgggaa agaggaaga
85141 tcagcaaaagg aaacggggat gaaactgttgc tgctgttgc gatgggt
85201 cggtaagccca caccacggaa gcaggaggaa ctggctgtcc acgtgttgc gatggc
85261 gaggatttggc agggagatgc agcagcatga tgacctcggtt ggggtgc
85261 gaggatttggc agggagatgc agcagcatga tgacctcggtt ggggtgc

85321 ggcacacaca gaggcctggc ccaagtgggg ttaagacaca gtgagaggag aggaatcgaa
85381 gatggcgtct ccacctaggg ggtgctgctg agagagcaa aagctggag agtaggtgac
85441 agacgaggga agccgtcagg tgtgaatgcg gatagggagc agatgttgg ggtgttcaga
85501 ggacggaga tatgaaaagt catctggaa gaggcaaca gactgagggg agcagtcgg
85561 ctgctagcgg caccttgcg gtgaacatca tcgtaaagca gacgagaagc agggctgagc
85621 tttgttcagg ggtacccgtg ccagcatgaa gttaggtgaa agtttcattt taccaggact
85681 agggcattgt tcagtagatg ttacaaagca agagtgactc caatgaggaa acctgcagg
85741 taagaSaagg aggctggta aggggtggag ggaaggatca gtgggtgag agaccgtgac
85801 aaggcggcag catcaatggc ctgcagggtt gctggagcac aggtcggagc aaaaggaaac
85861 cggaaaata gaaggtcatc agaatgcaac actgcaacgg attatgcagg tataggggccc
85921 gctggcaaaa gaaggtttaa ggtatgacca aggcacaaatc cagtggggag tcctttttgg
85981 aaaccttgac agctgtggc atggtcgacc tcatggaaa ttttcaaacc ttgatcctgt
86041 gtcaaatgag ttcccgtgac gcgtgtcagt gcgtgtggat cttgtctttt gggggagggc
86101 agaaactctg cagacccat gccttgccRc cctcgaccct gatacgcgat gccaatagac
86161 acaactgtgc gggaaaccata aacgtcacca gattcagagc ttgagccac ctctccca
86221 gttttgtcc ggtaaaggaa agaggaacag gttcaactc tcctggcaga actctatgga
86281 tgcgcagag gacaacgta atgagttt cttaaacttac aaggatttc cgggatgg
86341 aaagaggagg aaaaactcaat ctccaggagag tttaatggca ggagtggact tgagtgttgg
86401 ttccccta ataggggtt agctgcattt gtgaggttgc ccaaggccct ctgttagaata
86461 tgctggagaa caatgatca agactacaaa gaaactgaag tgtgagcga agataggagt
86521 gaacccctcgaa gaaacggagg ccatgcaact gcctgtttt ggggtggagga acaaagcc
86581 gtcactgtgt tgccaggagc agagtgcac gtcctggaa gtcctcggg aacgttagt
86641 gtgtccctca tcgcaggca tggaccctg caccagtggc cagtacctgc tgccccagcc
86701 agcctctgtg aggacacac tggcagagat gacctcacgc tggtgaaaaa cgaggagaca
86761 gcaagatcaac ccagccgggc ttccacgtcc agcaaaacga ggcgagttcg gttgttatt
86821 ctgctcttc atgagtcagg gcttggcc tcactgcctt ccaaaacagag tcaaaatcaa
86881 ttgtacgttc aaaacgcacat gaaaattggc atgtcaaaagg ccattctgtt atttcagtgt
86941 attaaaatca aaagagcaca gccttctga agaagttcc ttggcaga attcaagttt
87001 cctctttctt ttacttgc aatttgaatt tatttactt ttcaaggaag tgaccattt
87061 tgcaggaaaa gtgttagtcaa aagagataat gcacatgaag ttttttttta agttctgagt
87121 atgtcaaga gatttacagt gcattaaaat aaactatagg caaaatagtg tggatgttca
87181 tctctacgca tttttaaaaa gggcaagtg ggggaccatc ttgtgtatcc ttcacaccag
87241 tagccccctt cgcgcagcgg gaagggcctt gccccaccca atgtgtctct ggtggatgg
87301 taattcatgc ccatSctact ccccaactgc tgggtgggg gggcacatag cccacac
87361 gtactcaatg ccctcagcac agtattggt ccagggggtt aacacatgac tggagtgaga
87421 ctaatcatgg gtcttccatg agatctgaac atttggagaa aaaaatattc ctttcctg
87481 tcagtaactg cacagegttag gcctggggct gctgtatgtt agagccaaatc tgagaaggaa
87541 gtctctgcag aagagagcca agtcttagga ggaggagaga cgtctgaccc ttgcagcc
87601 gtgtggccca gcggtgcctg ctgtttgtc cgcgtgttgc agcaatYtc ttttttttgg
87661 cttaatttgc tttggatctc taatttatacc ttgaatgacc ctgacatatac cagtgtctc
87721 taccttcctt attgtgtgg ccctttaaaaa aagatttgg aatMatctgS catgagaatt
87781 ccacttcctgg aatgtgtgt agaggagccc catggacaca ttccctcag aacaaccata
87841 actgggtggaaa agtattggaaa agtaccatc aacaacaatt taaagtctct agaaatttac
87901 ctaagagcac acaacaaact aagcaacatc atctattcaaa gaaaatcaac caaatcttgg
87961 gaagaaaaat cccagtaaga acagcaagaa tcggggcact ctgagccatc acttgc
88021 tcttccccgc ttcttagtcc tccagttcag cttatgggg gttccactct ggggggtgt
88081 ggcacaagaac acagggtctt ctcttccctc agatcccactt caagaatac agtatttac
88141 caggatagat gggccaccag cgtttctcat catctccaa tcccaactgac agagggtac
88201 tccctgctga gtgtgaccga Raggccggag caccccttc caccagcccc taactc
88261 caggagctcc gtctcagggt cagcaggccg agagtgtgg gtccttaatc accctaagtc
88321 cagcctgttt gctagaaaaa tattccatgc tagggggagg caaaccacaa agatc
88381 ctacccctgg cccaaataccg ggagtgggtgg ttcaatgttca gatttctggcg gcaagaattt
88441 aaggaggagc tgacagctct atgagaacaa caacctgac cacagaccag ttatattact
88501 gggaaaaaaa aaaaaatca ggagaacaga tcgttatgag gatctttcc agggggagaa
88561 tgaatttca aagactggcct caaaatcatc ccttccaaa tttaatttgg tcaaactatg
88621 tgacaatttta tgtctcaggat cattttggaa aataatagag caatcatccc tcaatttgc
88681 aaggccttagt gctgggtgtg ataccaatg aagcagagag tgtaacagac agatc
88741 aaggggacagt cataggggagc cctgctgaaa tcactgtcat cccggatga ccctgc
88801 gctcaaggct gtgccttcca acagctgagg cttccactg tgaagaatac agactttgt
88861 aaaacactct aaccaatca ggaaacaaat aaatacacaa acaactgcaaa acagc
88921 agatggggaa gggggatcag ttttttttttggccatgatc cccaaatgttcc
88981 acaacagaaaa cacaatgac tcatttcacag aaaaaaaggc ggcaacagac actgctt
89041 agaaaagccca gatgtcagat gtaacagctg tcagatttgc cagcaaagat ttcaag
89101 ccattggaaa tatgtcttgc aaaaaaggaa accatgcttca tgtaaaggag tgatgtgac

89161 aatatctcat caaataaaaga ctatcaataa agagaaaatta taaaacaagaa ccaaatggaa
89221 attctggagt tgaaaagcac cataactgag aggcttaaca gtagatttga actggcagaa
89281 gaaaagaatct tgaaaacaga tcaatagaca ttatgcaatt tgaaggacac agggaaaaaa
89341 gaatgaagaa aagtaaaacgg aacttaagaa aaatgtggaa accataaagg gcatgaacat
89401 atgcacaatg ggagtcccg aaagaggcaa gtgagttaa aggagcagaa aagatggaa
89461 aacacgtggc aaaaagctcc ctaaatttgg taaaacatt aacctacgtg tccgagaaac
89521 tcagcaaact tcaaacggga taaaatgcca gagatccaca cccagagaca tcatagtaaa
89581 aatgccgaaa gccaaagaca aagagaaaat tctgaaagca gcaaaagaaaa aatgacttgc
89641 cacatatgtg ggaatcccag tggatttcc agccgacttc taataatggaa agccagaagg
89701 cagcagaatg gcatatccaa tgtaaaaaaag ctgtcaacca agaatcttc tccagcagaa
89761 ctatTTTca aaattaaggt gcaatataga cagtccaga taagaaaaa cagagaattn
89821 tgagtagacc catTTTatca gacatactaa aggaagtct tcaagctgaa agcaagtgac
89881 ctcatTTTgtt aacttgaatt cacaccacaa cacatacagt accgtaaag gtaatcacgc
89941 aactttaaaa gacaatataa atgggtattt cttctctttt ctcccttaa ctggcttaaa
90001 aagcaataat atagaagaag atgtatataa ttgtattttt gggcccatat aatataaaaa
90061 tgaatataat ttgactaaca gcacaaagca ggtgaacaga aacacagctt ctggagttaa
90121 aaaatgacac cagatggaa cttgaatcca ccgcaacaaa tgaagagagc cagaaatggt
90181 caacaggaag gcaaaactgtt gatataatgt tactctcctc tctttttca gcttcttaa
90241 gcatgaaatt atataaagca ataattacaa caattgttag gttttagca tatatagtctg
90301 tggtaggc agaactgtgg ccctccaaag atgttcacat tctaattcccc agaacctatc
90361 tatctgtaa gttatatgtt aagaaaaatt aacattgtt atcagatgac tttaaaatat
90421 tggaaattttc ctggatttagc cagatgggc cagtgtatc acaagggtcc atakagggg
90481 aagggggaag cagaagagag aaactggagg gatggctgca cggaaaggac ttggcctgat
90541 gtgtctggca taaaagacga aggacagaag tcatgagcca aggaatgcag gtggcctcca
90601 gaaactggaa agggcaagga aacagatctt ccccgagga ggacccagaa ggaacaaaaac
90661 cctgccaaaa ccctgatata aactcgtga gactcatc agactctgac ttccaaaact
90721 gcaaaataat accattgtcat tatttaagcc actaaatttgc ttgtaattttg ttaccgcagc
90781 aatcaaaaaac caacacaagt tgcacagcaa gaacagtaca aagatggggg tggccgggc
90841 ggggtggctc acgcctgtaa tcccgact ttgggaggcc gaggcaggcg gatcagcagg
90901 tcaggagatc gagaccatcc tggtaacac ggtgaaaccc cgtctctact aaaaatacaa
90961 aaaaattagcc gggcgtggta gcgggcgcct gtagtcccg ctactcggga ggctgaggca
91021 ggagaatggc gtgaacccgg gaggcggagc ttgcagttag cggagatcgc gccactgcac
91081 tccagcctgg gcgacagagc gagaactccgt ctcaaaaaaaa aaaaaaaaaa aaaaaaaaaa
91141 aaaaaaaaaaMaM agatgggggK ggaagaatag agctatataa gagtaatgtt tctatagctc
91201 acaggatca agttatataa aatctaaaga ttctgtatc atgcatacga caagggagag
91261 gacatcacca aagtgcacaa atagaggact ccaaaaattct gcccctccac aaaaacagga
91321 aataagcttag taaatctcg aatcgacttt tttggaaactc cagaatttttcc cagaaacact
91381 acaacaacca gggaaatgtt aatagaagaaa gcagctactt aattttggg acagtgggt
91441 atgggtttt aatttacttg cttaaccatc tcttatttctc caactcagca gtggccatga
91501 agatggcaga ccacatttctt ggttaggtt gctgatacca acctacacat ccaaggagct
91561 caatgactcc cagttgaaa actcaaaaaga aagaaatatg gaccttataat ccagagaatt
91621 gtggttgtgg gtttaaccc atctgctggc ttgccttgc ttcaactgtc tcggagcttc
91681 cccaggactg aagtggtttcc ccagacagtg tttgtcaaaa gtattnaaag gtratgtat
91741 tagctgcaga cacctggggc acaggacaaat aKttggggca agacRacaa taaacatatc
91801 taaaaggcttg gggaggaaga gggtagggaa ggagatattt gggaaaataa ggtttttgaa
91861 aagctcttgc gcataccaga gaatcttaga ttcttaccatc gacatgtctt gggtgagatg
91921 catgtctaga aaaggcttaa gaagactcaa aagtttccat cttctggctga catttaggt
91981 ctgtacaatg aggaagtggaa ggctaaagaca gagttgtaaa cagttggct aagcatcaaa
92041 ggtgtgctca aacacagaac caatctacaa agacgaggg agttttctt cttaccctgg
92101 cttttaagaa agtctctgtc aaatcacttag ctgaccacta agtcaacaaa acagagactt
92161 tggtgccat atataatgaa caatgcacac tttacaaaaa tagtttagaa aaatcactaa
92221 acaaacaagc aacaacacat aaaaaacaaac aagccccggg aagtggggg catctgattt
92281 ccagagtctc cacattcaaa atgtccagtt tccaaacaaa aatacaaaagc atgcaaaata
92341 acaagaaaagg atggtccact cacaggaaat aaaaaagacc ttccctgagg aagcctagac
92401 accctcatgtg ccagacaaag attttaaata aattgtctt aatgtgttca aagaactaaa
92461 agaaaccatg ggcaaaataac gtaagttaaag caagaacata atgtatcaca aaatagagaa
92521 tatcaataaa gaaatagaaa ttataaaaag gaaccacaaa caatTTTgg gctggaaagc
92581 ataataactg aaataaaaat ttcaatagat cagtccatc gcaatTTTgg gcaaggcaac
92641 aaaaatcg caaacttaca ttatcagcaa tcatccatc tgagaatgtg aaggaaaaaa
92701 aatgaggaaaa aaggaacaga acctaagaga tcaagtacac caaaatacaa aaaaatgaga
92761 gttcaagaaaa gagaatagag aaacaaagg gcataaaagaa tgTTTggaaa aacaatggct
92821 ccaaattccc caaatttgc taaaagaaca tgatttctaca catccaagga gctcaatgac
92881 tccaagtttgc aaaaactcaaa gagttacatc aagatacatt gtaatcaaat tgtcaaaa
92941 caaagacaaa aagagagtct tgaatccac gagagaggag cagttgcca catatacaag

96841 agacagggtcc ctgcttaacta gacacaagaa ttggccttct ggggtgtctc tgcgtgttct
96901 gtgtatggtg acctagcccc gcccctccag gagggacact acgtgcagga cattttggaa
96961 aacagtctt gtttttccctc aaaaagtgaa aactgtgtt atcatgtgag ccagcaattc
97021 tcctaKgcat atacctaaga gtaatgaaca tatatgtaca cacaagact tgcacccaaa
97081 tggccatcgaa ggagaagctg gccacagaga agatggccca gagaggaggt gctgtgtca
97141 gaagcagctc tgggaggaaa gacgtgcaca gccaaattc agattactga cactttttt
97201 ttaatgcaga gattgtctgc agaattacct attttgact tatcttggaa aactgaggat
97261 ctggcaacac tgaccccgaa tcttccttaac agcaacaatg atcagaactc agagggttS
97321 tgtctcaactg atttttttt ctttttctt tctttttt ttttttttga gatagggtct
97381 gactttgtca cccaggctgg agtgcagtg tgcaacttca gctcaactgca acctctac
97441 cccaggctca agcaattctc ctgcctcagc ctcccaagta gctgggtcca caggtgcatt
97501 ccaccacgtg tagctaattt tttagttttt ttggtagaga tgggttca ccattttgcc
97561 cgggctggtc tcgaacccct gagctcaggat gatccatccg cctcagactc cccaaatgtct
97621 gggattatag gcacccgtct gcacccgtcc ttgtctcaact gatttctgtat cttattttgc
97681 attatctttt tccttcattt ttctttggat caatgttgc tttttctaaac tWctcacact
97741 gaaaattttat ctcttaattt tttagacctt ttcttttctt aatgtaaattt tccatccac
97801 tttgtatatt tagtgcctttt attatcattt agttgtattt ttgaagttcc actattattt
97861 cttcttgac ccatgaatta tttaaaagta ttttttttta atttccaaat aatggggatt
97921 ttgccttg gggctattaa ttctctctc acaggcatga tggcaggga acaagacctg
97981 ctgacactat tcttttagtt tctgtgagat ttgcacttaa ttgaccagtt gttacaagtg
98041 ttccctatgt gcttgagaaa aagaataaac ctctacttgtt cagatgcaaa attcatcaat
98101 gtcacgttta ttattttgtt tatttagaac ttcccttatct gtgtgggtt ttttgtctac
98161 ttgatccaa accaatggaa aaaaatgtt tggatttctt caaaaatgtt gataaaattt
98221 tcaattttctc tatttcaac aaaggctcagc tcaaatatgt tgaggttattt tattaaagt
98281 actctacattt tagaactgtt ttatcatctt ggggaaatgtt acctttctc attaaacgg
98341 gacctgtctt tccccagcag cgtctccctt ctgggggtt gttgagtttcc agattgat
98401 agcaatgtcg gcttgcctt ggccgcctga taggtctgtt tccatactttt accttccact
98461 tttcttgcc tttacactttt actctgggtt tagcgtccag ccagatttt aatttgggt
98521 ttgtctcgat tgcagat tgcagat gacagccctt gtcttgaat ttgtgagttt aatccatt
98581 catttacatg gattattgtt aaatctggc ttgtttcttcc catcttactc tatgtatct
98641 atttgcctt gttttctgtt ctttttttctt ctttataat ttgtcttata aaaaagaca
98701 tcccgccgg gcScagtggc tcaggccat aatcccagca ctggggagg ccaagggtgg
98761 cggatccctt gaggccaggg gttcgagacc agcctgacca acagggtgac accccatctc
98821 tacaaaaaat acaaaaaat tgggggggtt tggggcaca tgctgtat cccagctgt
98881 agggggctg aggaggaga atcaactggaa cccggaggc agggctgca gtgagccgag
98941 atcgagccac tgcactccag cctgggttac aagtggagac tccatctcaa aaaaaaaaaa
99001 ggcattccctt tttctctaattt ttgtctgtt accactgtgc tggtgtcccc agccaggctg
99061 caaccctggg gacacacatg cccctccagc agtgagttca gacccttctc acccttggc
99121 ctcaggctcc tcacttcttgc cccctcttcc tgagagggtt caccatgtt ccacacca
99181 tccaaatctg atcatcggtt ccagtccagt ccctgcacca gctgtctatg ggccttctc
99241 tctgggggttgg ggtctggggc tgggttctt gctgtgtgtt cctgcaactac tccacattt
99301 ccagttcaga ggtgatggc gccccctcta atatatgcca tcccaaggcgg gggcagcagg
99361 gcaacaaggcc acttcagtgtt caacacggat ctcactgcag gaactaggag gggcctccct
99421 taggaagagg cactctggc tgggtttaacc acagtcccca ctttccctc ctgtctcaca
99481 gttcccgagct tcatacacac acgtgtctc tatttctgtt attatgtcatttattt
99541 tatattatgt tgcgtggca tatgtatgtt ccgtacaag gggcccttgg gcttttagat
99601 caatcttag aaggactcca gccagacccc aaaggccaca tattatcaat tgggttctt
99661 tgaagtatac agaataaggca aatccaaaga cacaggaggat agattaKtgg tcaactatgag
99721 ctgggaaggd gaatggggag tgactgtctt ggggtcgagg ttcactgg ggtgatgaaa
99781 acattttggaa actagatggt gatgtatggt gcacaacact gccaaaaacc actggattac
99841 acactttcat actcatatgtt attatgtcc attgattttt aaaaggtcag aggaagcaac
99901 tcaaattgtt tggagggtt agaagaggcc cagatgggtt aagtgggggg ggcgtgcaSa
99961 ttaagccac aagaatatttcttcaacttccatc caggtcacac acacactcYc tctcaactgtS
100021 cctgaaggccc atagccccctt ctgcctgtact ctccatcaa ctgtKgatgg cgtcaaaagat
100081 gacaSaaat atattttggc tggaaagaaaac acaacaggcc acaatggagga agggctgcca
100141 agcaggctat tagcaggatt tgcattgtt catctgggg tctggctttt ccccccagcca
100201 gactcttcag ggacagagac cagattgttca atactcgtt cccaggcaggc cgctggctg
100261 ggggtcttc agacactgac tggatgtatg gatggatgg tgggttggat gaatggatgt
100321 gtagatgtt gatgtatggaa tggatgtatg gatggatggt gatggatgaa tgaatggata
100381 aataattggaa tggatggatg ggttagatggg gatgggttag atggatgtt aagttagatg
100441 atggagatca atgtatggatg gatgtatggaa tggatgtatg agtgggtttaga cgaatgt
100501 cacgtggat gatgtatgg aataatgtt gatgtatgtt gatgtatggc gatgtac
100561 tggataatg gatgtatgtt gatgtatggt gatgtatgg tagacagaaa gactctgata
100621 ctggaaatgtt aatcccttcac atccatggca agtgaaccgg gtaacaaatg cagaggcaag

100681 accatagcag cgtcatttgc cactgttgc atttatacac atttttgggg cagaatcggt
100741 catgcttgcac cacaggcat cctctagaggg tgaggattgg gggtcaggaa ctgtgggtg
100801 ggctcagggc tagggctgcc gatgtggcct ttgtgcctgt gaggcactg catttccatc
100861 agcctcatcc ccatcttccc tctctgcctc caccagtgag ttcaagatcct tcctacaatt
100921 caatcttggg gtccccctac ttctgtccc atctcccaag acctggctgg gcctgactc
100981 agaatgggg cagcaaagcc ctgaggtaga gccgtctccc aagattatgg cctggctggg
101041 gcccgcctca cctccattca aaggacacca tggaaaacaa caatgtgccc ccaagcaggg
101101 gtggcacggc acagacactg atggcacagg gcccacttct tgctccttcc tgggtgttcc
101161 atcctcgggg atcaggggct ctgcagcagc aggcagggtct gggcagccct ggagtgttg
101221 acacaattcg ggcactgtga ccctactgga ccccttgca cagatgtgctgS tgggcMtagg
101281 aactggctgc tccccactgg ctgctctggt agggcctggg gtcgtcctac acccccaaca
101341 catgagcatg ggcaggatc caccagtctc YttctStgtc cccagcctct cccgcagctt
101401 ggccctggtc caccgtggac agcgtctg acacggcYt tcttccaca gggagacgg
101461 gagggcttgc ttctgcctc agagcagagg ccccaggtct cttcagggtgg gaggcaggt
101521 gccttcgcga cagggccca cagccagctc agcccacaga acagtaagcc gccaggtccc
101581 aagttgtcat cttgtgaccc gcccctgggg acacgggtgc ccaacaggaa agaggacggg
101641 ggcttattat aaggaaaata gtgtcaggcc tgccatggag ctttgggcct gaggcctcag
101701 ctgaggccaa ggcagcagga ctatccaga gacaggacag accctgggtct cctgggtccc
101761 agctcaggga agctcctggg tgcggctcgg ttcaactccag catttctac atggatgaaR
101821 atgtggatgt gtctgcctg accatgggtg tggcatgcc tgcgtgtgt tgagagagag
101881 agaggagaga gagacggaga gagtttatgt acgtgttaact accaaccaga gtccaggagt
101941 ctcacactcc actgcaaacc aggcaggcgg ggcacatg agtggggggg ccaggcacga
102001 atcggcagggg aggggggggt tgggttcgcg catccagagg aggcacagag cctcccaccc
102061 agtgcgtctg gcaggaacac gcccagggtg gccaggctt ctgaaggaac tgaaaattga
102121 gattttcatg taaaacccctc tgattttaa tgtagactc aacatttctg aagccgtt
102181 acgagtcaaa taaaacatttgc cgggggtgggg cggcgaggcc gcccagagc tgcaggctg
102241 aggctggct ttatgcctc accccgtatgt acatacagac gagaagactg aggtcaggcc
102301 agagcaagga ctccgcaggc caggcccaca ctggcggccc cggtgcctg gcccataact
102361 ggggtcacca cagccccatgg ggagcaccaa gSaccacaa aaaggaggg ccaggcctgg
102421 tccccgggt ctctgtcacc aaggggccac attgtgagtt tcaaaagggtgg ccgagggtgt
102481 tcctacaggc ctgtgagttcc ccacactctt tcccagttca aggcctcggt acaaattccaa
102541 gcccagctt gtcctcggt tgatgaaggc caagaatgtc gggagctccc gggatattgc
102601 cYaKaAaaa ggagcacagg caccgtacgt tctggacaca agggcagaac cctttgaga
102661 ccatcatcg cctttgtc tccaggctgc gggggctgg aggacatcca ggcacggta
102721 taggtgcgg ggggggggg aacagaaccc tggggccca actgggcacc agatgcacca
102781 gcccgggtc tggccggccca gcccggggag tccaggggct gtcggcaacc cggcggccacg
102841 cctgctccct cagtgcggca tccaacagct ctgtgcctt gggctggggc cttgcRccct
102901 ccccgctgtc ggctcccgct gatgcgtac agatgggtt catgcgtgcc tccaagaaca
102961 acaggacgac cgcagggttc gcctcacaga aacggaaaccg ctggaaaggc ctctcttgc
103021 attcccgaaa gggaaaataaa aatttcctctg aagtacattt caactccgag gcagccctgg
103081 ccacatccaa gaagctcggt cctgagcgcc gtgggctcca gtgaagggtcc ccagcaactga
103141 ggccgcctcc tgaccccat cccggccact gcccgggtct gctcaaccct tacacggctt
103201 tcacaaaatt tgaatttagt gccaacagtt taaaatgaag agattgtaa taaaatcaat
103261 ttccagttc tcttataaaa ttggggcccc tcctgtctg ggccgacccc gtgtctaccc
103321 gggcccagtg atctctcgctg gcgtcacctg ccaggcccccc atcagtgtgc ccatacgaga
103381 ccactgtcct cagcgaacgc ctgacccccc ggctccaggc aagggtgaga ggacagatgc
103441 ttcatctcg gggctctgg cttctctgg gccagtgtt tccagctctg ccctccagag
103501 ccctctgcac acgctggggc tggactgtcc catggctgtt ggctctgatt tgggtgggca
103561 gacctgagca ggccatcatg ctcttattt ccagcctgac acccccccacg cggcccccgc
103621 caacccagac aatgtgtact gaactctctg tcaacttgc ccctgagctc ctcccccgcag
103681 cccaccagggt gtcctgtctg tgggtgggc agcacctagt cctttcgcc ctgctggacg
103741 tcgcctggcc agacttgca ggcattctca gccccttgc ttctgtactc catccctcca
103801 acgctggcca ccccgccctc gggcccgact cctgcccacgt gaattgtcaa aggcagagca
103861 tgaggaggct gaaggcagcc cccatggcac accccacggta gtcctgtcag tcgtccaaa
103921 aaggctcaag cttggcggc atggctcgca gcttagaatt tgcagctgga ctcaaatatg
103981 tggcggat gatctggaa aggtcttgc gaaaaggggc agacacaggg accttcccg
104041 gcccggatcc cacagaggaa atgattctag cgagcgcac ctcgacaggt ctgaggtcca
104101 gacaggggtg gagctgtcac aggcaaggcc gttggggctgt gatctgggtc ctcccgac
104161 cacgggtatt tggaaatggga atacggttct gccaggcaag gagtatcccc ctctgacc
104221 cctgtggact gcctaccagg actcccaaca cccttcctgc acgtggcgc tgagggctg
104281 atccggccgc tgctctcatt cccatggcca cctgatccag gcccgcgtct ctccctgcac
104341 acaggacagc agcctcctgc cggctccctg ccttccctgt gtcaccctc ctccggaaacc
104401 agaccatgcc acctgtcga tggcacagcc cctcctccac gacggagccc acagaagcc
104461 tcgtatctg acctccagtc ccctcagggc ctcaccctgc ccctcctgc acaccccaaa

104521 aacaagcccc tcctcacccc tcaggtactt cgcatctgct gccctggccc cttttcctcc
104581 tggggaaactg caacccacac tccaggcctc agcccaacgt ccagtactg cgggctca
104641 ctgtggcaact tcccaagtct tteattgtgc aggtatttgc ggactgacta gtgcaactgt
104701 ggctgtatga ggtcagggct gtgcctgtct ggtcccaagag cctggcccaag tgcccggtcc
104761 tgctgtgcgt gcccggtaaa gatctgttgg atgaatcaag ggagagagga aggggagcag
104821 ccctgggatt ccacagggtgc tttatgttcca gagacaaccc cgcaaggaaac agtggccaag
104881 gcacgctggg agcagtgtc cagccgacg gcatccccag ggcagaggct gggattc
104941 cattgctgcc ctcaggcacc aaacgggcct gtggcagtca cagggcaca ttccctgata
105001 cgggtctgtc gttccagcat ggacagggca atttccctcg ccatctgcag tctggcatca
105061 gacattccca aataaaggac agacagttaa ctgtcagaaa gtgtcgtgtc ttgggcctgg
105121 aaggaaggga gcccgtgtct actgggacc cccaattttg gccactgtgc agtgcctgt
105181 gtccctcaacc tcggggcctg gaccacagct ccatgagacc acagggagga
105241 cagaagaaag agtgtatgaac agcaactggc acttggatttgc cagggcacag tgcaaaatgg
105301 aaacgcacag tcccttgc taaaaggatgt tacgacttct aaggcagggaa tgacagagtg
105361 ttaaagggtgg cataggccc tgccggatgg gtcacaagcc ggcgaagtca gtccctgc
105421 agtgtgagga agtgggacta gcaaaggccc aggggccaccc aatgtcccat gggccatgg
105481 gaccagtagc caccacacgc tgccaaacctg agtctgcacg cctgacactg tggcaaca
105541 aggaggcgctc agtgccaaacg cctccaaatgc ctgcaggag caactgttgc tcccgagtg
105601 agctcttgcg cggccggct tcctaggcac tatgcttatt ctttctttc acggatattt
105661 acgcaccaac cgtgtgccag gcattcctca aaatgctgca aattccactg taagcaaaag
105721 attctccccg aagctaactg gctaagtgcg ctggagacac atccctactc accctcgctg
105781 gcccccaagt tctgcagccg ttaaagtggag ttccaggcct tgggtcttgg aaggccctct
105841 gtccaaacaaa cagatggggt cacaggctac cgggttttgc cagcccaggc tctgagcggg
105901 gacaggaggg cactgactg ggtgtcagca gcccctgggtt ctaaggctgc tccctcc
105961 ttagtgcaggaa gtcaaaaaggc ctggctccca ctgttttac agttaactat ctgtgcaacc
106021 gtcggcacct cagtttctc atctgttaacq tgggcacagc aaaagcacca acccaccgt
106081 gggctcatta caagaatccct aggagatgtat gtaacctgcag cgtgtggca gacgcgg
106141 acggtaagtgc ctccaggaac ggcgtacacgtt ctttctgtc cctgctgttc cgcgtactgc
106201 ttggacagtg gttagccctgc accttagttt tctctctgtc tccaggacta cgcgtccat
106261 taaatgacac catgaagagt gcccacccctc ggcgcaggccc tcggtgaatg ggcgtatgc
106321 tgaacgcacaa ctggctcca acggggcagg agaaggatca ttcagactca gctacagaaa
106381 aacagacttt tggcaacta acgctaacaa aactggaaag gaaagaggaa ctacggc
106441 gggaaaagct tggatcgaaat atgacagaaaac gtcaatatct aaaaagagat aaaggc
106501 tcacaaatata taagacccca ggagataaaac aggcaaaaggc ctttagaataa ggagacatgc
106561 agagaatca aaccaggaa agatcactca tccctgcagg taaccaaaga agcgc
106621 agcgcacaaa gcaacgcgc tttgtctggc gaggcaggaa atattaaaca ctaaaggccc
106681 cgtgtgggtg aggatttggaa gaaaccaggaa gctgtgtgg gagccagtc ggctctg
106741 cgagtggtga gtctgttaag cgctgggatt tcctaattca ttttagtca ctagtaggtgc
106801 cccctgatgg ctgctcaggc ccagggtctcg agcgcgtctg ggctggctca ggccgc
106861 tgccgggtca gcaacagata cctatttgc ggaacagaac ctgaggctc
106921 gtccccaccc ctgagttca agagattttgc caccaggagc agggaggatt
106981 cgggcagctt ttgtgtggg aacagctggt aqgcgtgcct gggccccc
107041 ggaaggctct gcctgcaaaag gcctagaggc agccacacac cctgc
107101 gtacgtgcag gcccacatgc ctgcacccat tcateccccc
107161 cagtggcagg caaggggaaag ctggaccgg
107221 ccatgggacc ccaaaactca cactgtccct
107281 cctcccgagg caagaggagg tggcagtgc
107341 tggggggctc ctgccccgc cccgtgagtc
107401 ttctttctg gaaaaacacc tcccctctgg
107461 agctgtggag tcagagtgtat ggggtccaaat
107521 aacctgcccac ccccaccaggc acacccctgg
107581 agcctcaggc caccaggccag
107641 tgattccctc cttcacacca
107701 gctccacccg ccatctgtca
107761 ctccaaaggc ctccacccg
107821 aaagcgatga gtgcacccca
107881 cctcaggatcc aggtacttagc
107941 ctccaggcgtc ctgcacccgt
108001 tcccatcatc accaacctgg
108061 caccgggttt tactttgttc
108121 ctccccctgcg gggctgtgag
108181 agccccagca cccaggctct
108241 aatgcaggaa aatacacttg
108301 cctaaggactgta agagctgta
atgttattat tccccatga tttggggagc
agtattattc

108361 ccccatgatt tggggagcag tattattccc ccatgatttg gggagcagca ttattcccc
108421 atgattttggg gaggcaggatt attccccat gattttgggg gcaaggattat tccatgattt
108481 ggggagcage attattcccc catgatttgg ggagcagcat tattccccca tgattttggg
108541 agcaggcatta ttccccatg atttggggag caggcattatt ccccatgat ttggggagca
108601 gcattattcc cccatgattt ggggagcagc attattcccc catgatttgg ggagcagcat
108661 tattccccca tgattttggg agcagtatta ttccccatg atttggggag caggcattatt
108721 ccatgatttgg gggagcagca ttattcccc atgattttggg gagcagcattt attattggc
108781 attaatgaac ccgcattggca tttaggtgcc cggcccttcc ccaaccagac cagcgcacca
108841 gcccacccctc cacacaggcc cagtgcggcgt tcacccctcgt ctcctgtctc gcaggctctc
108901 tctgggtgtc ccgacagttt gggatggggag gcgtggggagg cgtgagctgc gctcctggcc
108961 gggttctcta ccagctgtgc tcgtggcgca gcccacaccc cacggcaagc cccagccaaa
109021 ggaccaagt caagacgtt gagagacatc ccagccgaag aatccagccc ttgtcccaaa
109081 cgtgttatgc cacaggcaca cgaagaagg tgagacaga ggagagaaaa atgaagccag
109141 agacaggag agagagaaga cagacgcggc caccggccatc tgactgcgcg acctttcccc
109201 gctcagagct ccttcaggcgc ccagagcaca ggcgccttgc ggattattt caaagagaaa
109261 cgggtcaaaag aaaattggaa attttatag aaaatatttcc aggttggag ctggctgaag
109321 tgcgtccaa cctgcagaga atttgcagag gagatggggc ctgtggtag aggcctccgg
109381 ctggcacaaa ctggcagagt ttggacccctc gacccaaatc cagtttctga gccaggctcg
109441 tcctcgctgc tgctggggaa gagcttctcgt tcccttcag atgtccctac agtcgcctc
109501 gcaaggccctga tgctggtaacc caacgccttgc cactgtcgc cccacccctc tctatcccc
109561 agaggcccttgc tgcgtaggac ccactatggg atgcagtccc ttgtccca ttatgcaggg
109621 tgcctatgtc tctttcacccg tcatccatgg ggcagccagg gcatgaagga agcctcacct
109681 gggtcccaag caggccccc tgcgtccctgc ccaaaacttca cccacccggc caggctccca
109741 catccaaaggc acagatgtca cagacatgaa aagatggccct ggacacatgc ctctctccca
109801 gaaggctgc tctgcattgc tggggacatgggaaaagggg gcatgcggc cccacagtt
109861 ctgatcaaac gccagatgcc cccgtgagca gatcacagct tcacccctga gccgtgtact
109921 gctcgtatgc caggactgt taccttgc aaaaacccaa aagcttttgc gaggacattc
109981 ccaacacaga tccaaggggaa gggaaagaaaat tatcaattca ctgtgtctgt ggaagatggc
110041 gaggcagagg agggaaaggg gacggagagc aagtgtcgcgt gtagactgc ggcaggcgcc
110101 ctgtccctgc cgtatccca gcaaggccctgc tgccactgca cccaggtaca gtggagatct
110161 cagcaccctcg gttctgagat cctgaggggc tgggtgagct gctctggcc ctttagttag
110221 ccagaacaaac agcatgtcgg gtggagctga gcacactgac ccctgcacca acagcagcat
110281 gctggggcgg gctgagcgcg ctgaccctgc caccagcgc gaccctgc ccaacacag
110341 catgcggggc ggggtggcggc acactgaccc ctgcaccaac agcagcatgc cgggtggagc
110401 tgacgacact gaccctgc ccaacacagc catgcccggg gggctgagc acactgaacc
110461 ctgcacccaa ctggccctgc cccacccccc tcaacccactt agtgcgtggaa gcatctgtgg
110521 gagcagccct aatgcagctc ctcagaacca ctggccggc ttcagaact gtcctgc
110581 ctgcgttgc ggctgcagcc aagccaggcc caaggccacc atctccggg tcaggcttgc
110641 cacctgcccc cgggtgcctca ccaaagatcc aggccttc cagccacatt tacctggctcg
110701 gctccacccc tgaaccagaa accatgtcgg gaggggagag gtggcgggg aaggcaagc
110761 ctgagactca gggactaaat ttatgtcgg ggcacagggg agtgcgtcgc cacgtgggg
110821 ctgtcaggcg gagtgcaggccc cccagacgcgtt gtaggggggg agcacacccct ggcacgtctc
110881 cactgtggaa taagggggc ccagccctgc ctggggctgc aagctcgct tctgccttca
110941 cagcccaagggg ggtggggagg acccacaggc cagcgcctgc agcagcagac tccagccaga
111001 gagccagcca gggccgggg ctggccctc ctgtctccc cgggtgaccc caggcaactc
111061 cagccctggaa gaatgtcgg ctcggctt cccagcgcgg gccccggccc accccttcc
111121 ctgtggggccac atcaccggcgc tggcatctcc aacagccatc ccaaggggccc ggtctgcac
111181 agacagaggcg cggccggcg tctgcctcaagg gtgcgtcgc cccctgaagca cgcctcccg
111241 accgcctcg ggtttcacaa tcagtgcctc tccctgggtt tccggggggc tggctgcag
111301 gctcagctcc agggtgaaaa gagaggatga gctgagagga ctccagggtt ccagccgg
111361 ggcgtgaac tcagtgcgtc ggcaacagtg gcttggcagg gcccaggctg accagggtat
111421 gagagagac acctatcacc acgcccaggcc cccctggcctc aggggtctgg ggagtactt
111481 gggaaagtgc cgggtggaga cacagagaca ggtctggca caagacgcgt gccaggctca
111541 gggctcaccatc tgccaaatccca gccaaagccc tctctccatt ctcctttagg acccaagggt
111601 caacacttag acatgtcgg tgaatcatgaa ccccccggacg tccatgtcctt aatccccca
111661 aactcgttag cattactta tatggcggaa gagacttgc aatgtgttt aaatcagggg
111721 tcttgcgtggat gggaaagttt cctggatggt cccagcggc cttaaatgtt atcacaagg
111781 tccttctaaag agggagagct ggctatagaa gaggagaagc cagtcgtacca gggagggcaga
111841 gactgcagca atgttgcac aagccaaggaa acgccaacag ccccccaggag ctgggggg
111901 ccaggaatgg attctgcctt gggccctccc gaaggaacca gcccgtccag caccttgc
111961 ttagcccttaaaatccatt tcagatgtt gactcccga actgtgagga atgcagggt
112021 gctgttttaa gccattaagg tgggtgtac ctggtacagc agccacagga agtcgatg
112081 gacgtcgaca gctacaggcgc agaaaaggctc tctgacccctt gattcagcaaa attggcacc
112141 cccaaacaaag cacacggccc tcctggccca tcctggggccc cccagccccc acctggccca

112201 agcctcacat ccgctgtgtc agtggggctg gctatctgtc cgccactgaa tggatgagtc
112261 tcgcctgctc cccagtcctg tggctgaca gaacagagct cctctctc tcctgtgcca
112321 ttgctccagc ctccccccacc agcctccctc acactgcaac cagtagcagc ttgctgaaac
112381 actcaactct ttgtgagact ggagggcgcg atccccacct tgggtcattc aaggctgctg
112441 cttccatgga ggctgccccca cagctctctg cctccagccc tgggctctgc acaccagg
112501 ggaactgtca tgccctgaggt ccggcccccac cccggccgccc
112561 ctgcgggctg gaaaactct acccaactca agccaaagtc acagggttga gactgtgggt
112621 caggagggc tcttcctggc ctgggggaa aggctggct gttggctgca ggtgcagcc
112681 acgtcaagcc acatggagga gtcggccatg gcccggcgtt
112741 cttcccttgg tgccagcgagg ctgagaggt cccgtgttgg
112801 gggaggatgc tgccagcctga cagcagcagg cagaggcttgc
112861 ggaggcagcc aagtcactg gcacgttgc gtctgacttc
112921 gtgtgtcac acgacgctgg tagcagtcc ccaggatggg
112981 tcccaaggcc agggccggggc gagccccagg agagcagccc
113041 cttctacetc tgcatcacag aaagcatgg tagccatgg
113101 ctatatagtg agcacgggg
113161 ccagggtctgg aggcagagag ctgatgttgc ggcttctgt
113221 tttgtctggct gagccctgga cctggccagc gtccctgtgc
113281 ccaaccaggc acttccttag tgactccca gaccctgtag
113341 gataggggct gtctctcgta cccgggttgc cctggggccct
113401 ctcactgagc tcagcggcgt gctgtggatt ctggagcc
113461 cagaaaaattt aaggcacatt ttaacatcg gaaagttcac
113521 attttcttga taggatgttc agctgcacca gaccacca
113581 gagttgagga gggctgttcc
113641 ggccagggtct ggacaccacg
113701 gtattcttgg tctccacgtt
113761 gtgcaatttat ctttttttcc
113821 aggctctgag tttcagctc
113881 ccacatgctc aacacgtgac
113941 caaggctagt ctctgggaag
114001 tggcactgtg gtcttggagt
114061 ctggccaggct gagactggca
114121 gggtccatgt agggaggcag
114181 gcccgtggga ggcgtaaatgt
114241 cctccccgggt gtctgtgtca
114301 gtagctggct gctgtgttcc
114361 gtaccttcta tggaaagaaa
114421 gaagcctgtc ctggattact
114481 ggaagcacag ggacacgtca
114541 atgatgcagc cacaagccaa
114601 cagattctcc cctggagct
114661 agtgagattt atttcagact
114721 cgttttccaca atgtgtata
114781 ttatttgact tacagttcca
114841 gcacgttca catggcagca
114901 taaaacccctc agatctcgta
114961 aaccccatga ttcaatcatc
115021 gctacaagat gagatcagg
115081 tcaagctcc tgaggactcc
115141 agagaggaca atgccacagg
115201 agagctggcc ttggaaagg
115261 gggacacctc aaccactgt
115321 ctggccagggt tccaggc
115381 cagggaggag agaaaagg
115441 ctctcccggt tttgtcctaa
115501 atgtttaaa accgtcattt
115561 atcttggatc acagagacta
115621 atcaccctga gcagcccg
115681 ccctgacgct gcaggatgt
115741 cagggcagggt gtgtcac
115801 tccagacgtt gctttgggg
115861 ctgcccaggc
115921 ctatacacac acacacatac
115981 aggctgtgcc cctcactatg

116041 cactctgggc cctgaaaagg cccaggcaga tggaaagctg gacgccttag gtcaccgtgg
116101 gcccctcacc cagctccggc actcactggg cctggcgccc ttccagtcg tgggtcgatc
116161 tcaagccagg gccacgtggg aacgattagg tgcattggcg gggagctag tcactgaagg
116221 cccgagcccc tcatgcaggg tctgctgaca ccagacagga acatcaagca aaggggactt
116281 gcccccagcc ccaagttctg ggatccagac ctatagcccc agggccacgc tcacatccac
116341 agcctgggcc ccaggcctgg agctaaggct ggacaggctc acctccccc cgacagccca
116401 ttaccaaacc cccacccccc agccagccct caccctgtc ctggcagctg gcctcaccca
116461 ggcgtttcta aggccaatgg tttctggct tattctgaga ttgaaattcc tttctgtgt
116521 tctgaatttc aagttctcat taaagatatg tggattgggg gtgggggtgg agggaggatt
116581 cagcagaaga tgccaaacac cagcagaagc ccagaaaata aggaaggcc ggcaggctg
116641 tgggggaagg gctgcatgt tcaggaagac aagcaccata tggaaatctgg gatcagagac
116701 atggccaagg gcacgtggc agtcaccc acctgagcag agggccccc aaccaccctg
116761 aatcttcagg gagaggccag ccagaagcac caagccaca gcacaagtga ccagccctg
116821 agctctcggt gacacagggg ttgctaattgc cactgggtt gcccgcacgc agctagctag
116881 caaggagcaa agctggggc ctgccccccg gtctggagca ctcgctcagc cccttccacg
116941 ctggccctcc tagattact ctccttcctt ccctgcaaaa tagtccaagg gtggggataa
117001 gtcgaggctg agaccacagc tggaaaaggc tggcaggca gtacccagtg gccggctgt
117061 ctgcagcata gcagacgctg atttgcacc aaggaacaag gggccaccgg ttgcactgt
117121 tggctccaga gtacattggg ctccctgatg gaacaattcc ttgcaaagg tatctgatgc
117181 cgtttcatga aattagaagt atgcctgcca ggctgtaccc aattttctg tcaagctagg
117241 aagttagac gacctacagt aaatgaggcg gggctgtat ggagtgcgg gagtaccta
117301 gtaaatcaca gcacggggc tggcccgcc caggccctg gggactcgc tgcacgt
117361 cagggtgtgcc cgatccctgg cccagactc cagactctcc tcacccagg gtcctgacca
117421 gaggctgagg gctgagctcg cagtttccca ctctccccc aagagccaa cacaggccag
117481 gagtcctgca ccacacgggg gaccctgaga actatggcc tgcaacca catcagacac
117541 caaccctggc ttcaccacaa tccaggacca gagactgggg gatgtggga ggtgtggct
117601 ggcacagtga ggccagatct gaggcgacag tcatggactg tcacccatggc cgcctggcag
117661 ctcccttcac gtttctggc ccaggccaca cgtgggtct gagttaaaa agacagacgc
117721 ccatgagtct gtgcagagac tgctgaggct gctggagca cctccagagt cttgttaggg
117781 ccatgcctc cagggatcca gaaagagcat gcaggccct tctccctgag cagccagg
117841 agggttggga cttaccacag gcacccctccc agggaccatg gcagcacaga gcaggagagg
117901 cgcgtctgg ggctctggag gcctcttac cggcacacac tcagagacgc aggcaactgg
117961 ctcaggccctg gccccggggc cccggggccg tccacgcac ttgcttgcct ttaggcaaca
118021 gaagatggc cttggacag cttcatagt ccacatgaa ggccccagac atgaaggcag
118081 aggtgttgg gctgctgtc accccatgtc accccagaaca gagccccag ccccagcag
118141 ctcgtctacgc cttgcctgtca gccaggcagc tggcccat tctgagccact gagaccgggg
118201 ctcagcctca gcagccaaac tggctgtgg agagctgcct gagtctctgg gatgctcccc
118261 tggggaccag ggcctcagag ggctctccac acagcctgcc caccctgact
118321 gtgtccaggc cctgtggccc cccgagagga ggggacgtgg gtggccggcg atacaccaca
118381 tgcacacggc cttgctcagc ctccctgcgc gccagccct tctccaagg ttcgatgaag
118441 aactccctct cttccatccg gatcagacca gcctgcggga caaagacaac aggtcagat
118501 ttccagcaca caaaagacca aggaaggggg acagcgagga gacccctca gggagtaccc
118561 cccacctgaa gaccctggcc agcaccctccg ctggtgcata gctgaaccc tggctggcc
118621 ggagggtatg aacatgtgtt cccagaggcc gccccccccc gcccaccctg tctaggaaag
118681 gggcctctgt ctgggtcatc tccaccctta tacaccaacc ctgtctgtt tcagaaaaat
118741 tactgtgttt ataaagtcaa aaccgtccag agaagcagg agacattcaa gggcagctgt
118801 gggcctgtgc gtgtcccccag gaggcgatcc accaaagtgc atcaatatgg gccaagtgc
118861 gcccccaactc ccaggagccc agagtccaaac acaaaggctca aaacagccag ccggggattg
118921 aatctgcccc cacacatgtt ccatctggc caaacaatat tttaaagct ctgaagctaa
118981 cactcagaat gatgagattt catgtcttga acatggaaatc ccagcttcc ttggaaacgc
119041 agccctgac cacagccggt cttggatgga acacatgccc ctgcaactgg ctccagtc
119101 tactgtccccca caactgtctc tcctgtctc tgcgtcagcc accagcccg actctacagg
119161 cagctgaact gctgcccctg acccccttagg ccagccagca ccctccctga ctacaaactc
119221 ctcgtctgggt ctcattttc gttgggactc aggctgtct atatgtgtgc attcaggctc
119281 ttggcctgcc ccaccctccc agacccggcc ttgcaccacc ccatgttct cactgggtg
119341 ggtgcacccct gcccggccac ccagccccc aaccccatgc tgcaactca ggaatcccc
119401 ttctccacc ccaccacccc atccccagct cggccatctg gtaaacctgt gttccccc
119461 cgaggcctga ttccagaccc ctcacccctc ctggccctcc ctggccatcca gcctgccc
119521 ccctggccata ccctggccctc ccctggccata ccctggccatc cagcctgtcg
119581 gtccacccat cccatgacaa ctccagctcc tacactttt tcttctggc cattatccat
119641 aaaccaaggt ctcacactgg aagtgcacac tgcgtccagc cttcagagtg tttcccttag
119701 atcacaagct tatgaccat gcaggggatt taaaagctt gaatttggt ccaaacttaa
119761 gaaacaggag agttcacata aacgaccaga tttccagact ctcttgaaaa tcagaaaagc
119821 tggcatttcc agcaccatc gacactccag cttagctggc gctggccggg gtcctctgtc

119881 cagtttaggag tggccctct ggtgggcagc cccggcacc tgccatctgg atgtgcggaa
119941 accacaccccc ccccaaagta acctcatgat ggccctcgcc atatcatcat cttgggttgq
120001 ggggggcacg gtggcgcacg ggctgcccct ctttcctccct gaccccggt gctcggtgag
120061 ccccatccctg ttgctgctg ggacgcctctg cagaccgaga tgcagtcagt gccccccagg
120121 gctctgtggg cggctcccc tagcctcaag tgcagtcagg gaggctggag atgcctccc
120181 ggcactcaag cctggccct cggaaagctg atgtgccagg cagggctgg tggaggtgca
120241 gggcctggag gaacacagag cccagcatca ggccctggctc cagaatgaag gatgcctcc
120301 gcaggagggt acatctaccc aaacccaccc aatcccttg tgctggccag gcaaagagtc
120361 agagagagga ccagtgcctc atatgggg aaccgcacat gccatggccg gggaggtgga
120421 cgagcacag ctggtggaa gagctgacca ggtgggtgga cagagcata aagggcacgg
120481 tggcccggtg cccatcaactc aggggctgg tgagggagat tgcaggcgc ccaggcgttc
120541 tggggggagc cttgatctga ttccagttca gaagcatggg ggtggccgca gggggatgg
120601 gtcgggaac aaaaatggg ctggggctt ggggagaagg tttacaggc acctgggaga
120661 gggatgg tccagacggg agcatgagag acaaggacga gtggcaggta tgaaggaggt
120721 gaggagcga atggacagga cgtggtaggg tagagccggc tgagatggg gggagggaga
120781 acaccttgtt gggctccag gtctgtggct gaagaacccg ccccaaagt tacccaggcc
120841 cccatccctg gcagctgtga gggtagtggg catggggaa agagactctg cgggtgtgat
120901 caggtcagct ctggggctgg ctggggccctg aatgcagtc ttgcccactt ctttatgccc
120961 gggagtgag gggattagg cagatgcgc gaggacgagg ccatggccg acagggagga
121021 tgcagatgc cagctttgga gattqqagcg atgtggcctc aagccaagga atgctggca
121081 ccccccaggag ctggcagagg ccagaaaatg tcctccccca gagtctccag agggagcga
121141 gccctgccga tgcctggatt tgggtcgat tataccgact tcgcacgtcc ggcctcagaa
121201 ctgtgagaga acgaattctc gctgttttaa gtggttcctt acagcagccg cagaaaagta
121261 attcagggtc ctggtgggtg gccggcaaaag tgggtgcatt tctcgagg gcatgagaag
121321 aaggcgaagg ggcgcaggac ccttgggtc caggcatctt gggctctgg ggaagaggcc
121381 taggaggcag tggtaaccag agtaccagg gcaagaccg ggtcgagaa ggaggtcagc
121441 agggctgtgg gaggagagcg gaagggggg tgggaacctt gcaggccccca cgcttctgac
121501 tcatccctgg gtctcaggc tcaaccqaqc ctqcgaaaga ctcagcagat gcctgtggaa
121561 tgagcgaacc gatgacccca aagctgcagg ccacgtcccc caagggaggc accgagcagg
121621 caggcgggaa gaacacagcc aggctgtcc actggcacag gggcaqtgtq tttaccagt
121681 caggagttgg gagggtccag cactgtatggt cccggtgcgt ggtgtggaga aggctgggtc
121741 ctc当地tact gaaactcatt gatgaaatg cagaattaa ccctgggggg
121801 cggcagcggg caagctgtcc tggagcgtga agttctgact tctggcacc ctttctatct
121861 ggcagggtg cctcaggca ggtgtcaagc tcccaagcg tccagtgact cgtctgtaca
121921 tgaggcccgat catttccctg gcacactcac acaggagcac atgcagcctg ggagacactg
121981 agaaccaggc cacgcctca cccaaatgtat ttcatccagc cagttgtct tccaaatgag
122041 gaaaccgggg ccttagatggg cagacaggct gctgggaca cacagttct agggatcaga
122101 actcacaccc acacggaaag ggcacatctcc agacaggctc ctgggccaqa ctggcccgat
122161 tgagccaatt agggcaggac actggggcat gaggaccct tatggcagct ccattttctg
122221 gggaaacttg cagccaggat cgggagccat cgatgcacca ggctqaggg cctggggta
122281 ttctggaggg accttagtgt acaatgaggc caggctcagc ctggggagg gcagttact
122341 ctggccggag taacccgggg gacagttgg ggtctccctg accagcagg gtcaggctcc
122401 cctccctggc tgcctccctg aggacaatca ctggctgag ccaacagcac tagctccatc
122461 tgcgtgtcc ctgggcttgc cctccctggaa gggcacccct gcaggcact cctcgagg
122521 cacaggagca cactgggtc cactgtac agggcttgg ctcaggcttc ctcacacagc
122581 cagaaggctc caaqcggtg catttccaa cacaacgtt caacatgctc ctcacagccc
122641 cggccgtctc tggaccac cgtgcgtatgc gcacaacgca tgctggacga tgaacatgg
122701 ggcacctgcc cccgagacaa aggtgaccc ccccgagacc aaaggctgac cccccccca
122761 gaccaaaggc tgacccccc cggagacaaa ggctgaccgc ccccgagacc aaaggctgac
122821 cccccccccc gagacaaaag gctgacccccc caccggagac caaaggctga cccccccca
122881 agaccaaagg ctgacccccc cggagacaaa ggctgaccc cccgcgagac caaaggctga
122941 cccccccaccc gagacaaaag gctgacccccc cccagagacc aaaggctgac cccccccgaga
123001 ccaaaggctg acacccccc gagacaaaag gctgacccccc ccgagacaaa aggctgaccc
123061 ccccgccaga ccaaaggctg aacccccc agaccaaagg ctgacacccc ccgagaccaa
123121 aggtgtaccc ccccccggac caaaggctga ccccccccg agaccaaagg ctgacccccc
123181 cggagacaa aggtgaccc cccgcgagac caaaggctga ccccccccg gaccaaaggc
123241 tgacccccc ccccggagac aaaggctgac ccccccccg agaccaaagg ctgacacccc
123301 ccagagacca aaggctgacc ccccccggagac caaaggctga ccccccccg accaaaggct
123361 gaccggcccc gagacaaaag gctgaccacc cccggagacca aaggctgacc ccccgccgaga
123421 ccaaaggctg acacccccc gaccaaaggc tgacccccc caagaccatc agctgacgctc
123481 ctgccaagac cgctggccag aataatgctc ggggggggg gcacttcacg gaagaagtgg
123541 agatcatttt attccctgat ttcaaaacac ttcaatgat ttcagttat gcatcccagg aatgatctgt
123601 ctaaaacaca cagaagaaaa ttgacaggag agacaaaggc aaaatgttag ctatgtttt
123661 ctgcattttt ttccggact ttgatccat tgctgctagt tgcaagtgtat tctgttttta

123721 catgttaattt ttattaatta gaatcagttt cctctcccca ctcataataat attaaagaaa
123781 ctcagaagc acactaggct gaaaagcact cagttggag cctgctggc gcctgtctgt
123841 ccaaccccac agctgtccag cctggggctc tacagaaagg ttgttacccc gacctggctc
123901 taagtgttag tcccgctctg ctcttgaagt ctgtggatgt ctggcaaacc cagccagggt
123961 cttccctggg ggacagagag aggatcatgg ggagggctc gtccctgacc ttcaggtgcc
124021 accgcagggg cccagagcct ggttagtaccc gggtcatcaa gtcaagttgc cggcatttag
124081 atcctggtga gttacacaac gcctgcccctg cctcttccctt ctatagaacc tgctcccttg
124141 cagttggatt gatggtaaag tagttactag aaatggcaac tagatgtta aaatttataa
124201 agatccaaag gcttaacagc tctcccttat tactctgaat ttttaagtat tcaaccacag
124261 acagcctgga agttaggggt tcaacaggaaa cacaagcatg catccctgttt cttctgcag
124321 agcaccaggc ctggctggg cccactgccc cttccatgg aagccacagc tgccatcc
124381 agcagcccccc caccgtgtt tgactggac ctggtctgc actcaaccct gtcaacccct
124441 agcataaaaca ctgtcagggt tggtccaaagg ttgcagttgc aacaatcaag catagaaggc
124501 acaaaggata ggaagcacaac aggtccatgc acagaggac ccagacttt ccaagggaca
124561 aggtgcag tccctgttgc ccttcaaactc acctccctcc gaaatacaca cacagcacgc
124621 accttgccaa gatgtccccca gatgtggca tctgctaaga ttcccatattc tgaaagtatt
124681 ctaactccaa gattcttctt ccccatcttc cttttgttaa tgaacctggg agatctgtc
124741 gacaacgggg caatggccag gcagcctccc ctgctgtac agtgcctgg tggaatgacg
124801 gtctcacagg gagagctgca cagtgccctg agtcccagg gcgcctctc tcagagctg
124861 ctcgggact ctcttgccctc tcccaagcttcc ccagggaggt ctctaaacaac cttggagct
124921 ttccaggaaag ggggctggac ccctcaactac tgaacagtcc caggagtggg aagtgtcatt
124981 gagttggatt tgaggcactc cgtcctcacc actggacagt cccaggagtg ggaagtatcg
125041 agtgggattt gaggcactcg gtccctacca ctgggggctc ctttacagtt cagcatccca
125101 gaggatttca cacactgact ttccacttt tccaaaaggg acggcagcgg gcaggagctg
125161 tccatgggt taggaaacag ctgtcctcac ccgcacatcc accagcttcc cttctgttcc
125221 atgggatctt cgcagggtgc cagccactcc cgtccttctt ctggagagc gacccttgc
125281 ctagggtctt ctgttggagc tatggcttggc gctgggcctt ccagggttct gctgagcaca
125341 gtgaccacaa cagagttgcc tctgagctcc acagaacctg atgactttgc ttggccactc
125401 taacccccc tggaccttgc ttcaaggccctt acagacccctt actccagaaa gtcttttt
125461 tggcctaagc tggccggagc caatttccaa caggaccaag gagcccgac agtcacatgc
125521 ccagcgaggc tctaagaaa gctagactcc actttgaagg gcagggtgg gggcgaggca
125581 ggcaggggaga gtaagcactg gacgcgtgagc caggggccct gtttcaat gcggcatgg
125641 ccagtccctgc ccccttgcag gcccccaactt ccctcatctg caaactgagg agctggacta
125701 cgttaacctat gaattactgc ttatccctttt tattcatcac cccaaaaaaa aaccccgac
125761 acgttggcag gtaccgtatca tccttctaaa actctactag gaccaaggag aaagaaccaa
125821 accaaaaacc agaaaacccac tcctgtaaaaaa taaaggccaa ggcgtccca tggcacgcaa
125881 ggccttccat ggggtcccaag cagccctctg tccctggcgc caccggccat gtcttccct
125941 ctctccgggc ttcttatttgc accttcaaagc ctacaccact gccccttctt cttgttata
126001 aggtcgttaa gtagcagaga gctggtaaag atctgtcagc accaaactga gactccctc
126061 gactcaacca gagagtttaa aatgcaactg aaaagggaaat cattttcat tataaagttc
126121 aatgtttttt ttcttctttt tttgagacag agtctcgct tgcacccag gctggagtg
126181 agtggcacaa cctcagctca ctgttccaaactc tgcctccat tttttaagcga ttctccgtcc
126241 tcagcctccc aagtaactgg gattacttgc acacaccacc acatccagct aattttgtt
126301 ttcttagtag agatgggggt tcaccatgtt ggcaggctg gtctaaact cctgaccta
126361 ggtgatccac ctgcctcgcc ctccacaaatg gctgggatca caggcataag ccatggcgcc
126421 cggccagttc aatgtttttt aatataaaact agtttatgg tgctgtgatt accattccat
126481 acatctcagc catctttaact atatgtgaa agtgaacaaat tcaaccataa ccactattga
126541 ttttagaaca ttttcatcac cccaaaaaaa aaccccgatc acattggcag tcactccca
126601 tttttccccc aaccttccct ccccaaccca gccctggca accactaattc tacattctgt
126661 ctctatgaat tggccttattc tggacatttc atatacgtgg aatcacatgc tatgtggcct
126721 ttttgactg gtttccctca ttttagtatgt tttcaaggtt catccatgtt gtagcatata
126781 gcaatatttcc attccctttt tattgttcaa taataccata tcacatgtat ataccacatt
126841 ttatattatcc atttgcgggt tgatggacat gtgggttgc gtttttggc tcctatgtat
126901 aatgtctgcta tgaacatctg tggacaagtt ttgtgtggc catgtttttt cattcccttc
126961 aaagtggat tactgggtca tacagtaact gtgcacact gtcctctaca ggggctggac
127021 cattctcagc gcccccaagca gttgtgagg gttcaatcc cccctatccc cacaataact
127081 cattattttt aggctttttt actcttagta tccagcagggt gtgaagttgtt gttccatcat
127141 gcttcggctt gcattttccct gacaactaat gatgtcaagc atctttcat gagcttata
127201 gtcattttt taacttttgc gaaacatcca ttcaagataact ttcccttattt ttaataagac
127261 cattttttt ttattgtaccc gtaagagctc ttatataattt ctagacacaa atcccttatt
127321 agatatacaa tttatgtataa tttttttttt ttctgtggc tgcctttca acttttttat
127381 tagtgtccac tgaagtcatg aaggactttc ttgaagttca gttcacctat ttttttttt
127441 tgcctacttgc tgcttctgtt gtcataatcta agactttgc taatccaaag taacaaagat
127501 ttactccatc attatttaaag agtctatag ttttagctt tacatgtaga tctatgtatcc

127561 atccattttac agttaatatt tttgttatgggt gtgagggagg ggtccaaactt catttttcca
127621 tatgtggata tccagggttg ccaacaccat ttgttggaaa gaccatttttcc tccccccactg
127681 acttgtcttg gacctttgtc aagaatcaat atgaggatgt atttccaaac tctcagttt
127741 attctaccaa tctatatgtc tttttttctg ccaacaccac acagtcttgc ttactacagc
127801 ttgttagtaa gtcttagaat tacaaggat gaggcccttc tctgttcttc tcctcaatag
127861 cattttgggtt agtctggatc cttttgttattt ctgttatgat ttttaggatca gcttggcaat
127921 ttctggccaca aagcttagtgg ggtttttgtt gatggatca gatggatca cattttgggg tcatgtttgg
127981 tacccattttt ttcacccctt aggccaaatgtt ttaggaaaca ttggccatca aagaaactct
128041 gcatttagaaa ccaagggtt ggtcaggat ggtggctcac accctgtat cccagcactt
128101 tggagggttgg aggccaggcg atcacggat caggagatgg agaccatctt ggctaaacacg
128161 gtaaaaccat gtcatcttgc gatggggatc ctaagtctat caactaaacca ggtgagccac
128221 tttttttttt tttttttttt gggaggggtt gttttttttt gttttttttt gttttttttt gttttttttt
128281 agagaatggcc ctcggggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128341 cacctggccat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128401 aatcacagg ttcggatggc ggtttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128461 ttacaaatca gaaatggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128521 ctattcataa tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128581 acaatcagac aaatggatca gaaatggatc tttttttttt tttttttttt tttttttttt tttttttttt
128641 taatcttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128701 tacaagctgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128761 cttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128821 aaaaaaaaaaaa aaaaaaaaaaaa tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128881 gaacaaatataa aatcaatataa tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
128941 ctggggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129001 aaaaatcaatca aatcaatataa tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129061 tgaggccggg gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129121 ctgcacttca gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129181 taaacaaatca aacaaatataa tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129241 cttccagcttgc gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129301 cagtggctca cttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129361 caggagttca tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129421 aatttagccgg gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129481 agaatttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129541 ctttctgggg aacatggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129601 aaaaaacaaaataa taaatggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129661 gtcacccagg tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129721 ccagggttca gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129781 caccatggcc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129841 gctgggtctcg aacttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129901 attacagggtt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
129961 tggatggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130021 ttgttggact tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130081 cccagctgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130141 acagtctaat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130201 tcacccatgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130261 acagggttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130321 cagcacgttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130381 cagctgttag tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130441 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130501 aacagacaat tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130561 aaggggggaaa atggatggatc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130621 gcccggccagg tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130681 cttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130741 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130801 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130861 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130921 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
130981 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
131041 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
131101 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
131161 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
131221 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
131281 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
131341 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt

131401 gagctaagat cgccaccgctg cactccagct tgggtctacag agtgagagac tcttgtctca
131461 aaaaaaaaaa aaaaaaaaaa agaccctgtc gacaggccct tccctggct ggcacccgtcc
131521 cacaccagct ggaacctaac acctttgtc acgtgttccc tgccagcctc cctgcctc
131581 tggaggtctg cacacaccgc ccctccctc ctccaaaccag cccggagac cagcaccc
131641 gagcaccaggc actcccagag acagagccgg cacgggtgggt ctgtctgctc agggggctgg
131701 ggtggcaggg gcacatgtct gggagttgcc aacatatgtc tccttaccag attccccagg
131761 ggaccaccc tggagagcaa ccaaaccctg caaggctgca ctccaagaac tgagggctg
131821 gggaccagg accgtcccc agcattcaca gcaggctcac ccacatccac caggagatgc
131881 tgcccaggt aactgcccgc accccctccc aaaaagggtc gggccggcg ccttccctag
131941 gtgtctcggg caaccatcac agggcagcac agggccgggc ttgaatagca gaacctattc
132001 ttcacagtc ctggaggtca gagctctaaa attaagggtt gggcagaggc gtttctctc
132061 gaggcccttc tccttgctt gtcgacagca tcttccctt gtcctccat ggcgtcccc
132121 ctgtgtgtac ttctgtctta atcgcttctt cttaggacac cagtcattca ttttgaatca
132181 tgactcat tttcagttaa ttatctctt aaagaccctg cttccaaata cagccaatat
132241 cctgatctac gggagtttag gacctaaca aagaactgg gggatctagg gagggcgtca
132301 ctcagcccat aacagcctcc aggcccaag tccacacaga atcggagcag gctgctggca
132361 gggtccgggt gccagagctg ggcgggctgt tccttgggg gccactctgg acaggccgga
132421 aggtcaatgc caggatcact ccccaaggggc cagaatccca gcatggagga aagctgcccc
132481 tccaggaaag taggagcccg cccagggtcg gccacatggg atgcccattt cacccttct
132541 tctaaactgg gcatttcac atggggacac gggcagtga gtgcaggcgc agggagacga
132601 gaatgtcga cagccgttag gtgggtggacg ggcctcagga cccctccgccc agcagcaggc
132661 cactctctca cggtccagca ggagccctgc tccagagccc acgactggag ccagctgagg
132721 ctgtgtctc acattctgc agagaggctg gctaaggctc ccgtgtgggg gcaactccca
132781 tgcccactgc accccagaat ttctggcg atcccaaggc tgatgttacg cagctgttgg
132841 aagacggggt atgcaattt atagttgtgg cgttggggaa acagcatcca ataccctttc
132901 tttttttttt cagccggag agcaggctcc cagtcctcag gaccaggag gcaaggcttg
132961 ctccctccca cagccgggtc tcctccagga gggcccaagg tctcagaggg aaaccagtgc
133021 ccaccaaggg cccagctgcc tggctggctc ccagcagtgt gggaaagaca cactaccgg
133081 cggacgtccc ctttagaagc agggccagac aggaactccc atggggagag cacaggctgg
133141 gacgcagccc gcccaacggc agtccccca tcctactgtg caacaaggat cagcctttcc
133201 tctctcaaaag cctcggttcc cccagagggg gctcaggtt agagttgtat gtgagactca
133261 gttttttttt cttccatgt ctgtttgtc aaagctggcc agatcaggca gttttccca
133321 ccagaggacc cccctttca cttccatca caggctgtca tctcccccggg tccctgggg
133381 acaggccctt ctcaggacc ctcgggctc atgcacacac agagctgtg cactgcctca
133441 ctccctgttc ctttgaattt ggcttctttt cctgtgtga tctctgggg ccactgtgt
133501 atccaggggca cgctgaccgc cgaccgtctt ctggccggcc gcccagctgc cactccggg
133561 cggcagccc tgccaggccc gaggctgtct gcttccctt ctgtccagag ttcccaaaac
133621 aaaaatcagg ccataccatc tgacgaagga tcctgtctgg ttttattatg ggaagagcca
133681 gggctctgag ggccaggttg tctgggtctgt ggccaggctg ctctgcaggc cttcagacac
133741 tgcccagccc gtgtcccac ccacccaggg tggctccggg ggagggccgg gggcagggcc
133801 ccagcaactgg tgagccaca ctggtgactc tggatgtgt atttattcta gagccaggac
133861 acgagccgcc agggccctag gcccctctgt gggtgggttgg cccactggag agccggagca
133921 gcgaggccatg caatgaccaaa aggcggcgtt tccagaatgc aggaggctc aggcgcaccc
133981 gcccctccctg gatggacta cagattccggg gagactgaaatc tcatgggatc aagtggccca
134041 cagatcctgg tcctcacaag ggacaaggcc accagggttc acatggggag acagtggcac
134101 cccagggtat gaaaggccac accaggctta tggcttggggaaatccatc cccctccctg
134161 acggcacggc atccataccg cagcacagcc cccctccctg gcaatggccaa gcccgggatc
134221 tcagggcccc caccagaaac cagacagggtg agcagggtgg agtccaggc caggtgtt
134281 ctttgcattt accaggctt ccccgagagc aggctgcagg cccctccctg ttttgcattt
134341 ccacaggact gggccctcc tgccagggtc tgctcacacc cacactccct gctcagagac
134401 ggcctgtccc accggccctgt gtggaaatcac acccaaggac agcggaaacga tggaggaggc
134461 agctggaaagg tgcttcggg ggtcaatct gggcaattt gaacacaata ataaatgata
134521 gtaataggtt agaaccatt gaataaaaata aatatccaca gatcgttattt ggttagaaacaa
134581 aataactgaa taataaaaata gtggggagggg aaggccagct ttttgcata ggttaattca
134641 actaaaatg taaaagaaat gatggatagaaaatcatgg tagtaaacc catcgccaaac
134701 acacagtc gggactggc aggtacgact ttttgcattt ggtcaatct agtggacaaa
134761 agataacaa gaaacagaat gctcacatca cgtcacacca gtcaccaccc ggagatttaa
134821 tcatcgcaat gggaaaaaaat gttttgtctc atcaagccac tcatctgaga
134881 cctgaaaaaaat ctcacatgc acagccctag agtcccccgg gcatccatgt gaatcccagt
134941 aggttaacacc ttggccaaat gaaaggccg atcaactgaca ataggagaca actggacatc
135001 ccaatgtgac agtcccagcg tgggtccctt cggaggccac agtgcctctg tgacagtct
135061 gccagaaacca cgtaaactca agccactaca aggcacacca gaaaacccca tggggatgca
135121 ccgtctacaa aacagctgac cagtcctt cttttttttt cttttttttt cttttttttt
135181 gggagggaaac gggagagaca caacaactaa atgcccacgt ggtttttttt gggagccctg

139081 ggtggcttcg aactcctgac
139141 tacagggtgt agccaccgca
139201 aggtatttgt gcatctcaa
139261 gcactttgg gaggccgagg
139321 gtgaggcctc atctctacaa
139381 ggtcccagct acttgggagg
139441 gcagtgaat aagatgctgc
139501 aaaagaaaaa atatgactgg
139561 gtcagagct acagcccaga
139621 ctttggta ctcaatccca
139681 ggctccgagg gtcgcccagc
139741 gatgctgagc acccatgcaa
139801 ggtccggaaat ggtggcttgg
139861 ccaagccctg ccccccggcc
139921 gtggccctg cccctgtgc
139981 tcctgctggc caagcggagg
140041 cctgaaaaat cttcaattc
140101 caacaggaca actctttcc
140161 aaggaagagt cactgtgcag
140221 cctctaggcg aacgggcctg
140281 gtttccactt caaaaaccagg
140341 tcctcagagc ctgagagcat
140401 aaaggaacc tggcttggaa
140461 caggctgatg ttctggctg
140521 ctgtcctaca gcccagttag
140581 aaggggggca ccgacaggaa
140641 gctgtgggg ccccccagct
140701 gagttgtgcc tttgtcaact
140761 atccgacatg ccctgttagcc
140821 ccatctctag ggttgggat
140881 acgggtgagc cattccctg
140941 cagaacattc tgagcaggc
141001 tgagactcg ggtggggagga
141061 ccaccttcca cacacgtct
141121 ctgtctggg agcaaggggag
141181 ggagggaaagg ctcttccaac
141241 tggtccagga gactgagggt
141301 ggggaagagc aaaccgagga
141361 aggatggggg aggctgagc
141421 ggtccgtggg acctcagcag
141481 gcaggggctg tgcttcttag
141541 agggacgggc agggcaatg
141601 gcaaggaggt gggtagcag
141661 ccagcagtc ggaatgtcg
141721 agggaaagtaa gggaggagg
141781 cggagacag tggtagcggc
141841 cggataagga aggacgcga
141901 cggcctggc agagggcagg
141961 gggtcaggag ggtggcttgg
142021 gacaagtcg gctaaagat
142081 actaacacaa ccatcaatgg
142141 acaaacaagg catgccgtct
142201 aactgcaaac ccagaaagca
142261 actaaatgac tggaaaactcc
142321 agctttacaa accaaggggcc
142381 ccctgtcaaa gggaaatgcg
142441 gcagaggggc acagactcat
142501 gacgacttac aaccgaaagc
142561 aattgatccc ggctccccc
142621 ctcccacccc acctgcttgg
142681 accaagaggt gaagttggta
142741 agccagaagg ccctccccac
142801 ctgaggcccc atgtctccca
142861 ctggggccct tgcatcatgg
cctgtgatcc gcctggccctg gtttcccaaa atgctgagat
cctggccaag gttttttgtt tttttgttt ttttttttta
cattccactt aatgactggg aactggggcc tgcaatccca
caggaagact gctttagccccc aggagttcca gaccagata
ataatttaaa aatttagctgg gtgtgggtggt gcatgcctgt
ctgaggtggg agaatcacct aaaccctgaa ggtccaagct
cactgcactc cagctgggt aacagaaaaa gacactttca
gaaccggggag aaagatgttg atgaaggcac gcagctaca
aacacgttca gccagccaat tatttttaat gaatggccctt
tgaacaggaa agatgggtgc atggctagaa gctctgtcca
agacccaccc taggggggtgc caggatcaac ccgaccagg
gtctgaccca cccacgtggc ccaaggaggc agcttgggaa
agattgggca cccacagact tggggagttt aagggccacc
cactgcagct tccccgcagg gtcacccca catccgcagg
ccagttcca aggtggctg cccctgtatgc cagagaaact
ggcttgctt cttaggtcag caggaatatgt caacatttc
cctcatttgc tctccagtag acttaggtca tgtatataact
accccaatag ctgacagccct ctgaggcagt ctaagaagg
actcctggca tggagggccct cctgtcgctc tcaactactg
tggggaaactt ggcgggttcc cactggccgc atggatcatt
ccttggagcac cctactggag gtcgtctgggt ttgtctgtca
ctggcaccag gccttgcgtt ataaatagat tctggattag
aagacacaga gaagaaccag gtccctgcgt cccttcttc
gcgggtctct gttgggctcc ccaccccttc accttctgc
cagacctgat ggactggctc ctccctggctc tccctgggt
gccaggctg gggagagaga cagaaggat tattttctcc
ccccccctg caagctccct cgtccgc cccgcagctgt
cctttctgtt gatcccttat gtgtcccagg ccctctactg
cgaccaggca gcccactc tcatagtc tca ggtgtgggt
gggacttca cactccagcc caatttccac cctgaagcac
caaccaccac agactcagga cacaaggccc caggctggc
agaggagccc cgtccatggc ggctggggca gtcccgcaag
gctggaggt ctggagggta ttcaggagca gccaccaagg
caaaaggccct tccatattcc gtcgaaacca ctatggggc
cgtggagac aggtgggggt gtggagggag gtcgcattga
ccaggacgccc ccactgcagg aggaatggc tttctggctg
cctgctcagc cacacagcac gtgccaagggt gcagagccca
gctggcggtg cctccggacga tgcagtgatg gtgaagcagg
cgtggggaca ggagaatgac cacaggatcc acacccctgt
acgcttggg tgatggcaga gagccatgaa ggaggtggcg
aatgctgaca atgatgggac ccggggagcag ccggagctca
ccggggcttg tctgtctcg gaggaggggg aggtgggtga
ggagcgggaa ggtcccaagg gggatgtct cctgcagagg
agtagatct tcagcgaggc tggggccct gtcggaggc
atggggcttg acccagcaat tcagcaagga aagcaggagg
aggggacagc tacagcaag aggacaggatg gcatcgcact
ggcagggttga gatggctca gtgggttaagg tccccagggg
aggggagggc ggcggggcaga gagaggctgc tgcgtctgt
gggaagacca gtcgcctgccc tgctcccagg gtggacagg
gcaaaagggtc agggccaaaa aaggacgggc cactgtatc
gtttaacatt gcaaggtagag atcaaccaga ctgagatgg
gtaacacatg cctgaaacat gctaaaagag agacagagaa
gggtgtctgt agtacatca aaatagaact cagacaatg
tgggttattt acaaggcttg gtgaaagcac acagtcacca
gcagcatctg ccatgtttag aacacaagt ggctcaacag
aacggccact cccagtggtt gacaggctc ttagaccaca
tgactcggtt aatggggccgg attgattttt ggtatgtatc
aatatgatgt tcttacaaatg catggggggag catttacaaa
gcctgcctgg ctttacatccc ccaaggctgt cagccctagc
caatgtcgaaa acctgaggat gtcgtctc ggcaccaaga
tggggacccc ctttgccttcc actccctgt agtactgtcc
agcctgccttcc tttcttttga ctgttccctt ccccaatacg
ggaccctccc tcaagacccc gtctccccc tccagggtga
ggcataatgc caactccccca cccctactgta tgaagtca

142921 ggcagagtgc ccccaacgccc ctccactata atcccagagg acggagagct cttgctctga
142981 gccgagacaa cccactgccc accaccagct ccctcagggc tctccacaag tcccttctcg
143041 cctcccccgc tgcgtttcg gcctcttcct ctctaaagtc ctctctcagc ccaacaacag
143101 aaccgggtct cttcaatcct gaacaagaag actctgttc ccctccagcc acaggaccc
143161 cttccctca cagcccttct cagcaggctg gcctctgtc ctccctccca cgcaccaatg
143221 cccatggct ctgtccctcc tccccagggc cccggggacc tccacaccct cctgctcagc
143281 ctctctctgg ccgccccccag ctgctccggc ttccacagca ccagaggcca gggtccctc
143341 gtgccacagt gaccctgca cgcagattcc gtgtccctt cagaagccca cctgacattc
143401 atagaagctg agcaaacacc aggagacaga ggcaatttca gaaattcccc gaggctcggg
143461 gaacccaggc tgcgtcccttc actcctaattc tgcgtccggc ctggccctgc caagcctcca
143521 tggagatgag ctcttcctgt cccaagggtg tgggtgtgaag cggcccttg gaaggtatg
143581 agtcatgag ggtggggacc cgcgttataatgg gattagtgc cttatcagag aggcccagg
143641 agcttgcga ccctccactg tgcgtcaaaa cagaagaag gcccagctg tgagcggaga
143701 agcagccctc accagacacc aaaccactg gcgcggccat ctacatgtg agactccaaa
143761 actgtgagaa ataaatttct gtttttctaa aacaccctgt ctgtatatt ttgttatggc
143821 agcctgaacg gaggacacc tgcagagcct gggatgtca gaatacacac gtggcaggag
143881 ggggtggac gggctctacg gaactgggag atgcctagaa atgctagagg ggttgagg
143941 gaggcattca caagccctt taggaaactg agatctgcgc tggtaggg tgggtgtca
144001 ctggaaatggc aagatgcaga tataaatgtc gacaagaccc aatttaaacc cagagatgt
144061 aaggctgaa aacatttggc ttataactagg aatcaacgca aagcttaata acctaaaatc
144121 caaccactcg gaagttttt caacattcct ctaataatgt ctaagttaatc tggaaatcaaa
144181 atcataaaat tttttaaaat gatgacatgt agaattcagc acatcagaac ctgtggatga
144241 gaccaaaagcc accaccagaa gcaagttcac aaccttctta attatagacc agagtggaaa
144301 taaaatgaagc cagtgcctca gtcaagggg cagaagagag agcaaccata aacctaaga
144361 tggatata aatagcatga gtgacaagat ctcactttcgt agtgcacat atatgtaa
144421 agatggggaaa acggtagt tgcgtatgtc taacaaatta ctgaaatgt agtggcttaa
144481 aaacacaaat ttgtccaggc gcgggtggc acgcctgtaa tccagcact ttggagg
144541 aagggtgggt aatcagcagg tcaggagatc gagaccatcc tggctaaac cgtgaaaccc
144601 catctctact aaaaatacaa aaaattagcc aggcgtggc gcggccgcct gtatcccag
144661 ctacttggga ggctgaggca ggagaatggt gtgaaccac gaggcggagc ttgcagttag
144721 ccaagatcac accacagcac tccagcctgg gcaacagatc aagactccaa cttaacac
144781 cacacacaca cacacacaca cacacacaca cattattat ctgacagttc
144841 tagagatctg aagtccacaa tgggtctcac tggctaaaa tcaagggtg gggagggt
144901 cattccttc ggaagctcta aggagaatgt ttccctttt tttccatgt ttttaggg
144961 acccacatcc ttggcttgtt ggccccctcc tccatctca aagccagcac cggagcatct
145021 actgccccct ctctgactct gaacttctgc ctccatcttc tactttatc aatccttgc
145081 atggccagct cacacctgtc atcccagcac ttggggaggc tgaggcgggc gatcacaag
145141 gtcaggagat ggagaccatc ctggctaaaca cagtgaaccc cgcgtctcataaaaaata
145201 aaaaattagc caggcgtggt ggaggcgcc tgcgtccca gctactctgg aggctgagg
145261 aggagaatca ttggaccca ggagggtggag ctgcgtgtc gcctgagatt atgcactgc
145321 actccagct gggcgcacaga gtgagactcc gtctcaaaaa aaaaaaaaaa aaaaaaaag
145381 gatccctgc cattacactg tggcatccag gataatctcc ttatctaaa agtcaactaa
145441 ttagcaaccc gacttccatc tgcgttccatc actggccctg ctatgtcacc tgatattt
145501 ccaggttctc gggactggga catggacaaac ttggggagaa ggattttct gtctctcaca
145561 gagactatct caaaagggtt ggatccatg tttttctt tctcttaat acttttctac
145621 attattcaat gataatgacc atatgtttt tgcgttcaaa agtattttt aattgtgaat
145681 aatgtaaaattt attgtgaatc atgttttgc agtgcgttgc aataatgttt aattgtaa
145741 aatggggaaa taaagaaaca aaagaatagc atccctttt agcaccatt gatgtcttt
145801 caacactttt tggctggct tttgtccccg tcccccgtac tttgagctgc ctgaggacaa
145861 gcccagaccc ctttcaatc tggctgtca gcaatgtc tgaggactt ggcacagcag
145921 gctttagcag acatttctca aagtgaagat aaatccctta ataaaggagg ccctgg
145981 agaagaatga tgcgtacact caaaagtgc cttaaggcc aagctccgaa taaacac
146041 gatattattt tatttaagag tccatataca tacaactta ttcgttaaca gtctgagaaa
146101 cgcacccag cagacagata aaccgttatg gctctggc tggccaaaac tcttcatcta
146161 cgcggagccca gaagaaagcc aataaaaatg cggagatgc cgcaggaca gaggccgg
146221 gatgttttttccca cacaactgac acaagccca aacacagcc tcccgatct ggagccgg
146281 gcccggccccc tccctggc tgcgttccatc agtgcgttgc gatctggc tctgtccaa
146341 ctgggtccctc ctgcgttccatc cgcgttccatc gatctggc aagttctgg aggctctg
146401 cgcgttccatc cccctggaaa aaaaaaaaaa aaaagacagc agagggcatt gctcagg
146461 ccagccctggc tgcgttccatc gacatcttc ggcgttgc aagaatttgc cccagcc
146521 acttggatc ttttagactt aatccccact ctgcgttccatc tggcttattt gctcttt
146581 acctctgtt ttcctgttcaaaaatggc aatattacact acttacaga gttgtcaagg
146641 gattggaaaat aagataatga aggcaaaaggc agtgcgtca gatcttattt gcccattt
146701 cagatgggaa aacaggctcc aagagatgac atgactttt caggattaga cagctaatg

146761 gtggggatc cgatctgct cgacacaggc tgggtcttc cccagccccg cactgggaca
146821 ggggcacatctc ttgagggtc cctgtggc cccagatgcc gcagggagac aaggctgtgt
146881 gcacagatct ctctccactg ggcagcacct gagaacttgg gggagagaag tgggttcaa
146941 gcatctccct tggtaaccac tgggtttaag tatgtgaac ttcatgtttg acgcagaact
147001 tggagacaac ccatccctcg ggaaaagaca caaatgaggg caggaccct gcaccatgt
147061 cctgtgtgcc ccagcaatgt cctctcatcc agcgtgtaa gaaggagtgc agccggagag
147121 cccgtggcag cagggcgtgc gggatgcccc gtcacagtg tgctgtgcct gggagaggag
147181 cgagggcagg cccccagctg ctgggaaaca gtcagctgc acacccccc cctgggtgcc
147241 ctccaaaggc agccctcagg ccccaaggctc cgggactccc tgcagaggaa ctgcaagcca
147301 gtccctggccc agcacagccc ttccgcccagc ctctggccagc cgtcaggaag gggagtgtag
147361 agtgagtagg aagccacaca ggacgacaag cggggacttc tgccctctac cccactgtcat
147421 gatgaaaat agacgggggt gatggccggg tgccgtgtgc catgcgtta atcccagcat
147481 ttggggagc tgagggtggc ggtatcgag gtcaggagat ggagaccatc ctggctaaca
147541 cagttaacc cctgtcttac taaaaaaaata taaaacatta gccggcgtg gtggggggcg
147601 cctgttagtcc cagctgtct gggcgcacaga gcaagaccgt ctcaaaaaaaaaaaaaaaaaaaaa
147661 aaaaaaaaaa aagccccggg gtgataaggc cccggacac ccaactgtca gcaagattct
147721 ctggggaggg agagctgcct cctctgggg gtcctctgga ccaggaagga gcccctgagga
147781 ctgtggccc agtgggtccg gttcccaac ctccacccctt ccagcagcac cgatagatgt
147841 gcccacaaag gtgcattcac atttgcacc tgggtgttgc tgccagaccct ggggtctatc
147901 tcccgggggg gcaaattggc gtaagcaagc aaagaggaag tcgacagaga gtgacgcac
147961 cgtgaggaca acagcacaca gtattgttga ggggggggggg ggacttctgc gaagagatga
148021 cactggagct gaggcctaaa tgattggaaa gggcagcga tggagagatc tggggaaatgt
148081 ggctccagca cagagaacac cacatcgaca ggaccgggg tcacaacaga cctgcccattgt
148141 ttggggaaag ggaagaaggc caatgtgagt ggatgtgttgc gagaaggggg tgggggggg
148201 cgggggacag gaggggcagag tgggtgggctt gggggggggta cagggttca gagttgggg
148261 cggggggcaga ctgcacagag cttcctctgc tggggggagg agattggatt ttctcctctg
148321 tgcagtgccc agccccctga gggggaaaga gacctgatcc cctcttcctt ctctatgaaa ttctctgttca
148381 atgttgttagg aattgtgggg ggcaggatct ccctccctctt ctctatgaaa ttctctgttca
148441 gcagggtatct gcctatggct gtatttctgc tggtagaaat ccctccctga ttataaaccg
148501 ctcacacat agagaggatcc ctgggggggg gttcagggtt cagtaggatc gtgtgagcac
148561 gcctcacctg catccccccac tgcctgcagc caccctaaatg cactggattc atgagcagct
148621 agctgaggac cctgaaaaat aaataacacgc atgcagattt gggaaagaaga cttagaatgt
148681 aggttcagca aaccccgaga gtttactt cattctctgg tattctctgg cctagatata
148741 aggcagggtca aactccagaa gggggcactg ggtacagaca gacagagctc gagacaaggcc
148801 ctgttgttgc agtcaagga tagaaaaaaatc atttccgaat gtcagagcc aagccaacac
148861 ctcatttttc tttccttattt cttttttctt ttcttcgtgt tctcacacgc cagctcatgg
148921 cagccccacag gcacctaaaaa ctcataagggg ggagcctggc tggtagctg gaagtgtctg
148981 ggtccttagaa aggtggagtg aaacccctt gctttttctt ctttgggtcc tcccaggagt
149041 gtatgtgcag gaatgtgcag agacagcagg gtcataaaatg cccagctt ctggccagag
149101 agatataaca aggagccgca ggaaaacttggc cagggtttagg aagatggcag agacagcaga
149161 gcttggggaa ctggcatcag aaatgtgggtt agaaacttcc gggctgtgc ttgagccgt
149221 cacgagttggg tctgacccta aacaacacgc cataggttctt gggactgac ttaggagggt
149281 gaccaatgcc caggtcccag acgtggccact ggggttgtt tacatggat tgatcagaat
149341 aggactgcac aggctttgaa aatggacactt acatggaaacc gcaatccaca ggcacattgg
149401 aacttgcagc cggaaacccaa ttaacccaaat ggttaatttctt ctgtcaaaatc aaaaataatg
149461 accttctcca tagatattt acaagatccca aagtcttca ggttataatc aaatgttcca
149521 ggatacagtc caaaattact tggcataccca agaaccggaa aaatctcaac tcctccaggc
149581 aaatacaacc aacagataac aagactgaga tagcacatat gttggattt actgacaatg
149641 atcttaaaggc agtcttattt aaaaatactcc ataaatgtt ggcacaaaact ctggcaacta
149701 atggaaagat agtctcagca agaaaacggaa gacatatttt taaaaggac caaacggaaa
149761 ttttagaact gaaaaataca ataaacagaaaa cttaagaac tcactggata ggctcaagag
149821 cagaatggat atgacagagg aatgtgttgc tgaacttgc gatagagcaa tagaagttac
149881 ccaattccaaa ctgcaggcgg taaaaatattt ttataatgcc aagagcctt gagactgtgg
149941 gaaaataccg aaagatctaa ctaacagtc tggccggaa ggagaagaga aagaatgtat
150001 tactaaacaa atatggat aaataatggc tggccggaaatcc tcaatttgc tggaaatgtcat
150061 aaacccatcca attcaacaga tcggccaaacc tcaatggaa gaaatccaaat gaaacacaat
150121 ccccacacgtt ataaacacac tctggggaaat tggccggaaatcc tcaatttgc tggaaatgtcat
150181 aaaaaaaaca gtgcattact tataggggaa aatgtgttca gataactgca gatttctt
150241 caaaactgtg aagtccaaag gaaatgttca acattgttca aatgtgttca aaaaaaaaaaaaa
150301 agaactgtca acccagaatt ctatctccag caaaatataca ttcaagaat taaggagaaa
150361 taaagacatt ctcagatgaa gaaaaacttta tagaatgtgtt gggccggaaatcc tctaccctaa
150421 gatgggttgc gaaatggggaaatcc tggccggaaatcc tcaatttgc tggaaatgtcat
150481 acatcaggaa taaagggaaa gcaacagaaa tacctggaaa aatataacag attaggctct
150541 tgcgtatccaa aaagggaaat gataatgtctt tggatgttca tttccatgtt atgttaggtt

150601 ataaaagaca acaacattca ggggaggaca gagggaccta tatgtatggca gggctctcaac
150661 attcaactt aagtggtaaa atattgattt gaaaaagact ctgaagagtt acataggtt
150721 attataatcc ctggagcaac cagtaaacac tatacaaaga tatacaaacc aacacaatag
150781 gtaaattaaa attgaatacc aaaacatgct caaatagaaa aagcaaaata agcccaaagc
150841 aagtagaagg gaggaatga taagagtaaa aatcaatgaa actgaaaata tgaaaataat
150901 agagaagatc aatgaaacca aatttggttc tttgtaaaga tcagtcaact gataaatctc
150961 tagttagact gaagaagaga aacagaaaaa aatatgaatt accagtatca gaatatttt
151021 aaaaaggata tcactaatga catcacagcc ataaaaaaga taatggaata gtataaaca
151081 ttctatgcat ataaatccat cagtggtgaa gaaatgcatg atttcctcaa aaactataag
151141 ctaccaaaac ttacccaaga caaagtagat agcataaaaa gttctgtac tattaaagaa
151201 aaagaattca tagttaaaa tcctgcaaaa aagaatttc caggtctaga cggttttact
151261 gggaaattct actaacctt cagggaaaaa tggcaccaat tctcccatc attttatgag
151321 gtcacatca ccctgtatt aaaaacccagac aaagacagtt caataaaaaa aaaaacccta
151381 caaaccataa tccctcatga acctataaac caatccctt caatgaacat agacacaaaa
151441 atcctcagca aaacactggc aagtctgtc cagccatgt taaaacagcag aytgcacaac
151501 agacaagtca tgggtgtcct ggatttgcag agtctggcac aatatccaaa agtcagtgt
151561 acccagcata ttaacagact gaagaaggaa aaaaatatg cttatataa gtgatagaga
151621 aaaccatatg atatgattca ttcatgacta aaaattaaaa actctcaact aacagagaaaa
151681 gaaacgtgct caacctggta agaataatcta caaaaaaact aaagctaaca caataccga
151741 tcctgagaaaa ctgtttccc ctaaaataag gagcattttc acgactccta ctcaacctt
151801 ggtttagtcc tagacagcac ctctgtacac acccagcacc cagcacagac cctcaggcca
151861 gggcaggaaa gggcccccaga gagcttcccc aaaaaccctg ttccctggga aggtggatgt
151921 ccaggaaggg tgactggccc ctaaaggcta ggggaagccg gggccctct gctccagcc
151981 catagactt tgatctccag tgccaagccc ggtggccaga gagagccagg cagatgaact
152041 caaccaggaa aaggacaccc aggaaggaa caactccat agatcgatc tcatagcacc
152101 aagtgtccc acaggctctg aggacatggc tcttatttca ggaccaggcc tgacaggagc
152161 acagcctgag ggtttaggagg gcaggccagt cttctgtgg gtggggatt ggccaccagg
152221 gccagttccca catctgtgt gggcttggca ggatcaaccc tggcctgag tccttggagg
152281 tgaggccagc acgttagtaga gggcagccg agtaagaaga atctctcgg gaagtcaagt
152341 gcccggcagg ctaagcccg cccagaccct cggccctgcta gcatgagaca gacacagggg
152401 gcccggactg cagagctgccc cggcccccacg cggccctgccc ctgtgtgtct cggccatctg
152461 ccccagcagt gctgtgagag catcgacccc tgcaagccctt acgcttcagg gacggcaaga
152521 cctggggccc acaggaggc caccggccct ctcagggtc gagcaccggg ccaaccctgg
152581 gttggccactg ctcagcactc caggacagct ccatgacaca gaagcagctc tgcccatgag
152641 ctccaaacag cccggcccg gggcaccac cagcggggg cttcccggt ctgtgtc
152701 catccattaa tagcaccatc acgtatgca ggctggggc cggggcgtcc caagctgt
152761 acctattctt ctatgtccct cacggctgca ccacagaatc tctgaaacac gactcagacc
152821 tgcactgtcc tggccaaaggc cttccagccg cttcccacca catgactgtcc cgggtcccc
152881 ctgatttctc ttcaactcaa gtggccagccg tggagatctc ctctgtgtcc ttggcacact
152941 tcaactcagc acctgcctca gggctttgc acctgtgtc gcctccaccc ggaatggct
153001 tcttccagaa gtccaggtcc tagctccgtat gcctccctac aaggacctt gtaagggt
153061 tcccttctcc atcacactcc acactgccc cctgtccat tttttgtaa caccatttcc
153121 caatcatcga cacgtgggtt ctttattggg tcactctctg cccctgtacc agggatctt
153181 cgagagcaaa gttgtcttg ctgggtccac gtcaccagac cagtgcttgg catctcacag
153241 gcatgggtt ggtttagggg ggtcgccggc cttcccgagg ctcccttccc ctacttcgg
153301 atgggttaag gtttccctgc caaggtccct gtggtgcaga gtggccaaag ttggccgct
153361 tctggggcga caacaaggaa aaaaacagggg tttaaatggg ggttcccggt ctctgattt
153421 tccccagttt gtaaaaggattt caggctgtc ggtggaggtt ggaagacagg cgctgagagt
153481 tgcactgtttt aattgtcttta gcaacccggg acgctgtatgg gatgtcggtt gtcaccagg
153541 ccatctgaca aatgaccggc ttggggatcc gtggagctca gcggtgccc gagagagcac
153601 tcgaaatgcc agctggaaag gtcacgcacg ccagctggaa gggagccgc gcagccctg
153661 ggcaggctga ggacagaac gggcagccgc cactgttccac gagcaagggt gcagggcac
153721 cagagcccac aggagcttcc gcaatgcgtat gaccatgcct gcaggcccc ataataagaca
153781 gcttcattttt tttttttttt gcaaaaactttt gggaggatcc ttttttattt tatttgcaaa
153841 acagtttctc ccaacatgtat gcccattgtt atgtggattt gggaaattt ccaaggccctc
153901 tcagagaatgtt gcttcattttc taagggtggt tcccagcaga tgaatcttgc ttggcttcc
153961 atggtaagca gggcgccggc tgccatggaa cccaccctc ctgcagggtt ctggccctc
154021 tgccttcctt tccttccac cccaggggcc ctgggatca gctaggccag ctgggagcc
154081 gacagccact gaagccctcg ggttactgtt ccctgcctt agcatcccc tcagctgccc
154141 attcatttcag ccatttttctt aggaggacag gcaaggccat ggttggccccc ttggtccagg
154201 gaaagatacg aagagggtt gggcgccgt tcctgcctt ggttcttcc cgctgccc
154261 gcaagcccggtt gcttcctgac tggactgg agttctgtcag ctgcggccatc cacaggaagc
154321 tacatggaga gatggggccag ctcagcagag aggcgcacacc accaatttgc ttggaaactc
154381 tgggtttcccc gggtagaggc cagtttaggat ccagcatcc tcccaagggt tggcaggga

154441 gacttcagcc aggcacccac tggggcagac ccagtcccac tgcttctgcc ttcagtggcc
154501 acaggcctgg ggccatggg ggatagagct ggagaaaaggc caccttctg ggaccaggc
154561 cacaggatgt ccccccaaaag ccatcccaact cagatgtctg cagacacctg ctccccctggc
154621 aacagtgacc cagacctgac cttcaactct aactgtgcac agttccttag cccggccccc
154681 aagcctgaag cctggccct ccagacactg cagaaagctg ggctgactg taatcccaac
154741 actttggag gccaagggtgg ggccgggtcac gaggtcagga aatagagacc atcgtggcta
154801 acatggtaaa accctgtctg tactaaaaat aaaaaaaaaa tagccacgca tggtggcacg
154861 caccggtaac cccagctact caggaggcta aggcaggaga atcgttcaa cctgggaggc
154921 ggagttgcag tgagccgaga tcatgcccatt gtactccagc ctggcaaca cagcaagact
154981 cagtctccaa aaaaaaaaaa aaaaaaaaaa aaaaaggctc tggccctgccc acttgaccgg
155041 gtgggtcacc tctccgtgcc tcagtttctt ctataaaaa tgcatagggg aggagctctg
155101 agggcaaaac accctgggtt tgccctcaggc cagggcagga ccctggacc agcaggcccc
155161 cactgcattgt ccctccgtc ctcctgtcc caccctgtcc ctctggctc tggggttcaa
155221 gtcaggagg ccttggggat agcctgcggc cttggggaca gacaagggtg cccctgaatg
155281 tccctgtggat ctgcccaggat tgatgcctt actgctccctt cctgtcacc caggaccctcc
155341 agagagagacc accccggact acgcctgtcc cagggtccctt gcacgtccca tgcctccca
155401 gcgcctcaggc gctgagatgc tctgtgtct gctgtggggg cctgtggacg gcccctcc
155461 cccaccaggc tgcagctccc agcggggcagg gatctaggca tgcctgtctc ataccacaag
155521 gcagaaaacac agtgaagaaa gacagagaac tggtcttggg gtctttggg gctcagcccc
155581 ccagctccaa gctggaggat caggaggcat ctacaaggct tccgaagcc ccccatagg
155641 ctgccttgcg gggtacagta tggccttagag agccccagag ggctccctg gtcattaaat
155701 atctcaggat ttccaggaaac aaggagaggat tcaagtccac agaagaatct gattggcgctc
155761 tctggggccac ccaccgggtc tagaatcccg gctggggta gggatgggtg tgccagagct
155821 ggtatgcac aatgtggctt ggacggcctt gggggccccccc gggacttgg tagagatgt
155881 gaatccaggc cccatccaga ccacgtgaac taaaacctgc atttggcaa gttcccaagg
155941 ggtctgatga cattgaagtc tgggacacac tgctctagac cttcccaggg tccctcaaaag
156001 gtgggtgttag aggcctact gcccgtccctt ggggacgcag aggcatcagg gccttagtcc
156061 tccctggggac agtgaaaaggc ccaccacccc agaccatggc caaactgcag gggtcaggga
156121 ggcattggccc aggacagcag ctcaagcaggg tgcccaaccc cacccgtcccc tgcctggccc
156181 aacccacttg ccggctgggt cctctggacc tccggccctt tccacccca gttggagcca
156241 aagaccaccc tctccactcc ccagcccccc accccccaccc ccaccgagtg cagggcccg
156301 tgactccatct ctcacaaaca acaggaaacc attttccatc acagcattat ataaggggag
156361 gatgcgtatg ttcaagcattt gttcaacttggc agggcggcc tcccccggcc tctgaacagg
156421 aaggccacgt ccccatccctt ctcctccagg gcctggcgct cttggcccg gtggagctgg
156481 cctctggctg gccacttctc tggaaaggggc tgcctccatc tgcctctgtg cagggtcatg
156541 cccctccact ctgctcttc tagcccatgg gcaggccggc cttggctcag aggacacagca
156601 atggggccagg gtcagacagt ggtgagcgc atgcaagaa tcacaggac atccacctgc
156661 cagcaaagcc tcaatgacaa caaaggaccc tggacgttgg cactgacagg gactctctg
156721 ctgaccaaaa cttagtcca gctctgttggc cttctccctt gcccacttcc ttgtaaagatc
156781 cagtttatca agaactctgc taagtacacga atgcccatttc tctccatatc tgatcaccc
156841 tgatatctgg tcaggctcgt cttcccccattt accccctctgg tgatgtctgg tcacccca
156901 ctgtcttcag cttagatcat gtttaggttag ttttagctaga atcccccacc cctgatgtt
156961 ctcttagtaa ttccccatcc cctggccctt accctgtcc ttgtatca ccccccactc
157021 gcccgtctg tatttcggat tggacggcgt ctctctccccc gactgcaga gcccactcta
157081 ggggttctctg tgcctatctc catgttctgg aataaagtc gccttaccgc gctttataaa
157141 gtagatgttgc atcttttc atttaacaac actctgcattt gtcgtggaa aggttagaaat
157201 gacagcgtt gggaggaggg agaaggggca tgggaacccctt gtggcgtt gggcataactc
157261 tagaccctct gccccaggct aatgttagaa gtcgcagg tgcacccatata acagtcagac
157321 gaccatggca gtggcgttgc gaaaaatggc ccccaagac acgtccgggt cccaaatcc
157381 ggaaccata aatgttaccc tccatggcaaa aaaagaactt tgcacccatata acagtcagac
157441 ggtatcttgc atggaggatc tgctggattt tccgggtggg cccaggata gacagaatgt
157501 ttatattcccccc cccaaattcc gatgttggaaa gctactcccc caaggtgata tatttagaaag
157561 tggggccctt gggagggtat tatgttccca gattccatcc acacgaatgg gatttgc
157621 ccgatcagag ggaccggcaga gagctccctc accctttccatc catgttggaa tgcaacaaga
157681 tgcctcttgc aaccaggggc gagacccctca ccacaacccat atgcacagct tccagaacc
157741 tggaaaataaa gttcccgat ctttttgc gtcgttttgc tggatgggg ctatagc
157801 ctgcattggac taagacaggc ctttttgc gtttgc gtttgc tttttatccatc
157861 agcaagatga gccaggcaga ggagaaggcc acgtacaggc agacccatata acagtcagac
157921 atgtcgccccc tgaagccag aggcaagagg ccacaaggcc acgtactgtc gtcgtccac
157981 ggacctggaa gagccaggaa cgcattccctt ccttagggctt ccggaggaggg
158041 ccggccacccctg cgttttgc ttttgc gtttgc gtttgc tttttatccatc
158101 caattctaat gtttcaaaacc agcaagcttgc tagtaatttgc caggcagcc
158161 tacaatgggg aactctgtata tggactaaaaa gtttgc gtttgc tttttatccatc
158221 gctgggagggg gcagcgttgc ttttgc gtttgc tttttatccatc

158281 aatggacaac atcgaaaccc gatacatcaa gaaacagcaa tagaatagca tttcaggact
158341 tcatggcaac cccagaacca gccagcagcc taaaggctta cggggctcc ctcctcagga
158401 gttggctgtg aagagggac gcacacgcac tcacactcat gcacacacac acaccgagac
158461 agaggaggc ctggccagag caggggtgtc agcagaggg acgcacacgc attcacactc
158521 atgcacacac tcacaccag acagaggagg gcctggccag gcaggggtg tcagcagagg
158581 ggacgcacac gcattcacac tcatgcacac acacactcac atcgagacag aggagggcct
158641 ggcagagca ggggtgtcag cagagggac gcacacgcac tcacactcat gcacacacac
158701 actcacaccg agacagagga gggctggcc ggagcaggg tgccgcaga ggggacgcac
158761 acgcattcac actcgtgcac acacacactc acaccgagac agaggaggc ctggccggag
158821 caggggtgtc agcagaggg acgcacacgc attcacactc atgcacacac acactcacac
158881 cgagacagag gaggcctgg cggagcagg ggtgtcagca gaggacgc acacgcattc
158941 acactcgtgc acacacacac tcacaccag acagaggagg gcctggccgg agcaggggtg
159001 tcagcagagg ggacgcacac gcattcacac tcgtgcacac acacactcac accgagacag
159061 agggggcct ggccggagca ggggtgtcag ctccaggacc aggatccc aggcagaacc
159121 tcatgggtgg gccccgggtt cctcacacac cccacacccc tgccatgcc cagacctcca
159181 gcttcgggct ctgcattcac acggaggctt cggattggc gcagcctggg agcacaacaga
159241 cggccaggg ccagggccag gactggcatt tccgggctc ctgtcccat cctgcccc
159301 ccacccggtc ggccctgtcc ttgtcttgc cagctgggg gaagcaccc tcgcccggca
159361 tctggggctt ggctggcct cagcctcctg gtcacacgt ctcactggg gctggggcgc
159421 cggcagctct gagctaagtg agcgcagagg agagtgcagg gagcggcaag gccaggctcc
159481 tccccacccc gtggcgtggc gtggcgtggc cggataactc agttttccct gctttttgag
159541 acaagagtag taaatgcacc gtgtgtact cagagcccg gaagcagccc tcccacccac
159601 agcgctcctg cctctgcage ccccccggcc gttctctct ctcacccggc cacatcctca
159661 ctggactgtc tccctttac agatgagggtg agacgcacat cagggccca tggcttgc
159721 ccaacagggtg acggccaga attacaagcc cctgattctg gggcttcca cgttcttcca
159781 ccaagccctt gtggccttcc tgcacccagg tggggcttcc gtccccccgca agtgccttcca
159841 actctactc cagcagaccc ccaacctacag acaggagttc tggcacaca ctttttttg
159901 ccaggcccaa ccaagagctg caagggacat aggaatgtcc cttagcatgg cccgggagcc
159961 tcaagccca ggcctaccta gaagtaactc ttttcttga cattaagcga ctttttttcca
160021 agagcttaat cacagccacg tacggccctt tctcccaattt attcaaggct ggaaggaacc
160081 tgaagtgtt actggattcc tacacccacc ccccccacaa tccccaaggc cccacccccc
160141 cctcctcctc cccctggccc tgcacccggc aggcctcaact cactctctt cttctgttcc
160201 tctgggtcc ctgcctcaga ccccccacc taacacaccc tctggccccc cccagagggc
160261 tccctcccaag acacgcgtcc acgtcgccat ggacaagatt aaatccctg gtttctggaa
160321 agcaactgagg ccacagggtt cttctggaaa gcaactggc cacatggc ttctggaaag
160381 cactgaggcc acagttggct tctggaaagc actgaggcca cagtgtttt ggaaggtcat
160441 gtcgggatcc cagggctgac tgcactcctg ccagtgaatg ggggtgtcc ccaaaggggg
160501 tttgtttccc accattggg gccaggatcc caggtcagga aacagagttt ggggtggagg
160561 gaagccatct ctgggactt tcccccattc tccctgtcc cgctcacag gagaagccag
160621 agctagaagc tggcatgagc cctcttagca ccaccagcc cagtctccac ctcgggggac
160681 acgagctggg atctgagtgg cgcaggact atgttctaga gaggccgtac ccaggaccgc
160741 ccatggcacg cagagaaaa ctgaaacaac gatccttcca gagacaaagc acagccccc
160801 atggccacag gaactggccg ccccccaggag ctgtcgac caaacggcc acggagagagg
160861 gcttgggtggc tgcacccggc agcagaacac aggaactgaa cagccacagc caccgcagaa
160921 ctgggggatc tggacagacg tctcgctgt tgctaaagaaa ggacaaagag acagagggca
160981 gggagaaaaat ctgcacggc tggcaacgg ccagaagaga gtcggggagg tgagagaagg
161041 aatatttcaa aaaacaaaaat tacatgaaaat attccacat ggtgggttc ctagaggcct
161101 tatcaataca tatataagaa aaagctccat agctagaccc acgataatga aacctaagaa
161161 catcaaagac aaagagaag ttcaaaagct cccaggggaa aagacgcacat cagatcagt
161221 taaacagggg ggcacccggc agacatccaa gtcccacact gggcgtggg caccggccag
161281 cagacggggag acaagagccc aggaagtcc tctggcaacg aattcaaagg ctcttgctc
161341 gagggaaagag gtcggcccat tccggggccca gagccacccg acgagaggac agctgtgtcc
161401 ctcagagggg tcggcaggga cagaggccac accagacgc cagagatcta gcaacccca
161461 agggtgacac cctggggatg gtcggggatc gcaacccggc caggaggcagg gctggggagg
161521 cggccacacgc tcagggggatc attgcacatgt ggcaccccg gtcctgcctt agggccccc
161581 ggctccca gccccccacca acaccctccc cactccagg gatggcattt gagaccc
161641 tgcgtgtcc ctccaggaaac ctgtggatc caagagaaca gaggctgccc tcttcaaccc
161701 cagtccagca aggccccagg cagaggccac acggagaact gctgtcgac atgaagtgg
161761 gacgggacgc agtgggttac acctataatt ccagcactt gggaggccaa gaaccgctt
161821 agtccagaag ttcaagatca gctggggcaaa catatgtgaga ccccatctt aaaaaaaaa
161881 aatttaaaaa attagccagg catgggtggc cacacccgtt ctttccatca ctttggaggc
161941 tgaggcagga ggtccatca aaccaggagg tcaagggttc agggagctac gattgcacca
162001 ctgccttcttca gccccgggaga gggcaagacc ctgtctcaaa aaaaggaaat atatttaatt
162061 ttttaaaaaat aatacacaat ggtggaaag aagaggaaa ggaaggaaa

162121 gataggaaaa gaacaaaaga agaaaaagaaa gaaattccag ctaattctca gcaacagaca
162181 attacaggaa cacaaggaca aagcccagag ccccaacccc acgtggcctg ggtccccaca
162241 gctccagcc ctcctgtcac tctgcccact ggcagcagg ccacctctga gcatccttt
162301 cctcagact ttggcgctt tcctcccagt gtttcttg tagttctca taaatccatg
162361 ctaggtctg gctacagcta tccttgtccc tgaagatgga ctcagctgc agagtcgctg
162421 atatggtaac acaatatcac acatctcata caagcctgct cggacgctgc cttctgacc
162481 ccgattctg tcaccaacac aacaggaaaag gagcttgaag acccaggagg ccacagcaca
162541 gttcctcgta gaggagaga gatgcgagca ggtggcggg gggactcctc atgagacttc
162601 tataaggcacg gacccagagg ccatcccagc gacactgtgt gggactcctc gcacctctc
162661 ctgctgccc gaccatgggt ggcagcagc actgcagttgt tggtaatc tatgtcccc
162721 ggtatggccag cgggcacaga gcatatgtgt gctgaggaggac acatgcccc cacaacgccc
162781 cccacatgtg catgcatac atacccacaca cacacatgtg tacatccatg caccgtctca
162841 ggggaggta gctgcccacg accagctgag actccctggc cagactcata gccagttggg
162901 gagagtggag cagacgtaca ggatggaggg tagaggtggg gctggccac agtgagggag
162961 ggaggcaggt gtagactggg ccaggaaaag gttctggaaa cccagactga aggttccctg
163021 ggtccctgg ggtcatcca gggctgggt ggagccagga catgaggaac gggcagtgtat
163081 gaatctgaag ccctgtggc cagcagagcc tccacctgca cgtcctcccc aaaggtcagg
163141 caggcttac cctggccacg tctctaccct ggcattagc aaagaggccc ccctggacc
163201 aggaggaaca cagcagccca gcccctctgc cttccatc caaggctcca gccactctca
163261 tggagactct gagctgagac actcccagca gaaagggtca ttatcttag agcttaacta
163321 gccccttcca attagtggg aataaaatgg cagcatttac tctgaagaac tgcgtatgcga
163381 gagtattaaat taaatgcgt ggcgtgagc ctcagcacac aggaggctga gcccattat
163441 aaaggcatg agactaagaac aagacaggga ggagaggcgg ggcagcttag acaggggatg
163501 gggagagaag gagatggccgg gcggggcggg gacagccagg gacggccaca gtcgcctgc
163561 caggaggggac agggccact gcaaaatggg acagctgtt ctggccctc cacaagaagg
163621 ctgggggaa agaagccaag cacacgcaga gggctcttcc gcacaccctt cgcctccgtc
163681 ttttggaaat cttgacagtt agaagacgac aaggccactt gtcaggatggc tggcatttt
163741 ccccatgaga ccacagagag gcaagggaca gtccttctc agaccaggc aggtggggca
163801 atgccaaggc cccctcgct caggatggg ctgacccctt ccaggatgac tccccctggg
163861 gaaacactga tgcgtgtt tggcgttga gacgttgggg ctcggctct gagaggcggg
163921 gccccgaagg gtcttccagg aagtcagac cccagccaa aagcagcagg cctggccac
163981 aaagagagct gttccctggg ccagaaagcc ctcttccacc atgcactctg ggcaaggggc
164041 gtgtgtgcca ttaggaaac acgtgcacgc tatttcttc ctgtttctt ccagctgaag
164101 attcacaca gcccgttat gactgagggt tccaaacago tatttctca acacacaggc
164161 ccccacacat atgcatgtc actcatgcac tcccacatgc acatgcatg caccacata
164221 caaatgtcca tacgcatcac atgcaccacg tgcactca cacgcaggcg tcacacaggc
164281 accatgcaga cgcatgcaca cacacatcac tcatatgtgc atctctgtg acacatgcac
164341 cacatacaca tgcgttccat tgcgtactac acacaagttt acacatgcac cagaaaaatg
164401 ccccatgcat gtgcattggca gacattaccc acacatacac atgtcatcg gtcatacatg
164461 tttatcatat gcaggatatac tatgtacagg catgcgtgc acacatgcat gcatcaagca
164521 catgcattat acatgcacac gcccgcacat gtgcacacat gcatgcacact catgcactca
164581 cacatgcctc acatggcac acatgcacat ctgcgtgtt cacacatcg ccacacacat
164641 gcaactactt acacccttctt gtcgttccca gcctcaactgc ctgtttttt actttccctag
164701 ttctggccac tacgtggaa ggtttttt tggcctttt cttttttt gtctctacca
164761 ctcatcttca cccctccagg ccctcccccattt ccacacttcc ccagtagaat agaaggctct
164821 cccctctgtt gaggaaaaaa gtcgtgaccc tcttttttcc cagaaaaccac aggaagcatg
164881 cttgtcgtactt ggttttttcc ttcacccatcc cccgcgttca ttacgcctgg ctcggccat
164941 cccaaaccca ggtccctactt ggttcgttcc ttcacccatcc gcctggccaca tctccggct
165001 gggccacaga atgcctggtc ccagactctt aatgttagaa gactgcccctg cctgatctca
165061 aggcttgctt ctctgttcc agggccactcc tgcgtccctg cctgacggct cccggagcag
165121 ccgggtatca gtcaacctcc ccagcttctt gtttgcctt cagagccagc cgactccct
165181 gagagctgtt gaggctgttca agcagctca ctgtccctgc ctcggcttgg gagggaagg
165241 agggccacggaa gggaaatccc tcccgcttca tgcgttccctt ctctctgtt
165301 gtgtctctgg gcaggatgtc cccctccagg ctttttttccatcc tggcccccagc
165361 cacttccttgg ggaaccctaa gtcgttccgg agtccaccctt cttttttt tttttttt
165421 ttttgatgtt gatgtctgtt ctgttactca ggttttttccatcc tggcccccagc
165481 actgcgttcc cccatcttcc ggttttttccatcc ttttttttccatcc tggcccccagc
165541 agactacagg tgcgttccatcc ttcacccatcc ttttttttccatcc tggcccccagc
165601 gttagagacga ggttttttccatcc ttttttttccatcc ttttttttccatcc tggcccccagc
165661 gtccacccatcc gtcgttccggat ttttttttccatcc tggcccccagc
165721 cttctcttccatcc ttttttttccatcc ttttttttccatcc tggcccccagc
165781 caccaggggc caaggaggcc acatgacccca gtcgttccatcc tggcccccagc
165841 gactacatgttca acatgttccatcc ttttttttccatcc tggcccccagc
165901 ccaggacttca ttgttccatcc ttttttttccatcc tggcccccagc

165961 gtgaggaggt aatgcagcag ctgcctgcat ccattttct gcctcagaga agagcaggcc
166021 ttagagtgaa atcgacatag aggagagcaa agccaagggt tggggatgtg ggaaaaaaaa
166081 caactgaaaa ttattttggg cacctggatc cagccacacc tgaagctaga tagttctaga
166141 tatttttctt tttgcagatt aaccaataag ttttttttc tttttctga agccacttt
166201 acttggattt ccaacactt aaccaataac cctgactaat acactctctc ttctatagct
166261 tcaaactctc catctcccg atccatcc tcggccctg agcaaactca agccaccta
166321 aatcctctgt gctcgaggca gggccacaca cacatctaca caagcgaca cgtaaacact
166381 gcactcacat ctaagactgc acaccctccg cagctgatgt ctggccacc acagcatgtg
166441 tgccatgcgc accagttcc ctccactccc ttgcctctca ctgccccctc acctggtcag
166501 tctagctcc accaactccc cagcgaccct gcaaagcccc ctcttggctg ctggccctga
166561 tgccccctgc catcccaatt ccctgaaccc cctcctctt aacctctctc atccttttagc
166621 agtgtggcag ccccgctctt aagacccac tgcctccctt acttgtctgc acatggtggg
166681 gggccaaaggga gcacttccctt cccttctgc ctcccttctt ctttggtgc cggccaccca
166741 ccccaaggat tggaaatccac agccctccat acagagcgct cccaaacccga attctaccca
166801 gacccctgccc ctgcacccat gaccgtcattt tccagctgca agactcttc caagagacag
166861 ccccagtgac aaaccctctc tccaaagctac ctttcctctc taccacccat ctgtgcaagt
166921 caaaagctgg ggagtgcctt tcctcagcct cttccctcagc ccccaaggccc acagacccaa
166981 gtgcctggag atcccgccctt ctccatgttt cctgagtaga ttatgctgcc tctattgaaa
167041 gatgttcccg cagaacactg gatgtatccag aaatatttcc attatgtgtg gcatggcag
167101 aggcagatca caaagggaaag gtacaatacg accctttgt cattaagtat gtttacacat
167161 atgtgcatgg acgtgggaga cacacaaaaa ttttggaaagc taatggcact gcagggattt
167221 ccattttctc cttttggctt atttctgcat tctgttttat atgaaggcac atacgacagt
167281 ttttaactta aagacaggac aaaaaggatgc cagccatcgat ggttcacccc aggactgccc
167341 gtgtggggaa tgccaaatc tgatggacc cagcgccagg gggagagga gcagaggatg
167401 caccacggc ccgtgccttc tttgaatcaag tcctcacggg gcatctcaa ggtggagact
167461 ctgaaaagtgc agagaagtga aataaccgc ccatggtac acaggaggga gtgcagggtc
167521 cagttctccc tccccccaccc aggtccgcac tacaggctct gatccacgc cttccctttag
167581 gacaaaccct gagccacgct gggcctccc gcaggccctg aaatagagct tcattgcccac
167641 atcagacacc gggagacgcg aggaggccgt gagccaattt cagatgactt gtcaaggctg
167701 cgccagccac agagtcaagg aaccctctgg ctgcctctgt aatataagaa ccaggactga
167761 aggcccctct gggagggcac tagacgaggg cctcggcagc tccgcaggca ggtggggccc
167821 aggccaggcg ggacagaaac ccaaatgtgg cgatgcaac tggacagaaa gggccctctc
167881 tggctgcgg ctccctcaat cggggcctga cggtaccagg gggagttat ctctcacaca
167941 caagctggc ccagaccctt aactgcaggt gttccctaagg agaggtgcct ggcaagtct
168001 ctccctgggg tggacgcctt cctcctgagc acggtgttga akgaggccg tgcccagcat
168061 ggggtgcgtga ggactggtatc ctgcctgcagc acaggactgg cggaggccg aactttagct
168121 gccttagact gaggccactc cagagccaag actgacagtc tccacaaaac caaggagccc
168181 tcacctgtct catggctggc aggggctgca caggaagtga cagaggctg tgccctcga
168241 gaggcaggca ccgagccagc cagtgtcagg gaggcaggct gcacatctga tggaaaatcc
168301 atccgtggtc ccccttctga caggcctttt gctgccttcc cttaata gctgcgaagg
168361 gaaatggccct ggcagaagga aagacaatgg ggccccagg gcagcagtcc aggaggccct
168421 gggccccccca ccctccagct gttaggactcc caagctaagg acagagagaa tactttgggg
168481 aggagaaaaga agcagacacc aggttcgtg gcagggtgtca gcatggctga gggcaggccag
168541 aacagccgccc agcttgatct ggacacccctgg tcctccacca ggcacagca cttgccagg
168601 gccgttgggg cctgtcactg ccctgtgggg gctcccttgg gagttctaa cctgggctcc
168661 ataaacttggg aaaagagaac acttcaactt catctttact aactggaaac taaaagctgc
168721 cattcccttc aactctggag agaggcagca accccagat taacagcacc tgcccccgtc
168781 agggcagaaaa tcacaggctt cggcaactgt cagcacccgt gctgcagacc agaccaatag
168841 gtgtttacac tcagcacaac ttaaattata gaggctgtaa gatgcactcc taggtcttat
168901 tatttaatgc atcaattaaa agcacacaaa aaagttttac atgaatgttc ctggcagcat
168961 tattcacaag agctaaaggg tggaaacaac ccaatccatc aacccatgag tggatttaaa
169021 aaactgtggt acatccatgc aatggaatca tatctttcca tccaaagtaa tgaagctctg
169081 atgcatgtg caacccatgtt gaaaccttggaa aacattatgc tgagtggaa aagccagaca
169141 caaaggccaa atattgtgtt attcattttt actaatggaa tgcccagaac aggccaaatct
169201 atacaggcag aaggtaggtc agtgggtcc taggcctgg aggacggggt aattgggggt
169261 tactaaaggg tctgggggtt ctttcagag ttttgcacat gatctttat ttttgcacat
169321 gttgcacccat tctgtgaaca tactaaaggcc attcatttggaa ttttgcacat taatgggt
169381 aaatacatag tatgtgaatt atgtctcaat aacatttata tccaaaaatgt gtaaggata
169441 aaataatgatta aaaattttaa aagcatgtgt atgttgatag ctttattttt ctctttttt
169501 ttttttttga gacagagtct cactctatag ccccaactgg agtgcagtgg tgccatctca
169561 gtcactgca acctccaccc ccagggttca aacaatttctc gtgcctcagc cttctgaata
169621 gttggaaacta cagatcccc ccaccacgc cggctagttc ctttgcacat agtagaggca
169681 gggtttcacc atgttggccca ggggttgcctc aaactctgtg gctcaggccca tcctcctgccc
169741 ttggccccc aaagtgttggc gattataggc gtgaggcacc atgcctggcc gatagcttta

169801 tttcaatca gatttatttcc tttgtatTTT gtagtgtaca ctaaacacat tattttgatc
169861 aggggtccat gggcctcacc aggcgtgcag gagggttcac gacatggaa acgtgtgta
169921 actaccagga cagaagacag gaaggTTTgc tggaaagagg gtatgagaa gttggccagg
169981 cctatgggt tcccagcatt caggaaaag cccagaggc ctcaggacc ccccccactgt
170041 ctgtctgtct aatgcaagc ccatgaggcc caaggagtct cagcttctc agccacccga
170101 tcacaccccg acacacacta ggcctggTT ccttcaagtc ctttaggtcat tttcagattc
170161 aacttcagcc aagacaaaatg gtcccctctc gcacctgcca caggcactgt ttcaacacgt
170221 ggcagagttt acagttgtat ggtgtgtgt atcttcgga gctctgtcc caggcccaca
170281 ggatgaacgg gaaggTggac atggTgggtt gagaagcag gaaatgtatgaa tggtcaggag
170341 gggccttcaa tgctgggtt cggggcctgt gctttaccc caaagtggag gagccatggg
170401 gacatttgc ggtggggcac ggaaggggaga cgcgtgttt atcatggca gctggaaagg
170461 agtggagaaa acggggcag ggagaagaca gggcagatgt cctggagaca gaaggcaatg
170521 gggaccata gtccttcctc acacatcagc ctggcttcc tctggggccc atcctctccc
170581 cgaccactc ccagaggcgc agaggacaga cgcggccctt gggccacag cagtcctgt
170641 acgaggcctg gccagccaa gtcctgctc gctgtcttcc ccatagtgtat ttgcctgaag
170701 catgtgaccc aacctgagcc agtggaaact caccactggg ctctcccaga aaccctcg
170761 gAACCTGGG ctctcttcg cggcggtcg gtgcactgca caggcaggac ccacggggag
170821 ggcggcttag ctgaaaccgt gggggaggcc tggctgccc ccctgagccc cgcattcccc
170881 ctttggccccc agccgttctt gccccgggtt tctgtcaattt gcaatgtacag gagtgtggac
170941 ctggggatgg cctgtggag ggacaggggc acaggcaca gtcacagg tttggatggg
171001 aggacaggag cgaggccagc cgcctctggg ccacaccctc cggattcaact cccaaaggag
171061 aacggccagg cggccaaatc ctcccaactg aggggtgcgg agaaaggat cagagcgtc
171121 ccccaacaaa ggctgccttcc cgccttcgca catccctcg ccacactgac ctccatTTT
171181 ctcttgggg cctgcccggc acgagactct tctccattt cagatggaa atcttttccg
171241 cacccatgt aattgttttca aggtggaaag gatttgggg agaaatggcg tttgtgtg
171301 ctgtgtgtg tttgtgtgtg tttgtgtgtc caccggcagg cggcagctg ccccaaggaat
171361 gctgtattgg cggggaaagc tagaggacc ttggcctcag ccatttcctg aggggcttc
171421 ggtgatgtca gggccttcg gccttttca gtaaacatct ttcttattt tgacccagga
171481 attccatttc agaacagtaa cggcctccac tggcaacaca tcccaaggcc gtcgtgc
171541 gggcaggggag agcatccatc cccggcctgt gcccccccc cggggccccc ccccaactccc
171601 atgcccggcc aagcccccac cacagagctc taaaaggaa caaaatctgc acctggctcc
171661 ggtgtccaa ggccttcac actgtggtcc ctccatcgag cgcacatcagg aaaatatgt
171721 ctgttagtaa caggccctc gtcgtctgt gtcggccctc gtcatttta atcctcatca
171781 taacccacca gatgttttca cgtcatcagc ttttacccat cagatggaa aacaggagg
171841 ctcgtcgcc caggggggaa gggggcggaa aaccaaggcc acgtgttgg gcgagatcgc
171901 gtcgtactcc agcgcacggg accttgcgg ggctgtatgg caaaaactga agtcatggg
171961 aggaggggaa gagggggggg gagagagagg ggagggaaatgacccat caaagccat
172021 gcagactca tctcaaaaata agagaaaactc tcaggtgcct acacaggag tgaatgc
172081 tgaagccgc caggtaatg ataggggaca gcagagactc ccaaggcacc tggactgt
172141 ggacccttct aggggttcc atccttgc tgcacttccatc tccagcaca tagggccggc
172201 agatttccctg gttctcaaga gaaactggaa atcttgcgt tttggagaaa ttttcaaaca
172261 ctggaaaaggc caaacaaaac tcatctgtgg gtggacatgg cccgtggccc accagtgt
172321 aaactccgc ctgcacatg ggaacccatg agtgcagaaa attatctcat tttgtgg
172381 aaggcaggga ctcaaaacag ggcttcctcg tccacatca tagatgtcc aggttgtacc
172441 accgaatcta ctgcggccgc ttccctcgaa agtgcctcactc tgaaccat ccccccgt
172501 aactcaggcc atctttcaaa gaccgcagg ttcctgcagg ctcgaaaca accctgt
172561 tggccgggtgc actgtcccc accacaggag gacaccaac agaccacgg ggactgag
172621 agcctcccttgc actgaaaaggg aagggtcaacc gcccggactc atccccataa
172681 tgggcacatc ctgcgttgcg agtctactt gatgtcaagag agcaggggaa
172741 gcccgggtgg ggaaatgggc ctggggagatc cattcaggcc aagggttgc
172801 ctaccaccac cagcatttac agaagaagca gcacctgggtt ctcaattccc
172861 ggcttagatgc tctgaaggca tgggtgttagc tcccacacaa aattactaaa
172921 gaaaacatgt tgaaaaagaa gagacaat tatgtactgc agaaagtaac
172981 gagaatctc acccccaaaa acatccaaaa aaaggaaacca aataataaca
173041 taaaaggatc agatgcaaaa taaatagaga aactcatata tctgggaacg
173101 aacacatccaa gcgagagatt tagttttttt ttttggagaca ggtctcg
173161 ctgtcgccca ggctggagtg cagttgtgc agcgtactca gtcactgc
173221 cccgggttca cgcatttcc ctgcctcagg ctcccgatg cttggggactc
173281 ccaccacggcc cggctaattt tttgtatTTT tagtagagac ggggttcc
173341 aggtggtct cgttccctg acctcgtgtat ccacccgcct cggcctccca
173401 attgcaggcg tgagccaccg caccggcaca gagatttatt tcagaaggac
173461 tatctgtgtt tcataatttgc cgcatttctat taacagagag actgtttgc
173521 gaagatgcag gtcattggga gcaaggatc tgaaggcagg gctgttgca
173581 gccttgagga cagcaatgtt gggcttggg cttggccaggtaaccatgg
tatcaagtgg

173641 ttctgtggcag ctctgcacat gcatgttatga tttgcactaa tggcatttt ttaactctgt
173701 ttctccctg ggaataaaga tggctaaatt ctgagaatata cattagtctg aaagaagcag
173761 gtcggcggta ttctgtggta ataatacactt actgtatttt aaattaaaag tggccatc
173821 taacaatctg gtgtaaaata taatggaaaa gaccctattt acaatggcaa taacattctt
173881 agtctcttag taataaacctt actggcattt gtttttaaac atctgaatca atcttctt
173941 ttccgtgaga aaattaaaca tcataatggcactt gtcgttgcatt tggcattttt taaaacacta
174001 agggccttct gcaaaggggg cactactttt ggcattttt taaaacacta cgatgggt
174061 acttgcctta tcagatgtca gaacatattt tcaaccaaca gcaattaaag accccggac
174121 tggcggcaaaa gaaaaacaga aaaggccagg cacagtggct catgcctgca atcccgac
174181 ttggggaggc caaggaggcgg ggttgcacgg gtcaggatgg gtagaccatc ctggctaa
174241 cggtaaaacc cggctcttac taaaatacataaaaattttt cgggtgtgg ggcgggccc
174301 tggatgtttt gctactttt aggtgtttt agggatgtttt cttttttttt ggaggcag
174361 ctgtttttt gccggatgtt tggcacttgc ctccggctt ggcacacag tgagactcc
174421 tttttttttt tttttttttt aaaaaaaaac aaaaaaaaaccccaaaa gccggaaaata aaccccatat
174481 cttccatgaa ctccatgtt gatggatattt acattttttt tttttttttt aagagttaat
174541 tagcaaaacgaa atgggtttt gacaacacgaa tggcaattttt gaaaaaaatg aacactt
174601 accaacacact tatacgtt aagaaacaca ttttcattttttaaaggatggg ttacatattt
174661 aaaaatcaag tcaggaaaaaa agcaaaacat ataatggatggg attttttttttaaaggatggg
174721 ctttttttt tttttttttt aaaaaaaaaccaaaa aaaaaaaaaccccaaaa gccggaaaata aaccccatat
174781 agaaacaaaaa caccaggccgg gcaaaataaaa aaggaagctt ctggcaatattt aacactt
174841 aagcttagcag agggttttt actggccccc ggggatgtttt tttttttttt gaggaggaaa
174901 gttttttttt gtaaccacca gccattttttt aaaaaaaaatgggggggggggggggggggggggggg
174961 acggctgtttaa tccggcactt tttttttttt ggggggggggggggggggggggggggggggg
175021 gagaccatcc tggctaaacaa ggttgg
175081 gggcgg
175141 gtaaccccgaa gaaaggccgg tttttttttt ggggggggggggggggggggggggggggggggg
175201 ggcctggggcggc acagaggccgg actttttttttt tttttttttt aaaaaaaaatgggggggg
175261 tttcaacaaat aacacgattt tttttttttt tttttttttt aaaaaaaaatgggggggggggggg
175321 cggactcttgc cggcccttgc ggg
175381 gtggggacttcc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
175441 tacatcttacc caccatccatccatccatccatccatccatccatccatccatccatccatccatcc
175501 cacagcgtag tcaccacccgg tttttttttt tttttttttt tttttttttt tttttttttt
175561 cttcccttgc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
175621 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
175681 cacatccatccatccatccatccatccatccatccatccatccatccatccatccatccatccatcc
175741 cactccatccatccatccatccatccatccatccatccatccatccatccatccatccatccatcc
175801 ccaccttgcac aacccatccatccatccatccatccatccatccatccatccatccatccatcc
175861 agccctggcacttccatccatccatccatccatccatccatccatccatccatccatccatccatcc
175921 ctgg
175981 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
176041 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
176101 gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
176161 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
176221 agaaatgttcc tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
176281 ggg
176341 aggg
176401 aaaaaaaaaaaaaaaaatgg
176461 aggg
176521 ggg
176581 ggg
176641 ggg
176701 ggg
176761 ggg
176821 aacttccatccatccatccatccatccatccatccatccatccatccatccatccatccatcc
176881 atccatccatccatccatccatccatccatccatccatccatccatccatccatccatccatcc
176941 aaaaaaaaaaaaaaaaatgg
177001 gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177061 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177121 gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177181 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177241 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177301 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177361 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt
177421 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt

177481 tcccatcccc agaggtggg gaagtgggc tgaattctca acccaacaat ccagaaactc
177541 ttatatcagg aacaagggga ctcagaccaa atctgataat aaaaggttt tctatcaccc
177601 ttaacactca gaaattaca aaggtttag gagctctgag gcaggaacca gagatgaaga
177661 acaaacatac atttataatt tcccactatc acagggttc agacagtacc tcagtctgt
177721 acccaacctg cattgcccc gaagccaga cctcagctca gggccagtgt gctggatca
177781 gtggccagtg gccagccatc gtgcagagag gggagggcag aggggaggga gggaggggat
177841 gggagaggaa gggagggagg agtgcagaga ggaaggggagg ggaaggaagg gaaggagagg
177901 agaccaggag cctcccaggg cctgggacc tgccctggag ggcactgagg agcacaagg
177961 agatgccta ccactgcccc cacctgccc tgatcaggc tgcaaggatca tgctcaacg
178021 cccatggagc tccaggtggc cgccaaagtgt ggacagccct gcagcaaagg ccagctactg
178081 ccttggagc cctcacccca ttatcctgccc cgcttgcctg tgaggaccc tccctactgt
178141 gtggccttgg ggataggcat ggcacggcgg ctgccttct tctgggggg ctctgaattt
178201 ccaggtgaga gacccgagag cagagggcaca ggagccgaca ccgtgtggc agcttccgc
178261 atcccaagcc gggccatgccc cactggccat cgcttccctc caccctcaagc ccccatgga
178321 atcccttgc actgaggcca gccagcctca tccccctctg ctccctact gacacacacc
178381 ttgtgaggca ggtgggttct taactggaa aatggagggt cacaggccag caagagaaga
178441 gccaggcccc aagtctggc tggagccccc cactccccc acgcctcgct agtgagcacc
178501 cgtcatgctg tacaaaagac tctcctgtgt agctttgaa aagtacagac cccagggctc
178561 acgcaggctc gataaaagcag aatctctcag gatggggcct atgtacagat gctgtgcaaa
178621 gtcctcaaaa tcccatgccc atcagtgggc aggcagagag atcacacaat gaaaatgctc
178681 ttctgcaaga caagccacag atttggttt ttctgtttt tttttttttt ttttttttta
178741 gacagagtct cactctgctg ctggctggc gtgcagttgc gcaatttcag ctcactgca
178801 gtcggctcc ctgggttcaa gagattctcc tgcctcagcc tcccaagtag ctggactac
178861 aggctgtgc caccatggcc agctaatttt ttttttttta atggagatgg gtttccacca
178921 tattggccag gtcggctca aacacctgac ctcaggatct ctggccgcct cagccctc
178981 aagtacaca ggcgtgagcc actgtggccc gcctacagat ttcttctaaag gaggaaatg
179041 tcttgcttgg gaaaaacacc ttctagaagc acgtgggata acagataaca gtggactgg
179101 aagagcagga gactctgcag acagtgcac cacctcagag cagcgggcaa agtccgctgt
179161 taagacacag gaggagaatg gaggattgc tccagagaaa ctggacagag ggagggagac
179221 gccactggga gggaaagaaag aacccacaga tggaaatggaa aatggggccca cacaatggcc
179281 aaagggtctt ccaagaacag ggtctgttcc ttccagaagat caccgcgtg gccgggaggt
179341 gtcggctccc ccacccctctg caggaaggct gcccctccct acgagggtt cccatggtgc
179401 gtaaatgggg actgggttcc attctggcc cagcaagtg gacagctgag gccgaggctg
179461 aaaaacacaaa caccggaa tcgcaacacc tctggctttt ggaggtgaga gaagggagcg
179521 ttaaggtta agacacattt tatcttgatt tcaatcctt tactgataaa aatgggatct
179581 tagaaaacgaa gaattcagag gatattgcct tcacatgaaa tccatcttaa tccacagcaa
179641 ggcgtgtatt aagcagagaa ataccggggg cgttgcctt aaagccaggg acagatgagg
179701 atgcgtgttag ccacggctgt gacttaacat cgctctgaag gttccagacg gtgcagattg
179761 gagatgagga tccaaaattt tcagtgat tcaatcctt tactgataaa aatgggatct
179821 agggactcca caaagatata tttagattaa tgagttcaat caagctgctt gataaaagat
179881 atttctataa aaatcagtag ctttcctgtg tccaataga tggaaagtat tcaatgagca
179941 atggcaaaaaa gaaaaaaaaat ctttggaaata atcctgtt taaaaatgg atgacctgt
180001 taaaatatg tatataatc actctatggt acaacatcaa acaatcgaa aataagctga
180061 aaaaatatac tatgttctg atgatatactg taaaattatgt caattccccc ttaattatgt
180121 ttcttaatgtt aatttactat caatcattt caccggat ttttctacc gaaaaacaaa
180181 ttataaaattt catttggaaag aataaaacata ttttttttcccaatggc caagaaaatt ttgtaaagaga
180241 ataccagcaaa agggggacgt atccagccag atgttccaaa gccacacagt ccaacagaaaa
180301 tagaactcga gctttatatg tagccatgtt tttttttttt aaagacacag gtggaaattaa
180361 ttccagaaat atattttttt taacccagta tgcccaaat attaccattt caacctgtaa
180421 tcaatacttt aaaatgatct attaaacatt ccacattttt ttttttttcccaatggc acgaagtctc
180481 tggaaatccaa tttttttttt atactcaggg tacctctcaa ttccagaccc acacatttt
180541 agtcttcaat agccttggc ggcttatacg tactgtattt gacagcaag cttcaaaatgt
180601 ctttaatctt tgactttag agccttacag ttcttataat aaacacagct taatattgg
180661 acaagaacag aaagatggaa aagttagat tatctgcggt actgttttac ctgagggttcc
180721 atttgcact gactggcgat ggttactat aaccctaaaa atagacagat gtaaaatcat
180781 accaatatgc tcacagctc caagccctt ttcatcatat gtcggaaacg tctgtcccaa
180841 tcagaatggc cactagcaag ctttagacaa gccttgcattt aacacgttac acaccctact
180901 ttccatgtgc tcccaatccc tggcttcaaa ctttgcattt aacacgttac acaccctact
180961 gtaacgggaa gggctgcaga gcctccacgc cctctctggg cactcaccct cccagcacc
181021 cacctgttca ccaacccaaa gctctccaaa ctttgcattt taggggtttt caaaggaaaa
181081 ataccgggt gtaaagatga caggctttaa cacttggaaa tacttttaat acattgaaat
181141 ttccatgttca gggcttcaaa ggaaaaatac ccaggtttaa agatgaatcc cggacattct
181201 gcacagagct ggtgagggtt ggtcccttca acacgcatttcc caaccctgt
181261 actgaggatg caatcgccgg gtcctcaggcc cccggccctc ctggccacg

181321 acactttccaa cgcgatccct cactgtcaac accctggaca ctcaaaaatgt ctttgaagag
181381 tcacgctgtg aggtcaaaaa gttagggtgc acgcagaaaag ggcgcgttag ctttcatttg
181441 gtgaggcaaa tacatatccc tggaggaagg accgctactt cgtattcac aagaggaaga
181501 cccccggagg cggacgaagc caaccgaact cagttcccg gagccgtgac aagcgacggc
181561 caggcagcag aaatggccca cccattaggc tgcagacagc atcagagaaa ccaagactg
181621 tggcagtgaa gcccgcgtt ccaggaaacc acaaggcaca gagttgcagt ttaaatggga
181681 gtgtctccct tttcttggtg gctgtataaaag taatgtgtg tcctgttaacc gatggcacct
181741 tagagctaat gatatgcaga cacggccacc gctttctcac ccccgccct ggggtaggcg
181801 cttgtcgcac acccaccctt taactgcac tgaatgtgc gccggacagaa cccatctttt
181861 gctatggag gaactaaagg tctcaggatc gtgggtcttg tccggcctgc cggtacagag
181921 gacacagcg gaccatgtga cccgcaacag cctccagcccc acaataggcc cctgccttcc
181981 ctgggttaac ccgtgaaatg cacaaggcag ggtggggatg gcttagagcc tgcctggctt
182041 cagcagcacc caggccttgg tcctggacac tagggttccc tgcctctg aegcgaagct
182101 gtgcacccca ctctgcagcc ctggagtcgt cgtgcagtgtaattgaaatt catggacaag
182161 cccgaggagc cagtcgggg ctcggtaata acttctccat attaatggca gcacccgcaga
182221 ccctgtggac agctgatatt taatatgaaa catacgcagc agagtgtgca gtccttacact
182281 ggatcctccc attccgggt aaccaccgt agggatggg ggtgtctaact gtcggccaa
182341 gattgagggg gctggggtcc tcctctcccc tgagttac ctc aacccactt aaggcccctc
182401 ttctacagag tgcaagaaac ccctcccgag aaatacataa acacatgtgc gcccacgtc
182461 actcaaatagc acacccctcc atgcagacac actcatgtgc acacacgtgt acacactcat
182521 tcagacgtgc acaaacatata gccccccac acgcacactg catgcacgtc ctcctacatg
182581 caagacatgc agaggcaaca cgtacatgc cacaatccc ccatgcacag gcccaggaca
182641 cgcacacgtc cacaatgcagc caccagctt ctgtggggc acgaacacag ggacccccc
182701 ggctgccccaa gccagagagg caggtgggt aaagaaggac atgtctgc gccagacag
182761 acccagggtc ccaggagggc tgccatgcac acttgcctt ttgggtcttc agataccaca
182821 gtgggcaggc ccagaccata gtcaggcag ccacaggc aagccagct cgtctgttag
182881 cggatgtccc tggctgatcc ctttactc ccaaggtgtgg cccctgttag ctcacagca
182941 ggctgggtg aggacctggc cttcacctcc cagctgactc tgcacgagg cctgaattca
183001 ctcactcacc caggtgaggc cctgtgagc ctcacagcag gcctgggtga ggacctggcc
183061 ttcacccccc agctgactct cagggaggc ctgcatttc acaggcatga ctcgctaagc
183121 actggagaca tgggggacag ggaagccacg gcgagccatt gggcaggaga agcctgccc
183181 acctgaatga gcacatggcc ggcacattt accagtgc gaaacataacc cagccacaca
183241 atggagtgca gcttcccgag ggagagctgg ctttgggtgg ctccggctga gaccatgtct
183301 gactatggc gccttcatga ggggctggga gccgctcca ctgccttccct ccctaagga
183361 ttccaggaga gacgcagcc cacaacaga acctgcataat gtaactctt gacgcctcggt
183421 ttcctaccc tgaatgggg ttcacgtggc tggctcacag gaaaaccgca gggactgggt
183481 tcaaaagcccc aaggcagaggt agatgggtg gatgtctgc ccccgacccc ctcctgaggc
183541 tggccgcgc ctccagaggg actgcgctc actgtctggat ccctcagggc tctctgttag
183601 ggccctcagc tcacgtaaagg cagcagggg gggagtattt gccccaccc cccaggggca
183661 cctgagggga acgctggagt tctgccttgc acggccctt ctcaggatggacttcc
183721 accagcagag caggcgactc agggccggc tggagggccc tgaccaggc acggggccct
183781 tgaatgcagg gccagtgggt ttgatgttt ttaagagcag taagaaccac tgagaggct
183841 taagtgaagg cgtacatga gttgtctcat gtttcttaaa atccctctg gtcgcagagt
183901 ggagaagggt tgcggggag agaccatggg gcagtgggg gtcacaagagc agaaacgagg
183961 gtttggcacc aggctggag tgggggggg cctctgagaga gctctagaat tggagctggc
184021 taggggaggg cgatcttggaa aggggtgggt ctggaggaga tgggggaggg ccacgtact
184081 ttagtatggt gtcattccagg gaaagggtttt ccagaggcag cggacggc acgcctggag
184141 cccaggaggaa ttcttaagcc caacatgggg tctggagtcc aggagaaggg tggccacaac
184201 cgtttaacc accctgcaca attctccccc tttttgtat gataggcccc ttttcttcc
184261 agagttttgg agtctgtccc tccccctcag tcccaaagggt gggcaggaga cttgggctag
184321 gccccacca cagccatggg tttgaagatg ggcctccaaat ccctccccca actctcacag
184381 gtgtcacca gagaggaggc ttccatct caaagggttc tcccttggaa aacgagttgg
184441 gcctggagcc gctgggtggc cgggggttga ggggtggaga gcaattctga aatgaacact
184501 gagaggcagg gctgagaaat ggatagcatg ctctgagccc ctggattcag ccaggcctga
184561 agccaacact ctcaggacc cccagataat tggggccatg ctgtcccttgc tttgttcat
184621 ccaaatatgg cagggtttc tgcacttaaact gtcgcagatg tcttaaggta acaagatgg
184681 cggaggctga gactggctt agcgtctgtg taggtgtctt gcaagctgggg cccacaggag
184741 cctctgtccc tacctggggaa gccccgcac cctaggaaac ctagggcact ctgcagcccc
184801 tcttttagtct tcctgacaaac ctctcatttc gatccaggca gtccaaagggt ggggtggag
184861 gaaggaagac ctcaccaggc gcagtcgaa atctcagggt cccctcaccc cactgcacag
184921 tcccaggacc cgctcacacc tgcctgatct gctctagcact ctgagccctgc tggaggccag
184981 tgggtggctt cgaaggcagc agccttgcg gaaaaatga aactcatctc gatcccttag
185041 gccggcttct gacttctctc tgggtggctt atgactctt atgtccagca agacagagtg
185101 ggtgccttgc ccagacagca gccccgcagg ggagcccccag cctgaaaggc agcagccctg

185161 gatttcttct tgccatcaa ccttgggtct ctctgaggct cagccacgc gtggggcagc
185221 cctatctcac agggttgtgg ggttcgcac aagcatccag ggaaggcat acacttcctc
185281 ctttggggcc caggattgga ccaggccctt gagggcggac catctccacc gcccagccca
185341 tgaggccttc atccactgct gcccagcctg gcaggagagg atccccgtgc tgccctgagt
185401 ggggaggcag aggcggcag ggtgcttcc atcccacgga agtcccagct gcagtcccc
185461 accagtgagg acttaggcca cccataggag ctgcagccca gcgcaggta cgagccagtc
185521 aaggccactc agctcccagg cctgctcccg gtcactca cactgacgat ggtcaaacc
185581 acaatgagaa cgtctccagg agtcaaataa gaaagggtgg aaatgttga aagaaatgca
185641 tttttaaaat tcttttgtt ggcatgcagg aaaaggcaac aaaacatagt ggcatggcc
185701 ttggaatcag atttgtgttc aaatactggc ttcaagctt gaagcaagct atctcgactt
185761 ttggagcctc agtttattca tctgttagaag gggatgatg tcggatatg ttccgttaggg
185821 tctgtgttggg attaaaacaaag gcgagggtggc acagggggct cagtgagag cctggcac
185881 aatgttataa ggaacacagt caactgtcac ttaccatcat tacctttac gccaaaaggc
185941 ttctcactgg gtttttaatg ggcatgtaaa aaccacgtga aattagcagc cttaccacgc
186001 tgcccaggag atactgaaa actcttccac agcaacgtga ggcacaacac cactctgtgc
186061 agcctgtttt gctcatgcct tgcataagg gacattttgc tggataact atgataacc
186121 cctcgctgtg gatattatta tgaataactt ccgtctagtc actcaaccc tcagagccctg
186181 agtgctccac ctgttaaccag ggatgagatg cttcccccac cagggctctg tgaggacaag
186241 agtgccctg tgtaaagacc caggtcctta gcaaaagaagc ctatctgtgt ggcagcagag
186301 ggggatttaa cagtaggaca gacacatacg cagcaacaaa gtcagaaaag gaaagaagag
186361 gccgggcgcg gtggctgagg cctgtaatcc cagcactta ggaggccaag atgggcagat
186421 cgcttgaggt tgggagggtt agaccagct gatcaaagg aaagaaagaa agaaaaaaag
186481 gaaggaaagga aggaaggaaa gagaagagaa gagaagagg acaagcgaaa agaaaagagg
186541 ctggcgcag tggctcatgc ctgtatccc agcactttag gaggccgagg caggcagatc
186601 acaaggctcag gagattgaga ccatcttggc taacacgtt aaacaccgtc tctactaaaa
186661 attttaaaaa aaataaaaaa aaattagctg cactgttgg cggcccttg tagtccctgc
186721 tacttggag gctgaggcag gagaatggcg tgaacccgaa aggagagcg cttgcagtg
186781 gctgagatcg cgccactgca ctccagcctg gtaatagag tgagactcc tctcaaaaaa
186841 aaaaaaaaaa aagaaagaaa acagaaccaa tggctgttc ccactgtcca aggccattat
186901 tcagtgacag cattcaatgc cgctcaggca ggtcccaact cctcttccaa ccccaatatt
186961 ctcccagct ctgtctgtt catgggacac ttcaagccgc ctgtctgtcc caggccaaatc
187021 cacacctggt acctctgcac acgtctccctc ctctgcccgg gttgccaacc tgcgtcttt
187081 ccagctggcc acttattttt ccagccccca ttcaaaacagc ccccccaggag cacactctcc
187141 aactcttggc cagagtgtcc gtcagccacc ctgacgacag gageccctgg tgggtaccag
187201 acctgcctca ttgctgacca gtacagggga taaacatgt agaagggtct ggctgaaaaa
187261 tgaatcacca aatgaactgc tgaatgaatg aaacagtgc aagtctccc caaaatgctc
187321 tccatcagga atgcatagtt cacaggtgtt gcccaccaa cagactgca ccccatgtca
187381 actcccacca ctttaccta ccctaagttcc gcagcaaaaca tctctttca ttttagaaat
187441 taacctccag cgtaaaatgg gacacaccc tcaggttggc gatgtcctca gagacagtg
187501 gcatgtcaa gggctcacca ttttacccca gtcctccag ggatattac agttgtttgc
187561 aatatggcca agttctaact aaatccagcc aaaggcaatg atttccaaa gcaacaatgt
187621 atatttctgt tgcataccata gaaagaatgt cagtggttgc agagccctgg tgaattgcc
187681 ggctctgcag actgttaggat gggctcagc tgcccagta cggccgtct cagggccac
187741 gggggctggg agagtggca ctaactcggg gcaggagttc cctgatgtc aatttagagcg
187801 gaaccatgg tggcgctt cagatgtctg gccagcacag ccagctgac caccacac
187861 ccaatccaaa atagaaaact gcaatggctt ctgctgtgt ccaggccccg ggcagccgga
187921 cagagcaccg ccaatgtcag cttctccct cagcatcgat ccaggcttcc tctgaggccc
187981 ctttgcgtc agccacggc cttcttgccc tctccagaa gcagagctt ccagagctcc
188041 agtcacagga cttagagggc gcaggcagtc tcaaaaggga tcccttagcc tctctcttgc
188101 ctttcaggcg ctgccccca aagatcgagc agtcatggg cactagagcc ttcatttca
188161 aatgcaccccc tcagctaaa atagagaaaa ccaacttttca aaagaaccag ctggagttca
188221 acaggaaacc acagcagaaaa aaccaatgtat tcccggtc ccaaggggca gagggtcaac
188281 tggcatttc agcatactg ccagctccctt gggctgttat taccgcacg caaggaaaca
188341 ggaagactga ctgcccggc ataagtccac cacacacata tcacgcccagt atgcacaagg
188401 acggacacaa actcaacaga tgcataacac actgtatgtc agaaacccag acacatactg
188461 gcaacagaga cactggcaca cgcacatgtt cacacagggt caggccacc cagatgcagg
188521 tacacaccaa cgttccacaa cacaatgtca cacaactcaca aaggtagaca cacatcac
188581 gacccaccccc cggatgcaag ccagagactt gttcaggccag gcaaaagaga gaggccac
188641 ctccctgcctg ctgagccctt tggagaccgg ggcgtcccc atgcataaat ggccccctgc
188701 tcagaccatg caaaacacca tgcattccag ccaagccctt cagttggagc acgaggctca
188761 ctaaaggcagc ggaagggcgc ggaaagtctt cagcgcaggc cttgcctcc caagggactc
188821 ccaggttaacc cttttccaaa acccaggcga ggcagccgg gagaaggag ctagagaatg
188881 gctactcactc cagccatcg cattgtgtc ggcacccaga ggaggctcg gctaggccgg
188941 ccacgtctcc gacgttagaga cagctcccgca caggggtc caccgggtg tgcccttct

189001 cgcctgcctccatagtg gccccggcgccacggcg ggcgtggcccgac
189061 ggtcagggtc tcggccaaag accgtgacat ttagaaagag gtgcgtccca ggctctct
189121 cgttgcctcc gggRaagctc ggggtccgga ccggggccgc cctggggct cgtacccctg
189181 cttctggacgt agctgcgcac accaYgtggg acaccaagcg gcctggcg tcagtcgc
189241 cgggcaccgc caggatgcgc tccgctccgt gccccagggg cccgcctgca acggaaagg
189301 gcgttagatc ggcggagacc acggagcccc agtgccctag agacccgcgc gcaagccac
189361 cccccccaga ccccgccccca ctgcgaaggg aaggggcatt cggcaggcg accccagaag
189421 ccagcctgca cctcccccggc tttccctgcaaa

[0254] Following are human cDNA sequences for transcript variant 1 (long form) and transcript variant 2 (short form) of *ADAMTS2* (cDNA sequences 1 and 2, respectively). Alternative splicing of the *ADAMTS2* gene generates two transcript variants, therefore, *ADAMTS2* exists in two forms: a "long" form comprising a molecule approximately 130 kDa in length, and a "short" form comprising a molecule approximately 70 kDa in length.

ADAMTS2 cDNA Sequence 1 (SEQ ID NO. 2)

NM_014244 Homo sapiens a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 2 (ADAMTS2), transcript variant 1, mRNA

1 atggatccgc cggcgggagc cgctcgccgc ctgctctgcc ccgcgtgtct gctgtgtctg
61 ctgctgtgc cgcccccgtc cctggccggc ccggccggc cccgcaacgc caggctcgcc
121 gccgcccggc accccccagg cggggccctg gggcacggag cggagcgcacat cctggcggtg
181 cccgtgcga ctgacgcccc gggccgtt gttgtccacg agctacgtcc
241 agagcagggg tacgagcccg caggccggcc cccgcggc ccccgagctt ccccgaggc
301 aacgaggagg agccgtggcag tcacctcttc tacaatgtca cggtctttgg cggagacactg
361 cacctgcggc tgcggcccaa cggccggcc tcgtggccctt gttgtccat gggccactat ggagtggcag
421 ggcgagaagg gcaccaccccg cgtggagccc ctgctcggtt gctgtctcta cgtcgagac
481 gtggccggcc tagccgaagc ctccctctgtg gcgcgtcagca actgcgtatgg gctggctgtt
541 ctgatccggta tggaggagga ggagttcttc atcgaaccct tggagaaggg gctggccggc
601 caggaggctg agcaaggccg tttgtcatgtt gtgtatcgcc ggccacccac gtcccttc
661 ctcggggggc cacaggccct ggacacaggg gcctccctgg acagcctgga cagcctc
721 cgcgcctgg ggcgtctttaga ggagcacggc aacagctgaa ggcggaggc acgcaggcat
781 gctgcagacg atgactactaa catcgaggc tcgtgtggcg tggatgactc tgggtgcag
841 ttccacggg aggacacgtt acagaagttt ctgtgtggcg tcatgaaat tggatgactc
901 atctaccatg acggacacccctt ggggtccac atcaacgtt gatcatc
961 ctgagctatg gaaagtccat gagcctcatc gagatcgaa accccctctca gagcctggag
1021 aatgtctgcc gctggggctt cctccagcag aagccagaca cggggccacga tgaataccac
1081 gatcacccca tcttcctcac acggcaggac tttggccctt cccgcacatgca aggctatgt
1141 cctgtcaccg gcatgtgcca tccggccgc agctgcaccc tgaaccatgaa ggacggcttc
1201 tcctcagctt ttgtgtggc ccatgagact ggcacgttc tggcatgaa gcacgacgg
1261 cagggcaacc gctgtggcgca cgaggtggcg ctggcagca tcatggccccc cctgggtgcag
1321 gccgccttcc accgcttcca ctggtccccgc tgcagccacg aggagctgag cgcgtaccc
1381 cactcctatg actgcctgtt ggtatggccccc ttccggccacg actggccggc gctgccccag
1441 ctccggggac tgcactactc catgaacggag caatggccgt ttgtacttgg cctgggtctac
1501 atgatgtgca cggcgttccg gaccttgc acctgttgc acgtgtggtg cagccatcc
1561 gacaaccctt acttttgc gaccaagaagg gggcccccggc tggacgggac tatgtgtgca
1621 cctggcaacg attgtttaa aggacactgc atctggctga caccgtacat cctcaaacgg
1681 gacggcagct ggggcgtt ggttgcgtt ggctctgtt cacgtacctg tggcacgggc
1741 gtgaagttca ggacccgcca ggtgtacaac ccacacccgg ccaacggggg cccgcacctgc
1801 tcggcccttg cctacgactt ccagctctgc agccgcagg actgcggccga ctccctggct
1861 gacttcccg aggacactgtt ccggcaggat gacctgtact tggagcacgg cgacggccag
1921 caccactggc tgccccacga gcacccggat gccaaggaga gatgccaccc ttaactgcgag
1981 tccagggaga cggggaggt ggtgtccatg aagcgtatgg tgcgtatgtt gacgcgtgc
2041 tcctacaagg acgccttcag cctctgtgtg cggggggact gacggaaagg gggctgtgac
2101 ggtgtatgc gtcctcggccaa gcaaggaaac aagtgtggcg tggatgtgggg gacacaacgg

2161 cactgcaaag tggtaaaggg cacgttcaca cggtcaccca agaagcatgg ttacatcaag
2221 atgtttgaga tccctgcagg agccagacac ctgctcattc aggaggtaga cgcaccacgc
2281 caccatctgg ccgtcaagaa cctggagaca ggcaagttca tcttaatgaa agagaatgac
2341 gtggatgcca gttccaaaac cttcattgcc atggcggtgg agtggggatc cagagacgag
2401 gacggccggg agacgctgca gaccatggc cccctccacg gcaccatcac cgttctggc
2461 atcccggtgg gagacaccccg ggtctcaactg acgtacaat acatgatcca tgaggactca
2521 ctgaatgtcg atgacaacaa cgtcctggaa gaggactctg tggctacgaa gtggccctgg
2581 aagaagtgtt ctcgtgctc caagccctgt ggccggagggt cccagttcac caagtatggc
2641 tgccgcccga ggctggacca caagatggta caccgtggct tctgtgccgc cctctcgaag
2701 cccaaaggca tccgcagagc gtgcaaccca caggaatgct cccagccagt gtgggtcaca
2761 ggcgaatggg agccatgttag ccagacctgt gggccggacag gcatgcaggt ggcgtccgtg
2821 cgtgtcattt acggcgttaca cgacaaaccc acccgctccg tgcacgcac gcaactgcaat
2881 gacggccggc cggagagccg ccggccctgc agccgcgagc tctggccctgg tcgttggcga
2941 gccggccctt ggtccctgt ctgcataacc tggccaaacgc caccggaggaa gggccagtg
3001 ccctgcccga ccgcggacga cagttcggc atctggcagg aggagcgtcc tgagacagcg
3061 aggacgttca ggcttggccc ctgtcccca aacatcttag atccctccaa gaagagctac
3121 gtagttcaatggc ggctgtcccg cccggacccc gactgcggca tccggaaat ctcgtcaag
3181 ggccactgccc aaggcgacaa gtcaatattt tggatggatgg aagtcttgc cgcctattgc
3241 tccatcccaat gctacaacaa gctgtccctgc aagtctgtt acctgtacaa caacccatcacc
3301 aacgtggagg gcaggataga gcccggccct gggaaagcaca acgacattgt cgtgttcatg
3361 ccataccctcc cagtggccac tggccatg gagggtggc catccaag caccggccctg
3421 gaggtccctc tcaatgcctc cagccaaat gcccacaggat atcaccaggaa aaccaatgcc
3481 gtagatgaaat cctacaatggc ccatggccctg gaaatgttcaatggccacc caacctaatac
3541 cctcgacac cggccctta tggaaagacc agaaagatggaaat gatccaaga gtcattgtat
3601 gagatgcgga agaaagatggaaat gtcggaaat ttctaa

ADAMTS2 cDNA Sequence 2 (SEQ ID NO. 3)

NM_021599 Homo sapiens a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 2 (ADAMTS2), transcript variant 2, mRNA

1 atggatccgc cggcgggagc cgctcgccgc ctgctctgcc ccgcgtgtgt gctgtgtgt
61 ctgctgtgc cggccggcgt cctggccgcg ccgcgcgcgc cgcgcacgc caggctcgcc
121 gccgcggccg accccccagg cggggccctgc gggcacggag cggagcgcac cctggcggtg
181 cccgtgcgca ctgacggccca gggccgttg gtgttccacatgg tgggtcgcc agctacgtcc
241 agagcagggg tacgagcccg cagggccggc ccgttccggc ccccgagctt ccccgaggc
301 aacgaggagg agcctggcag tcacctcttc tacaatgtca cggctttgg ccgagacctg
361 cacctgcggc tgccggccaa cggccggccctc gtggcccccgg gggccactat ggagttggcag
421 ggcgagaagg gcaccaccccg cgtggagccccc ctgctcgcc gctgtctcta cgtcgagac
481 gtggccggcc tagcgaagc ctccctgtg ggcgtcagca actgcgtatgg gctggcggt
541 ctgatccggta tggaggagga ggagttcttc atcgaaccct tggagaagg gctggcgcc
601 caggagggtg agcaaggccg tggccatgtg gtgtatcgcc gcccacccac gtccctcc
661 ctcggggggc cacaggccctt ggacacaggg gcccggccatgg acggcctggc cagccctc
721 cgcgcctgg ggcgtcttaga ggagcacggc aacagctcgaa ggcggaggggc acgcaggcat
781 gctgcagacg atgactacaa catcgagggtc ctgctggcg tggatgactc tgggtgcag
841 ttccacggta agggcacgtt acagaagttc ctgctgacat tcaatgttcaatgttcaatgt
901 atctaccatgtt acggatccctt ggggtccac atcaacgtgg tccctggcgt gatcatcctc
961 ctgatgtatgtt gaaagtccat gaggctcatc gagatggcggaa accccctctca gagccctggag
1021 aatgtctggc gctggccctaa cctccagcag aagccagaca cggggccacga tgaataccac
1081 gatcacggca tcttcctcac acggcaggac tttggccctt cccgcacatgcgca aggctatgt
1141 cctgtcacccg gcatgtggca tccggccgc agctgcaccc tgaaccatgtt ggcacggcttc
1201 tcctcagctgtt tgggtggc ccatgagact ggccacgtgc tgggcacatgg gacacgggg
1261 caggcggcacc gctgtggcga cgagggtggcgg ctggccagca tcatggcgcc cctgggtgcag
1321 gccgcctcc accgcgttcca ctgggtcccgcc tgcagccgcg aggagctgag ccgcgttaccc
1381 cactctatgt actgcctgtt ggtggccccc ttcggccacg actggccggc gctgccccag
1441 ctccggggac tgcactactc catgaacggag caatggccgt ttgacttccgg cctggctac
1501 atgtatgtca cggcggtcccg gaccttgcac ccctgcaacg agctgtgggtt cagccatcct
1561 gacaacccctt actttgttcaatggccaa gaccaagaag gggcccccctt tggacgggac tatgtgtgca
1621 cctggcaagt tcagggccggg cgcgggtggctt catgcctgtt atcccagcac tttggaggc
1681 caaggttaggtt ggatcgccctg a

[0255] Following are human polypeptide sequences for isoform 1 (long form) and isoform 2 (short form) of *ADAMTS2* (amino acid sequences 1 and 2, respectively).

ADAMTS2 Amino Acid Sequence 1 (SEQ ID NO. 4)

NP_055059 a disintegrin and metalloprotease with thrombospondin motifs-2 isoform 1; procollagen I N-proteinase; Procollagen N-endopeptidase [Homo sapiens]

MDPPAGAARRLLCPALLLLLLPPPLPPPPPPANARLAAAADPPGGPLGHGAERILAV
PVRTDAQGRLVSHVVAATSRAVRARRAAPVTPSFPGGNEEPEGSHLFYNVTVFGR
DLHLRLRPNARLVAAPGATMEWQGEKGTRVEPLLGSCLYVGDVAGLAEASSVALSNC
DGLAGLIRMEEEFFIEPLEKGLAAQEAEQGRVHVYRRPPTSPPLGGPQALDTGASLDS
LDSLSRALGVLEEHANSRRARRHAADDYDYNIEVLLGVDDSVVQFHGKEHVQKYLLT
LMNIVNEIYHDESLGAHINVVLVRIILSYGKMSLIEIGNPSQSLENVCRWAYLQQKPD
TGHDEYHDHAIFLTRQDFGPGSMQGYAPVTGMCHPVRSCQLNEDGFSSAFVVAHETG
HVLGMEHDGQGNRCGDEVRLGSIMAPLVQAAFHRFHWSRCSQQELSRYLHSYDCLLD
DPFAHDWPALPQLPGLHYSMNEQCRDFGLGYMMCTAFRTFDPCQLWCSHPDNPYF
CKTKKGPPLDGTMCAPGKHCFKGHIWLTDPDILKRDGSWGAWSFGSCRTCGTVKF
RTRQCDNPHPANGGRTCSGLAYDFQLCSRQDCPDSLADFREEQCRQWDLYFEHGDAQ
HHWLPHEHRDAKERCHLYCESRETGEVVSMMKRMVHDGTRCSYKDAFSLCVRGDCRK
VGCDGVIGSSKQEDKCGVCGGDNSHCKVVKGTFRSPKKHGYIKMFEIPAGARHLLIQE
VDATSHHLAVKNLETGKFILNEENDVDASSKTFIAMGVEWEYRDEDGRELQTMGPLH
GTITVLVIPVGDRVSLTYKYMIEHEDSLNVDDNNVLEEDSVVYEALKWSPCSKPCG
GGSQFTKYGCRRRLDHKMVHRGFCAALSKPKAIRRACNPQECSQPVWVTGEWEPCSQ
TCGRTGMQVRSVRCIQPLHDNTTRSVHAKCNDARPESRRACSRELCPGWRAGPWS
QCSVTCGNGTQERPVPCRTADDSFGICQEERPETARTCRLGPCPRNISDPSKKSYVVQW
LSRPDPDSPIRKISSKGHCQGDKSIFCRMEVLSRYCSIPGYNKLSCKSCNLYNNLTNVEG
RIEPPPGKHNDIDVFMPTLPVPTVAMEVRPSPSTPLEVPLNASSTNATEDHPETNAVDEP
YKIHGLEDEVQPPNLIPRRPSPYEKTRNQRIQELIDEMRKKEMLGKF

ADAMTS2 Amino Acid Sequence 2 (SEQ ID NO. 5)

NP_067610 a disintegrin and metalloprotease with thrombospondin motifs-2 isoform 2; procollagen I N-proteinase; Procollagen N-endopeptidase [Homo sapiens]

MDPPAGAARRLLCPALLLLLLPPPLPPPPPPANARLAAAADPPGGPLGHGAERILAV
PVRTDAQGRLVSHVVAATSRAVRARRAAPVTPSFPGGNEEPEGSHLFYNVTVFGR
DLHLRLRPNARLVAAPGATMEWQGEKGTRVEPLLGSCLYVGDVAGLAEASSVALSNC
DGLAGLIRMEEEFFIEPLEKGLAAQEAEQGRVHVYRRPPTSPPLGGPQALDTGASLDS
LDSLSRALGVLEEHANSRRARRHAADDYDYNIEVLLGVDDSVVQFHGKEHVQKYLLT
LMNIVNEIYHDESLGAHINVVLVRIILSYGKMSLIEIGNPSQSLENVCRWAYLQQKPD
TGHDEYHDHAIFLTRQDFGPGSMQGYAPVTGMCHPVRSCQLNEDGFSSAFVVAHETG
HVLGMEHDGQGNRCGDEVRLGSIMAPLVQAAFHRFHWSRCSQQELSRYLHSYDCLLD

DPFAHDWPALPQLPGLHYSMNEQCRDFGLGYMMCTAFRTFDPCKQLWCSHPDNPYF
CKTKKGPPLDGTMCAPGKFRPGAVAHAACYPSTLGGQGRWIA

[0256] Modifications may be made to the foregoing without departing from the basic aspects of the invention. Although the invention has been described in substantial detail with reference to one or more specific embodiments, those of skill in the art will recognize that changes may be made to the embodiments specifically disclosed in this application, yet these modifications and improvements are within the scope and spirit of the invention, as set forth in the aspects which follow. All publications or patent documents cited in this specification are incorporated herein by reference as if each such publication or document was specifically and individually indicated to be incorporated herein by reference.

[0257] Citation of the above publications or documents is not intended as an admission that any of the foregoing is pertinent prior art, nor does it constitute any admission as to the contents or date of these publications or documents. U.S. patents and other publications referenced herein are hereby incorporated by reference.

What is claimed is:

1. A method for identifying a subject at risk of osteoarthritis, which comprises detecting the presence or absence of one or more polymorphic variations associated with osteoarthritis in a nucleic acid sample from a subject, wherein the one or more polymorphic variations are detected in a nucleotide sequence selected from the group consisting of:
 - (a) a nucleotide sequence in SEQ ID NO: 1-3;
 - (b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;
 - (c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;
 - (d) a fragment of a nucleotide sequence of (a), (b), or (c);whereby the presence of the polymorphic variation is indicative of the subject being at risk of osteoarthritis.
2. The method of claim 1, which further comprises obtaining the nucleic acid sample from the subject.
3. The method of claim 1, wherein the one or more polymorphic variations are detected within a region spanning chromosome positions 178746000 to 178751000 in human genomic DNA.
4. The method of claim 1, wherein the one or more polymorphic variations are detected at one or more positions selected from the group consisting of 210, 3608, 3609, 4318, 5593, 5629, 5639, 5640, 8943, 17968, 19887, 21034, 21085, , 21596, 23379, 23432, 24007, 26121, 26273, 26755, 27411, 27710, 27842, 28379, 29603, 31232, 31504, 32583, 32794, 32840, 33044, 33150, 33218, 33513, 33959, 34486, 36289, 36570, 38247, 38477, 38518, 38529, 38667, 39781, 39856, 39927, 40506, 41869, 42452, 44788, 46059, 46846, 47712, 48796, 49441, 49602, 49723, 50050, 50171, 50477, 50818, 50833, 50881, 50882, 51386, 51534, 52317, 52368, 52970, 53023, 53356, 53882, 54553, 55475, 55530, 55691, 55848, 55879, 56316, 56911, 57320, 57391, 57437, 57478, 57500, 59111, 59333, 59715, 59804, 59851, 59929, 60052, 60240, 60359, 60381, 60456, 60724, 60875, 60968, 60978, 60998, 61557, 62091, 62645, 62943, 63131, 63145, 63406, 63427, 63554, 63661, 64093, 64153, 64409, 64544, 65257, 65626, 65739 , 66392, 66720, 69177, 69336, 69636, 69823, 69928, 70547, 70633, 71805, 72181, 72200, 72474, 72567, 72973, 73468, 73889, 75730, 75970, 76114, 76342, 76449, 76465, 76791, 78042, 80758, 80778, 81356, 81576, 81689, 81759, 81950, 82562, 83591, 83700, 83821, 83842, 83923, 83929, 84021, 84175, 84417, 84747, 85746, 86129, 86335, 87315, 87648, 87764, 87770, 88221, 90474, 91148, 91150, 91160, 91733, 91772, 91785,

93140, 93148, 96080, 96157, 96313, 96759, 97026, 97320, 97732, 98713, 99707, 99959, 100009, 100020, 100065, 100086, 101270, 101276, 101371, 101376, 101439, 101820, 102392, 102602, 102604, 102896, 189104, 189134 and 189205.

5. The method of claim 1, wherein the one or more polymorphic variations are detected at one or more positions in SEQ ID NO: 1 selected from the group consisting of 5640, 33150, 38247, 38529, 46846, 49723, 50050, 63427, 73889, 189104 and rs428901.

6. The method of claim 1, wherein the one or more polymorphic variations are detected at one or more positions in linkage disequilibrium with one or more positions in claim 3, 4 or 5.

7. The method of claim 1, wherein detecting the presence or absence of the one or more polymorphic variations comprises:

hybridizing an oligonucleotide to the nucleic acid sample, wherein the oligonucleotide is complementary to a nucleotide sequence in the nucleic acid and hybridizes to a region adjacent to the polymorphic variation;

extending the oligonucleotide in the presence of one or more nucleotides, yielding extension products; and

detecting the presence or absence of a polymorphic variation in the extension products.

8. The method of claim 1, wherein the subject is a human.

9. The method of claim 8, wherein the subject is a human female.

10. The method of claim 8, wherein the subject is a human male.

11. A method for identifying a polymorphic variation associated with osteoarthritis proximal to an incident polymorphic variation associated with osteoarthritis, which comprises:

identifying a polymorphic variation proximal to the incident polymorphic variation associated with osteoarthritis, wherein the polymorphic variation is detected in a nucleotide sequence selected from the group consisting of:

(a) a nucleotide sequence in SEQ ID NO: 1-3;
(b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(d) a fragment of a nucleotide sequence of (a), (b), or (c) comprising a polymorphic variation;

determining the presence or absence of an association of the proximal polymorphic variant with osteoarthritis.

12. The method of claim 11, wherein the incident polymorphic variation is at one or more positions in claim 3, 4 or 5.

13. The method of claim 11, wherein the proximal polymorphic variation is within a region between about 5 kb 5' of the incident polymorphic variation and about 5 kb 3' of the incident polymorphic variation.

14. The method of claim 11, which further comprises determining whether the proximal polymorphic variation is in linkage disequilibrium with the incident polymorphic variation.

15. The method of claim 11, which further comprises identifying a second polymorphic variation proximal to the identified proximal polymorphic variation associated with osteoarthritis and determining if the second proximal polymorphic variation is associated with osteoarthritis.

16. The method of claim 15, wherein the second proximal polymorphic variant is within a region between about 5 kb 5' of the incident polymorphic variation and about 5 kb 3' of the proximal polymorphic variation associated with osteoarthritis.

17. An isolated nucleic acid comprising a nucleotide sequence selected from the group consisting of:

(a) a nucleotide sequence in SEQ ID NO: 1-3;

(b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(d) a fragment of a nucleotide sequence of (a), (b), or (c) comprising a polymorphic variation; and

(e) a nucleotide sequence complementary to the nucleotide sequences of (a), (b), (c), or (d);

wherein the nucleotide sequence comprises a polymorphic variation associated with osteoarthritis selected from the group consisting of a cytosine at position 5640, a cytosine at position 33150, an adenine at position 38247, a thymine at position 38529, an adenine at position 46846, a cytosine at position 49723, a cytosine at position 50050, a cytosine at position 63427, a guanine at position 73889, a thymine at position 189104, and an adenine at position rs428901.

18. An oligonucleotide comprising a nucleotide sequence complementary to a portion of the nucleotide sequence of (a), (b), (c), or (d) in claim 17, wherein the 3' end of the oligonucleotide is adjacent to a polymorphic variation associated with osteoarthritis.

19. A microarray comprising an isolated nucleic acid of claim 17 linked to a solid support.

20. An isolated polypeptide encoded by the isolated nucleic acid sequence of claim 17.

21. A method for identifying a candidate therapeutic for treating osteoarthritis, which comprises:

(a) introducing a test molecule to a system which comprises a nucleic acid comprising a nucleotide sequence selected from the group consisting of:

- (i) a nucleotide sequence in SEQ ID NO: 1-3;
- (ii) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (iii) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (iv) a fragment of a nucleotide sequence of (a), (b), or (c); or

introducing a test molecule to a system which comprises a protein encoded by a nucleotide sequence of (i), (ii), (iii), or (iv); and

(b) determining the presence or absence of an interaction between the test molecule and the nucleic acid or protein,

whereby the presence of an interaction between the test molecule and the nucleic acid or protein identifies the test molecule as a candidate therapeutic for treating osteoarthritis.

22. The method of claim 21, wherein the system is an animal.

23. The method of claim 21, wherein the system is a cell.

24. The method of claim 21, wherein the nucleotide sequence comprises one or more polymorphic variations associated with osteoarthritis.

25. The method of claim 24, wherein the one or more polymorphic variations associated with osteoarthritis are at one or more positions in claim 3, 4 or 5.

26. A method for treating osteoarthritis in a subject, which comprises contacting one or more cells of a subject in need thereof with a nucleic acid, wherein the nucleic acid comprises a nucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence in SEQ ID NO: 1-3;
- (b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (d) a fragment of a nucleotide sequence of (a), (b), or (c); and
- (e) a nucleotide sequence complementary to the nucleotide sequences of (a), (b), (c), or (d); whereby contacting the one or more cells of the subject with the nucleic acid treats the osteoarthritis in the subject.

27. The method of claim 26, wherein the nucleic acid is RNA or PNA.

28. The method of claim 27, wherein the nucleic acid is duplex RNA.

29. A method for treating osteoarthritis in a subject, which comprises contacting one or more cells of a subject in need thereof with a protein, wherein the protein is encoded by a nucleotide sequence which comprises a polynucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence in SEQ ID NO: 1-3;
- (b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (d) a fragment of a nucleotide sequence of (a), (b), or (c);

whereby contacting the one or more cells of the subject with the protein treats the osteoarthritis in the subject.

30. The method of claim 29, wherein the treatment comprises administration of an effective amount of a composition comprising an active *ADAMTS2* polypeptide or fragment thereof, wherein the polypeptide fragment is selected from the group consisting of: 252-1211, 253-1211, 254-1211, 255-1211, 256-1211, 257-1211, 258-1211, 259-1211 or 260-1211 of SEQ ID NO: 4.

31. The method of claim 30, wherein the polypeptide or fragment has biological activity.

32. A method for treating osteoarthritis in a subject, which comprises:

detecting the presence or absence of one or more polymorphic variations associated with osteoarthritis in a nucleic acid sample from a subject, wherein the one or more polymorphic variation are detected in a nucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence in SEQ ID NO: 1-3;
- (b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;
- (d) a fragment of a nucleotide sequence of (a), (b), or (c) comprising a polymorphic variation; and

administering an osteoarthritis treatment to a subject in need thereof based upon the presence or absence of the one or more polymorphic variations in the nucleic acid sample.

33. The method of claim 30, wherein the one or more polymorphic variations are detected at one or more positions in claim 3, 4 or 5.

34. The method of claim 30, wherein the treatment is selected from the group consisting of administering a corticosteroid, a corticosteroid, a nonsteroidal anti-inflammatory drug (NSAID), a cyclooxygenase-2 (COX-2) inhibitor, an antibody, a glucocorticoid, hyaluronic acid, chondroitin sulfate, glucosamine or acetaminophen; prescribing a heat/cold regimen or a joint protection regimen; performing joint surgery; prescribing a weight control regimen; and combinations of the foregoing.

35. A method for detecting or preventing osteoarthritis in a subject, which comprises:

detecting the presence or absence of one or more polymorphic variations associated with osteoarthritis in a nucleic acid sample from a subject, wherein the polymorphic variation is detected in a nucleotide sequence selected from the group consisting of:

- (a) a nucleotide sequence in SEQ ID NO: 1-3;

(b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(d) a fragment of a nucleotide sequence of (a), (b), or (c) comprising a polymorphic variation; and

administering an osteoarthritis prevention or detection procedure to a subject in need thereof based upon the presence or absence of the one or more polymorphic variations in the nucleic acid sample.

36. The method of claim 35, wherein the one or more polymorphic variations are detected at one or more positions in claim 3, 4 or 5.

37. The method of claim 35, wherein the osteoarthritis prevention is selected from the group consisting of administering a corticosteroid, a nonsteroidal anti-inflammatory drug (NSAID), a cyclooxygenase-2 (COX-2) inhibitor, an antibody, a glucocorticoid, hyaluronic acid, chondroitin sulfate, glucosamine or acetaminophen; prescribing a heat/cold regimen or a joint protection regimen; performing joint surgery; prescribing a weight control regimen; and combinations of the foregoing.

38. A method of targeting information for preventing or treating osteoarthritis to a subject in need thereof, which comprises:

detecting the presence or absence of one or more polymorphic variations associated with osteoarthritis in a nucleic acid sample from a subject, wherein the polymorphic variation is detected in a nucleotide sequence selected from the group consisting of:

(a) a nucleotide sequence in SEQ ID NO: 1-3;

(b) a nucleotide sequence which encodes a polypeptide encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(c) a nucleotide sequence which encodes a polypeptide that is 90% or more identical to the amino acid sequence encoded by a nucleotide sequence in SEQ ID NO: 1-3;

(d) a fragment of a nucleotide sequence of (a), (b), or (c) comprising a polymorphic variation; and

directing information for preventing or treating osteoarthritis to a subject in need thereof based upon the presence or absence of the one or more polymorphic variations in the nucleic acid sample.

39. The method of claim 38, wherein the one or more polymorphic variations are detected at one or more positions in claim 3, 4 or 5.

40. A composition comprising a cell from a subject having osteoarthritis or at risk of osteoarthritis and an antibody that specifically binds to a protein, polypeptide or peptide encoded by a nucleotide sequence identical to or 90% or more identical to a nucleotide sequence in SEQ ID NO: 1-3.

41. A composition comprising a cell from a subject having osteoarthritis or at risk of osteoarthritis and a RNA, DNA, PNA or ribozyme molecule comprising a nucleotide sequence identical to or 90% or more identical to a portion of a nucleotide sequence in SEQ ID NO: 1-3.


42. The composition of claim 41, wherein the RNA molecule is a short inhibitory RNA molecule.

Abstract of the Disclosure

Provided herein are methods for identifying a risk of osteoarthritis in a subject, reagents and kits for carrying out the methods, methods for identifying candidate therapeutics for treating osteoarthritis, and therapeutic and preventative methods applicable to osteoarthritis. These embodiments are based upon an analysis of polymorphic variations in nucleotide sequences within the human genome.

FIGURE 1

ADAMTS2 – DISCOVERY P-VALUES (female only)



Application Data Sheet

Application Information

Application Type:: Provisional
Subject Matter:: Utility
Suggested Group Art Unit:: Not Yet Assigned
CD-ROM or CD-R?:: None
Sequence submission?:: None
Computer Readable Form (CRF)?:: No
Title:: METHODS FOR IDENTIFYING RISK OF
OSTEOARTHRITIS AND TREATMENTS
THEREOF
Attorney Docket Number:: 524593008900
Request for Early Publication?:: No
Request for Non-Publication?:: No
Total Drawing Sheets?:: 1
Small Entity?:: Yes
Petition included?:: No
Secrecy Order in Parent Appl.?:: No

Applicant Information

Applicant Authority Type:: Inventor
Primary Citizenship Country:: US
Status:: Full Capacity
Given Name:: Steven
Family Name:: MAH
City of Residence:: San Diego
State or Province of Residence:: CA
Country of Residence:: US
Street of mailing address:: 12820 Via Nieve #74
City of mailing address:: San Diego
State or Province of mailing address:: CA

Postal or Zip Code of mailing address:: 92130

Applicant Authority Type:: Inventor
Primary Citizenship Country:: Germany
Status:: Full Capacity
Given Name:: Andreas
Family Name:: BRAUN
City of Residence:: San Diego
State or Province of Residence:: CA
Country of Residence:: US
Street of mailing address:: 3935 Lago Di Grata Circle
City of mailing address:: San Diego
State or Province of mailing address:: CA
Postal or Zip Code of mailing address:: 92130

Applicant Authority Type:: Inventor
Primary Citizenship Country:: Germany
Status:: Full Capacity
Given Name:: Stefan
Middle Name:: M.
Family Name:: KAMMERER
City of Residence:: San Diego
State or Province of Residence:: CA
Country of Residence:: US
Street of mailing address:: 3825 Elijah Court, Unit 334
City of mailing address:: San Diego
State or Province of mailing address:: CA
Postal or Zip Code of mailing address:: 92130

Applicant Authority Type:: Inventor
Primary Citizenship Country:: US
Status:: Full Capacity

Given Name:: Matthew
Middle Name:: Roberts
Family Name:: NELSON
City of Residence:: San Marcos
State or Province of Residence:: CA
Country of Residence:: US
Street of mailing address:: 1250 Calle Prospero
City of mailing address:: San Marcos
State or Province of mailing address:: CA
Postal or Zip Code of mailing address:: 92069

Applicant Authority Type:: Inventor
Primary Citizenship Country:: Sweden
Status:: Full Capacity
Given Name:: Rikard
Middle Name:: Henry
Family Name:: RENELAND
City of Residence:: San Diego
State or Province of Residence:: CA
Country of Residence:: US
Street of mailing address:: 7555 Charmant Drive, #1114
City of mailing address:: San Diego
State or Province of mailing address:: CA
Postal or Zip Code of mailing address:: 92122

Applicant Authority Type:: Inventor
Primary Citizenship Country:: United Kingdom
Status:: Full Capacity
Given Name:: Maria
Middle Name:: L.
Family Name:: LANGDOWN
City of Residence:: San Diego

State or Province of Residence:: CA
Country of Residence:: US
Street of mailing address:: 3701 Yosemite Street
City of mailing address:: San Diego
State or Province of mailing address:: CA
Postal or Zip Code of mailing address:: 92109

Correspondence Information

Correspondence Customer Number:: 25225

Representative Information

Representative Customer Number:: 25225